



ASPHALT CONCRETE TYPICAL SECTIONS AND QUANTITIES C.R. 408




TYPICAL 1
NTS.



TYPICAL 2
NTS.

- ① Item 448 32 MM. Asphalt Concrete Surface Course, Type 1, PG64-22
- ② Item 448 45 MM. Asphalt Concrete Intermediate Course, Type 2, PG64-22
- ③ Item 407 Tack Coat, @ 0.34 L./SQ. M.
- ④ Item 407 Tack Coat For Intermediate Course, @ 0.23 L./SQ. M.

 Existing Pavement

* Slope Varies

STATION TO STATION	LENGTH METERS	*WP METERS	T Y P I C A L	EXISTING PAVEMENT TYPE	PAVEMENT AREA SQ. M.	407	407	PROPOSED PAVEMENT				614 TEMPORARY CENTER LINE, CLASS II KM.
						TACK COAT @ 0.34 L./SQ. M. LITERS	TACK COAT FOR INTERMEDIATE @ 0.23 L./SQ. M. LITERS	ASPHALT CONCRETE				
								ITEM 448 (1)		ITEM 448 (2)		
								THICK MM.	CU. M.	THICK MM.	CU. M.	
0+000.00 TO 1+031.14	1,031.14	6.10	1	ASPHALT	6,289.95	2,138.58		32.00	201.28			1.03
1+130.81 TO 2+076.66	945.85	6.10	1	ASPHALT	5,769.69	1,961.70		32.00	184.63			0.95
2+078.04 TO 4+779.59	2,701.55	6.10	1	ASPHALT	16,479.46	5,603.02		32.00	527.34			2.70
4+779.59 TO 9+948.00	5,168.41	6.10	2	ASPHALT	31,527.30	10,719.28	7,251.28	32.00	1,008.87	45.00	1,418.73	5.17
TOTALS CARRIED TO GENERAL SUMMARY						20,423	7,251		1,922		1,419	9.85