

White Stk

52. 11 A gully - fence N. E.

79. 64 A run & back side. Fence S.W.

80. 00 Set post corner of sections 15 and 16. from which a W. Oak 5 ins. diam. bears N 22 E. 54 links distant, and a W. Oak, 4 ins. diam. bears N 75 E. 40 links distant.

Hilly land. Not very steep. but soil poor and stony. timber, thin and small, generally, of Oak, Hickory and Chestnut.

April 18th 1804.

North, between sections 17 and 18. from true corner of sections 17, 18, 23, 24

4. 05 A run links wide - fence back.

[80. 00] Intersected the East and West line 4, 40 links west of the old corner - Set post at true corner of sections 13, 14, 17, 18, from which a W. Oak 16 ins. diam. bears N 66 E. 30 links distant, and a W. Oak 14 ins. diam. bears N 76 W. 31 links distant.

Good bottom land. timber, W. Oak, Hickory, Maple, & some Whale &c.

West, on random line, between sections 14 and 19. from old corner of sections 13, 14, 17, 18. { October 15, 1803.

52. 50 A surge, ranging N. E. and S. W.

79. 40 Intersected [old] North and South line 13 links North of post.

Hilly land, but not very steep. Pretty good in places, and stony in others. timber thin, of Oak, Hickory & Chestnut.

West, between sections 15 and 16, from old corner of sections 14, 15, 16, 17.

70. 36 A spring head, 16 links to the right.

79. 38 Intersected West boundary of the township 47 links North of post.

Random hills, though not very steep. land indifferent, and in places, stony

Ch. Ch.

North, on track boundary of sections 15.
 27, 34 A gully - Course N.W.
 32, 40 To corner of quarter township, Band 3.
 71, 00 A run 4 links wide - Course track.
 80, 00 Set post corner of sections 6 and 15, from which, a
 B. Oak 10 in. diam, bears N 30 E, 12 links distant, and a
 W. Oak 12 in. diam, bears S 62 E, 55 links distant.
 Slightly, indifferant band. Timber, Oak, Striped, Chestnut
 Aspen, or

October 16, 1803.

East.
 on random line, between sections 13 and 18, from old corner
 of sections 13, 14, 17, 18, which is 4, 40 Ch. East of true corner
 over W. Oak flat, 6 feet of hills, ranging North and South.
 To division line of the township. Timber on flat, W. Oak, Hickory, with ~~hard~~
 55, 00 To a bottom; across a brushy ridge, not very steep, but
 land indifferant - timber, Oak, Hickory, Chestnut &
 57, 44 To water-tower, a creek - Course S. E.
 75, 50 ~~Water-tower~~ North and south line 30 links south of post.
 Over good bottom. timber, Beech, Sugar Maple, W. Walnut
 or
 West.
 connected, between sections 13 and 18.
 Set post corner of half sections 25, 26, 35, 36, from which a
 Chestnut 5 in. diam, bears S 29 E, 26½ links distant, and a
 Chestnut 6 in. diam, bears S 56 W, 16 links distant.

April 18th, 1803.

North, between sections 13 and 14.
 18, 28 A run 12 links wide - Course East, from S.W.
 [80.00] ~~Water-tower~~ the North side of sections 13 and 14, 550 links
 West of old corner. Set post corner of sections 7, 8, 13,
 14, from which a B. Oak 15 in. diam, bears N 55° 30' E,
 32 links distant, and a W. Oak 10 in. diam, bears S 23 E, 35
 links distant)
 Slightly, indifferant land, generally. Brumby and

7. 3. R. 9. W. S. Hill.

147

Ch. W.

Story - timber, Oak, Hickory, Chestnut &c

October 16, 1803.

East, between half sections 15 and 26, from old corner of sections 7, 8, 13, 14, which is 5.50 miles East of true corner.

2. 50 A run 3 miles wide - Course S. E.

25. 00 To division line of the township - set post corner of half sections 15 and 26, from which a 1/4 Oak 18 ins. diam, bears N 76 W, 52. miles distant, and a 1/2 Oak 12 ins. diam, bears S 17 W, 69 miles distant.

Hilly, indifferant land, and thickly timbered with Oak, Hickory &c and full of game birds.

April 18, 1804.

North, between sections 7 and 8.

[80.00]

On the North. Boundary of sections 7 and 8, fell 653 miles West of old corner. Set post at true corner of sections 8, 4, 7, 8. from which a 1/4 Oak 14 ins. diam, bears N 24 W, 20 miles distant, and an Elm, 10 ins. diam, bears S 45 E. 7 1/2 miles distant.

Hilly land, indifferant, brushy and story timber, thin, in places, of Oak, Hickory, Chestnut &c

October 17, 1803.

West, between sections 7 and 14, on random line, from old corner of sections 7, 8, 13, 14, which is 5.50 miles East of the true corner of said sections.]

26, 30 A run 3 miles wide - Course N W, to S. E.

30, 22 A Spring head 30 miles to the right.

51. 77 A run 3 miles wide - Course South.

80. 35 Well 30 miles West of [old] corner of sections 6, 7, 14, 15.

Good hill land - lies well for farming. Timber, W. Oak, Hickory &c

West, on random line, between sections 6 and 15, from old corner of sections 6, 7, 14, 15.]

Ch. 18

Y. 3. R. 9. W. 5. NW.

79.05 ~~located~~ West Boundary of the Township 21 links north
of the corner.
Hilly land, but not steep. Sand pretty good. Timber,
Oak, Hickory and some Sycam.

North, on West Boundary of Section 6.
30.50 to run bottom - low ridge - sand pretty good - timber, oak,
Hickory &
32.39 1/2 run 8 links wide - course west.
44.50 to hills - low run bottom. timber? small, of Maple, Sycam & some
for Blue Beech) and some Hickory, Plum bushes &c
75.40 to bottom. Over dry ridge, high wet steep. timber oak, Hickory &
80.00 set post corner of Section 5 and 6, from which a W. oak
24 in. band, bears N 57 1/2 E, 21 links distant, and a W. oak 24
in. band, bears S 51 E, 65 links distant.

North, on West Boundary of Section 5.
11.04 to a pond, extending N. E. and S. W.
52.32 A run 4 links wide. course East.
65.00 trackatawaka creek - course from NW. to S E E.
68.40 to the North West corner of the township.
Swampy bottom land - timber? Sycam, Cherry, Blue Ash,
Burdock, Sycam, Hickory, Sycam &c

East, between half Section 6 and 15, from [old] corner of Section
3, 4, 7, 8, [which is 6.53 links East of true corner of said Sect]
18.00 to bottom.
32.50 to trackatawaka Creek - course East.
34.00 to track and South East corner. set post corner of half
Section 6 and 15, from which a Sycam 11 in. band, bears
S 16 W, 44 links distant, and a W. oak 12 in. band, bears
N 18 W, 66 links distant.
low bottom - timber? Sycam, Sycam, Beech, Elm &c

Write, between Sections 3 and 4.

April 18, 1804.

Oct. 26th

18. 94 50 Makatowaka Creek. Course East.

[66. 53] Intersected the North Boundary of the Township 7. 20 miles West of old corner of Sections 3 and 4. Set post corner of Sections 3 and 4, from which a Mr. Cook 8 ins. band, bears S 9 E, 19 1/2 miles distant, and a 3rd line 12 ins. band, bears S 90 W, 17 miles distant.

West part of the mile, bottom land, mostly timber, Sugar, Buckeye, Elm, Black Ash & the remainder, from the creek, Spruce, rather steep. Pretty rich soil. Timber? Oak, Hickory, Ash, Cherry &c.

West, on North Boundary of Section 4.

Set post corner of half Sections 7 and 8 at average distance between posts, from which a Mr. Cook 10 ins. band, bears S 20° 30' W, 9 miles distant, and a Mr. Cook 8 ins. band, bears S 13 E, 6 miles distant.

Set post corner of Sections 4 and 5, 7. 20 miles West of old post corner of said sections, from which a Cherry 10 ins. band bears S 32 W, 31 miles distant, and a Mr. Cook 12 ins. band, bears S 37 E, 24 miles distant.

West, on North Boundary of Section 5.

40, 00 Set post corner of half Sections 9 and 10, from which a B. Cook 14 ins. band, bears S 23 E, 60 miles distant, and a Mr. Cook 12 ins. band, bears S 46 W, 61 miles distant.

South, between Sections 4 and 5.

9. 19 A run 8 miles wide. Course from N W to E.

[67. 77]

50 Makatowaka Creek - course East. Set post true corner of Sections 4, 5, 6, 7, from which a B. Cook 12 ins. band, bears N 18 E, 4 1/2 miles distant, and a Mr. Cook 10 ins. band, bears N 49 W, 19 miles distant.

October 17, 1893.

West, on random line, between Sections 5 and 6, from old post

Ch. W.

corner of sections 4, 5, 6, 7, which is 608 links East of true corner of said sections.
 45, 56 A spring head 10 links to the right.
 79, 09 ~~Intersected~~ rock boundary at post.
 Wily land, but not steep. Soil rather rich & sandy. Stony and lumpy in places.

East, from old corner of sections 4, 5, 6, 7, on random line between sections 4 and 7.
 12, 50 A gully - bearing South.
 29, 87 A run 5 links wide. bearing South.
 56, 38 A gully - bearing South.
 66, 63 A run 5 links wide. bearing South.
 81, 58 Well 51 links South of post corner of sections 3, 4, 7, 8.
 upon point of hills some fracturated rock. Land pretty good - timber, oak, Hickory &c.

April 18, 1804

Work, on true line, between sections 5 and 6.

Corrected the line, and set post corner of half sections 9, 10, 11, 12.
 608 links West of old corner, from which a bearing 14 ins. distant, bears S 11 E, 19 links distant, and a W. Oak 15 ins. distant, bears N 44 E, 6½ links distant.

East, on true line between sections 4 and 7.

Cherished posts, and set post corner of half sections 7, 8, 13, 14, from which a W. Oak 12 ins. distant, bears S 50 E, 39 links distant, and a stake 12 ins. distant, bears S 35 W, 49 links distant.

South, between sections 6 and 7.

[80, 00] Set post corner of sections 6, 7, 14, 15, 511 links West of old corner, from which a W. Oak 22 ins. distant, bears S 41 W, 26 links distant, and a W. Oak 12 ins. distant, bears S 62 E, 17½ links distant.

Wily land, though not very steep. Pretty good in some places & rather rich & sandy in others. Timber, oak, Hickory &c. } Dist. from 307, Apr. 18th

CU 261

April 19th, 1804.

East, on true line, between Sections 7 and 14.

Averaged posts, and set post corner of half Section 13, 14, 27, 28, from which a B. Oak 14 in. diam; beav S 24 E, 28 links distant, and a stickery 10 in. diam; beav S 21 W, 24 1/2 links distant.

West, on true line, between sections 6 and 15.

Set post corner of half Section 11, 12, 29, 30, from which a W. Oak 16 in. diam; beav N 47 W, 11 1/2 links distant, and a hog-worrd 6 in. diam; beav N 34 E, 7 links distant.

South, between sections 14 and 15.

[50.00] Set post corner of sections 14, 15, 16, 17, 4, 22 links west of old corner, from which a W. Oak 24 in. diam; beav N 25 W, 20 links distant, and a W. Oak 18 in. diam; beav S 28 E, 40 1/2 links distant.

Shilly land, but not steep - Soil pretty good in some places, and in others, barren and stony. Timber, Oak, Hickory &c

West, on true line, between sections 15 and 16.

Set post corner of half sections 29, 30, 31, 32, from which a B. Oak 8 in. diam; beav N 23 W, 6 links distant, and a B. Oak 8 in. diam; beav N 61 E, 36 links distant.

East, on true line, between sections 14 and 17.

Averaged posts, and set post corner of half sections 27, 28, 33, 34, from which a W. Oak 11 in. diam; beav N 15 W, 6 1/2 links distant, and a W. Oak 11 in. diam; beav S 8 E, 15 links distant.

South, between sections 16 and 17.

[50.00] Set post corner of sections 16, 17, 24, 25, 350 links west of old corner, from which an Ashpole 10 in. diam; beav S 6 E, 22 links distant, and a Red Oak 6 in. diam; beav N 86 W, 18 links distant.

Land Shilly, though not very steep - Rather rich in the hollows - stony in places. timber, Fir, of Oak, and Hickory.

Chap. 1st

West, on true line, between sections 16 and 25.

Set post corner of half sections 31, 32, 49, 50 from which a
 N. Oak 8 in. diam. bears N 74 W, 9 links distant, and a Blk. Oak
 6 in. diam. bears N 20 E, 10 1/2 links distant.

East, on true line, between sections 19 and 24.

Averaged the posts, and set true post corner of half sections 32, 34,
 47, 48, from which a W. Oak, 6 in. diam. bears N 66 W, 9 links
 distant, and a Maple 12 in. diam. bears N 46 E, 4 1/2 links
 distant.

South, between sections 24 and 25.

[80.00] Intersected South Boundary, 2.81 links west of old post -

Set post at true corner of sections 24 and 25, in a Pine-bark
 Swamp. No bearings taken.

Bottom land. Soil good. Timber, Oak, Hickory, Sycamore,
 Ash-bark &c

Surveyed in the years 1803 and 1804,
 by John Mathews,
 Deputy Surveyor.