

SERVICE CONNECTION DETAIL
(IF SEWER IS LESS THAN 10' DEEP)

SERVICE CONNECTION DETAIL
(IF SEWER IS 10' OR DEEPER)

TYPICAL SERVICE TAP DETAIL

Depth Of Service Line At R/W To Be Determined In The Field By The Contractor For Each Individual User Slanted Stacks May Be Provided Where The Depth Of Sewer Is Greater Than Required For Service Line. Payment For Service Lines To Be On A Unit Price Basis, Per Lineal Foot Installed. Payment For Wye, Saddle, Or Fitting In Main To Be At Contract Unit Price As Set out In The Proposal

TYPICAL PRECAST MANHOLE

BEDDING DETAIL

* 4. 5. Stable Delete #2 Stone

Casing	For	Carrier
40"	-	24"
36"	-	21"
32"	-	18"
28"	-	15"
24"	-	12"
22"	-	10"
20"	-	8"
12"	-	6"

HIGHWAY OR RAILROAD CROSSING DETAIL

See Plan & Proposal For Bid Length. Verify Crossing Details With Permit From Hwy. Or R.R. As To Length, Min. Thickness, Etc.

GRAVITY SEWER CLEANOUT DETAIL

Revisions

Designed by:	Date:	Checked by:	Date:
R.S.	8-27-82	J.L.R.	9-1-82
Drawn by:	Date:	Approved by:	Date:
<i>J. Dwyak</i>	8-28-82	J.L.R.	9-1-82

MUSKINGUM COUNTY, OHIO

MISCELLANEOUS DETAILS

Mayşville III Area Wastewater Project
CONTRACT DIVISION B

CONTRACT DIVISION B

Design Enterprise Ltd.

Scale

AS SHOWN

Sheet
28 of 31