### P.O. Box 207 FRAZEYSBURG, OHIO 43822 PH./FAX (740) 828-2204

# FOR Steve Little

All OF PARCEL 10-04-07-18-000

Situated in the Southeast Quarter of Section 7, T-3-N, R-8-W U.S.M.L., Cass Township, Muskingum County, Ohio. Being the lands and Jody Little as last conveyed in Deed book 1156 page 535 of the Muskingum County Deed records, and being more particularly described as follows:

Commencing at the Northeast corner of the South@ast Quarter of Section 7; thence, N.89°28'38"W. a distance of 275.02 feet along the North line of said quarter section to a point, BEING THE POINT OF BEGINNING;


- thence, S.00°11'55"E. a distance of 1,423.84 feet to a found iron pin;
- thence, N.89°47'39"E. a distance of 275.00 feet to a point in the center of Schoolhouse Road, located on the East line of said Quarter section;
- thence, S.00°11'55"E. a distance of 65.18 feet along said quarter section line and said road to a point;
- thence, **S.41°00'31"W**. a distance of **176.06** feet along the lands of CAPRAIL to a found iron pin;
- thence, S.75°02'00"W. a distance of 517.32 feet along the lands of CAPRAIL to a found iron pin;
- thence, on a curve to the left a distance of 630.77 feet, on a radius of 11,539.16 feet, whose chord bears S.73°28'02"W. a distance of 630.69 feet to a point on the Southeast corner of the lands of W. Ross;
- thence, N.17°41'35"W. a distance of 237.58 feet along said Ross lands to a found iron pin;
- thence, \$.85°06'21"W. a distance of 162.37 feet along said Ross lands to a found iron pin;
- thence, S.12°48'48"E. a distance of 277.28 feet along said Ross lands to a point on the North line of CAPRAIL;

- thence, on a curve to the left a distance of 949.51 feet, on a radius of 11,539.16 feet, whose chord bears S.68°38'27"W. a distance of 949.24 feet along said CAPRAIL lands to a found iron pin;
- thence, S.66°17'00"W. a distance of 433.56 feet along said CAPRAIL lands to a found iron pin on the West line of the S.E. 1/4 of section 7;
- thence, N.00°17'00"E. a distance of 1,481.66 feet along said quarter section line to a found iron pin on the souteast corner of the lands of F. Pierce (943/283);
- thence, S.89°39'40"E. a distance of 422.66 feet along said Pierce lands to a found iron pin;
- thence, N.09°06'00"W. a distance of 552.00 feet along said Pierce lands to a found iron pin;
- thence, S.86°07'20"E. a distance of 1,158.26 feet along said Pierce lands to a found iron pin;
- thence, N.01°55'38"W. a distance of 574.75 feet along said Pierce lands to a point on the North line of the Southeast Quarter of Section 7; located near the center of Schoolhouse Road;
- thence, S.89°28'38"E. a distance of 914.31 feet along said quarter section line to the point of beginning.

The above described parcel contains 90.068 acres, more or less, and is subject to all legal easements and right of ways. All set rebars are criptos Cas present from an actual survey by Bowman Surveying, NOT RECORD 135. August 26, 1999. 5/8" x 30" rebars with plastic I.D. caps. North is based upon an assumed meridian.

Stephen

**DESCRIPTION APPROVED** 





## Know all Men by these Presents

Chat CARL W. HAINS and MARY S. HAINS, Husband and Wife,

County, State of Ohio, for valuable consideration paid, grant Licking with general warranty covenants, to WILLIAM A. JENNINGS & DOUGLAS H. JENNINGS,

whose tax mailing address is Main Street, Trinway, Ohio 43842

the following real property: SITUATED IN CASS TOWNSHIP, MUSKINGUM COUNTY, OHIO, AND BOUNDED AND DESCRIBED AS FOLLOWS:

Situated in the Southeast Quarter of Section Seven (7), Township Three (3) North, and Range Eight (8) West of the United States Military Lands and more particularly described as follows:

Beginning at a stone on the Northeast corner of the Southeast Quarter of said Section 7, said stone being the True Place of Beginning for the parcel herein conveyed: thence with the East line of said Section 7, South 0 degrees 11 minutes 55 seconds East a distance of 1,485.52 feet to an iron pipe set, passing an iron pipe set at a distance of 1,420.59 feet; thence with the North right-of-way line of the Penn Central Railroad Company the following four (4) courses:

- thence South 41 degrees 00 minutes 31 seconds West a distance of 176.06 feet to an iron pipe set;
- thence South 75 degrees 02 minutes 00 seconds West a distance of 517.32 feet to an iron pipe set;
- thence with a curve to the left having the following properties: 8 degrees 45 minutes 00 seconds Delta Degree of Curve 0 degrees 29 minutes 48 seconds

11,539.16 feet Radius 882.82 feet Tangent

Length 1,762.22 feet

Chord Bearing South 70 degrees 39 minutes 30 seconds West to an iron pipe set;

4. thence South 66 degrees 17 minutes 00 seconds West a distance of 433.56 feet to an iron pipe set on the West line of said Southeast Quarter of Section 7;


thence with the said West line of the Southeast Quarter of Section 7, North 0 degrees 17 minutes 00 seconds East a distance of 1,481.66 feet to an iron pipe set; thence thru the Grantor's property the following courses:

- thence South 89 degrees 39 minutes 40 seconds East a distance of 422.66 feet to an iron pipe set;
- thence North 9 degrees 06 minutes 00 seconds West a distance of 552.00 feet to an iron pipe set;
- thence South 86 degrees 07 minutes 20 seconds East a distance
- of 1,158.26 feet to an iron pipe set;
  4. thence North 1 degree 55 minutes 38 seconds West a distance of 574.75 feet to a point on the North line of said Southeast Quarter of Section 7, passing an iron pipe set at a distance of 557.26 feet;

thence with said North line of the Southeast Quarter of Section 7, South 89 degrees 28 minutes 37 seconds East a distance of 1,189.32 feet to the True Place of Beginning, and containing 100.053 acres, more or less, and including all public road right-of-ways and subject to all easements of record.

Being a part of the same premises as were conveyed to Carl W. Hains and Mary S. Hains by deeds recorded in Deed Book Volume 659, Page 225, and Page 229, of the Deed Records of Maskingum County, Ohio.

The above description was written field all vey made by Buckeye Land Surveying, Inc., George W. Maskingum, Registered Surveyor No. 5252 in November, 1979.



### **BOWMAN & ASSOCIATES 59 SECOND STREET** FRAZEYSBURG, OHIO 43822 PH./FAX (614) 828-2204

#### SURVEY DESCRIPTION FOR J. Evan Atkinson

PARCEL #10-04-07-18-000 (PART)

Situated in the Southeast Quarter of Section #7, T-3-N, R-8-W, Cass Township, Muskingum County, Ohio. Being part of the lands of Stephen & Ruth Bowman as recorded in Deed Book 1108 Page 342 of the Muskingum County deed records and being described as follows:

Commencing at a stone found marking the Northeast corner of the Southeast quarter of section #7; thence, S.00°11'55"E. a distance of 200.38 feet along the East line of said quarter section to a point, located near the center of Township Road #118 (Schoolhouse Road), Being the point of beginning;

thence, S.00°11'55"E. a distance of 900.00 feet along the east line of said quarter section to a point;

thence, S.89°48'05"W. a distance of 275.00 feet through the lands of S. & R. Bowman to a set rebar, passing a set rebar at 30.00 feet;

thence, N.00°11'55"W. a distance of 900.00 feet through said Bowman lands to a set rebar;

thence, N.89°48'05"E. a distance of 275.00 feet through said Bowman lands to the point of beginning, passing a set rebar at 250.00 feet.

The above described parcel contains 5.682 acres, more or less, and is subject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars. North is based upon an assumed meridian.

Reserving from the above described parcel all mineral rights, A utility and drainage easement 10 feet in width along all lot lines, a 30 foot easement along the front lot line for township purposes, 5-20 foot wide utility and drainage easements running east and west whose centerlines are every 150 feet parallel to the south line.

Description was running an actual survey by Bowman & Associates, Stephen M. Bowman (P. 1995). DEFIGURATION AND ASSOCIATES, NOVEMBER 17, 1995.

**DESCRIPTION APPROVED** FOR AUDITORS TRANSFER

10NE/FAX 614-828-2204