## **BOWMAN SURVEYING** P.O. BOX 207 FRAZEYSBURG, OHIO 43822 PH./FAX (740) 828-2204

parcel # 10-08-41-32 3570 RADAS RD,

## SURVEY DESCRIPTION FOR Cynthia Stotts

AUDITORS PARCEL 10-08-41-32-000 (PART 5.144 ACRES)

Situated in Lot 17 and 18, of George Adams Subdivision of Quarter Township 1, T-3-N, R-8-W, U.S.M.L., Cass Township, Muskingum County, Ohio. Being part of the lands of Cynthia Stotts as conveyed in Deed Book 1127 page 391 of the Muskingum County Deed Records, and being described as follows:

Commencing at an iron pin found in the Northeast corner of lot 1 of Hunters Crossing Subdivision; thence, N.21°44'36"E. a distance of 186.28 feet along the West line of the lands, now or formerly, owned by S. Lacy to an iron pin, BEING THE POINT OF BEGINNING;

- thence, N.41°25'49"W. a distance of 214.08 feet through the lands of C. Stotts (1127/391) to a set rebar;
- thence, N.86°02'59"W. a distance of 226.66 feet through said Stotts lands to a set rebar;
- thence, N.05°09'07"E. a distance of 272.43 feet through said Stotts lands to a point on the South side of the Ohio Canal Lands, passing a set rebar at 234.15 feet;
- thence, S.87°47'45"E. a distance of 160.26 feet along said canal lands to a found iron pin;
- thence, S.87°37'35"E. a distance of 358.35 feet along said canal lands to a found iron pin;
- thence, N.89°12'31"E. a distance of 39.51 feet along said canal lands to a found iron pin;
- thence, N.77°58'12"E. a distance of 203.50 feet along said canal lands to a found iron pin;
- thence, S.73°15'34"E. a distance of 106.68 feet along said canal lands to a found iron pin;
- thence, S.49°36'25"W. a distance of 676.94 feet through said Stotts lands to the point of beginning.

The above described parcel contains 5.144 acres, more or less, and is subject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars with phastic L.D. caps. North is based upon an assumed meridian. Description was prepared from an actual survey by Bowman Surveying, Stephen M. Brunen, P.S.#7135. February 11, 1999.

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER

