Also the Following Easement for Roadway Purposes

Being a part of Lot number 44 of the First Quarter of Township 3, Range 8, United States Military Lanus, Cass Township, Muskingum County, Onio and being further described as follows:

Commencing at the Southwest Corner of the said Lot number 44; thence North 02 degrees 27 minutes 09 seconds East 649.92 feet to a point marked by an existing iron pin (one inch pipe); thence South 35 degrees 50 minutes 31 seconds East 1047.04 feet to a noint marked by an iron pin (one inch pipe); thence North 02 degrees 04 minutes 22 seconds East 683.81 feet to a point marked by an iron min (one inch pipe); thence North 02 degrees 04 minutes 22 seconds East 083.81 feet to a point marked by an iron pin (one inch pipe); thence North 41 degrees 07 minutes 07 seconds East 108.48 feet to a point marked by an iron pin (3/4 inch pipe), said point being the place of beginning of this easement; thence continuing North 41 degrees 07 minutes 07 seconds East 25.00 feet to a point; thence South 48 degrees 52 minutes 53 seconds bast 48.66 feet to a point; thence South 54 degrees 59 minutes 20 seconds East 40.48 feet to a point; thence South 65 degrees 30 minutes 54 seconds East 20.36 feet to a point; thence South 82 degrees 02 minutes 00 seconds East 23.74 feet to a point; thence North 71 degrees 19 minutes 34 seconds East 23.38 feet to a point; thence North 33 degrees 26 minutes 37 seconds East 32.08 feet to a point; thence North 16 degrees 27 minutes 08 seconds East 80.47 feet to a point; thence North 12 degrees 55 minutes 40 seconds Last 39.47 feet to a point; thence North 07 degrees 03 minutes 27 seconds East 28.52 feet to a point; thence North 05 degrees 27 minutes 30 seconds WEst 93.65 feet to a point in the center of Township Road 460; thence North 82 degrees 05 minutes 00 seconds East 12.51 feet to a point in the center of Township Road number 400; thence North 82 degrees 23 minutes 54 seconds East 25.40 feet to a point in the center of Township Road number 460; thence South 02 degrees 04 minutes 22 seconds West 116.72 feet along the East line of Lot number 44 to a point marked by an iron pin (3/4 inch pipe); thence South 12 degrees 55 minutes 40 seconds West 50.20 feet to a point marked by an iron pin (3/4 inch pipe); thence South 16 degrees 27 minutes 08 seconds WEst 84.99 feet to a point marked by an iron pin (3/4 inch pipe); thence South 33 degrees 20 minutes 37 seconds West 44.38 feet to a point marked by an iron pin (3/4 inch pipe); thence South 71 degrees 19 minutes 34 seconds West 37.87 feet to a point marked by an iron pin (3/4 inch pipe); thence North 82 degrees 02 minutes 00 seconds West 33.27 feet to a point marked by an iron pin (3/4 inch pipe); thence North 55 degrees 36 minutes 54 seconds West 26.29 feet to a point marked by an iron pin (3/4 inch pipe); thence North 54 degrees 59 minutes 20 seconds West 50.14 feet to a point marked by an iron pin (3/4 inch pipe); thence North 48 degrees 52 minutes 53 seconds West 50.00 feet to the place of beginning.

I hereby certify the above description to be correct as prepared by me, this with dat of November 1981.

3 Sappers

REG. SURVEYOR #5718

Snider 940-10-81

Being a part of Lot number 44 of the First Quarter of Township 3, range 8, United States Military Lands, Cass Township, Muskingum County, OHio and being further described as follows:

Commencing at the Southwest Corner of the said Lot number 44; thence North 02 degrees 27 minutes 09 seconds East 649.92 feet to a point marked by an existing iron pin (1 inch pipe); thence South 85 degrees 56 minutes 31 seconds East 1047.04 feet to a point marked by an iron pin (1 inch pipe), said point being the place of beg-inning of this tract; thence North 02 degrees 04 minutes 22 seconds East 683.81 feet to a point marked by an iron pin (1 inch pipe); thence North 41 degrees 07 minutes 07 seconds East 108.48 feet to a point marked by an iron pin (3/4 inch pipe); thence South 48 degrees 52 minutes 53 seconds East 50.00 feet to a point marked by an iron pin (3/4 inch pipe); thence South 54 degrees 59 minutes 20 seconds East 50.14 feet to a point marked by an iron pin (3/4 inch pipe); thence South 65 degrees 36 minutes 54 seconds East 26.29 feet to a point marked by an iron pin (3/4 inch pipe); thence South 82 degrees 02 minutes 00 seconds East 33.27 feet to a point marked by an iron pin (3/4 inch pipe); thence North 71 degrees 19 minutes 34 seconds East 37.87 feet to a point marked by an iron nin (3/4 inch pipe); thence North 33 degrees 26 minutes 37 seconds East 44.38 feet to a point marked by an iron pin (3/4 inch pipe);' thence North 16 degrees 27 minutes 08 seconds East 84.99 feet to a point marked by an iron pin (3/4 inch pipe); thence North 12 degrees 55 minutes 40 seconds East 50.20 feet to a point marked by an iron pin (3/4 inch pipe); thence South 02 degrees 04 minutes 22 seconds West 836.67 feet to a point marked by an iron pin (one inch pipe); thence North 84 degrees 59 minutes 47 seconds West 3.38 feet to a point marked by an existing iron pin (one incn pipe); thence South 15 degrees 34 minutes 42 seconds West 59.57 feet to a point marked by an existing iron pin (one inch pipe); thence North 85 degrees 56 minutes 31 seconds WEst 279.76 feet to the place of beginning.

Containing 5,000 more or less acres

I hereby certify the above description to be correct as prepared by me, this 10th day of November 1981.

REG.

E. Snider (Klexander) 940-10-81

DESCRIPTION APPROVED Augitor Batroneser

13 Stubbers

