

Part of Sara K. Swingle, Trust 16.188 Ac.
All of Parcel No. 13-50-01-04-000
Part of Parcel No. 13-50-01-19-000
Part of Parcel No. 13-50-01-20-000

Situated in the State of Ohio, County of Muskingum, Township of Clay:

Being a Part of the Northeast, the Southeast and the Southwest Quarters of Section One (1), Township Fourteen (14), Range Fourteen 14 of the Congress Lands East of the Scioto River and Part of the property Recorded in the Sara K. Swingle Trust and Recorded in deed Book 1133, Page 373 of the Muskingum County Deed Records bounded and described as follows:

Beginning at a stone found at the center of said Section 1; thence N 4° 23' 00" E (the base of bearings for this description is State Plane Grid from a Solar Observation) along the east line of property owned by Wilma Fisher (Vol. 1121, Pg. 231) 278.15 feet to a point in the center of a small stream, said point bears S 45° 37' 04" W 11.21 feet from an iron pin set; thence along the center of said stream and the southline of said Wilma Fisher property the following seven courses and distances:

1 - S 58° 04' 57" E 97.82 feet to a point

2 - S 78° 28' 09" E 89.84 feet to a point

3 - S 54° 57' 45" E 90.52 feet to a point

4 - S 64° 43' 26" E 69.61 feet to a point

5 - S 78° 33' 13" E 108.70 feet to a point, said point bears S 43° 58' 34" W 26.04 feet from an iron pin set

6 - S 77° 03' 05" E 217.83 feet to a point

7 - S 66° 58' 29" E 255.54 feet to a point on the south line of the northeast quarter of said section 1; thence S 87° 07' 29" E along said half section line 134.91 feet to a point in the center of Cannelville Road and passing through an iron pin set at 76.41 feet; thence following the center of said road and through the land of said Sara K. Seingle Trust the following 19 courses and distances;

1 - S 55° 39' 54" W 53.24 feet to a point

2 - S 46° 26' 27" W 429.23 feet to a point


3 - S 50° 07' 25" W 50.77 feet to a point



- 4 - S 56° 30' 07" W 50.83 feet to a point
- 5 - S 63° 12' 45" W 51.88 feet to a point, said point bears N 62° 03' 19" W 29.52 feet from an iron pin set
- 6 - S 71° 00' 55" W 52.15 feet to a point
- 7 - S 77° 46' 30" W 110.22 feet to a point
- 8 - S 77° 04' 03" W 73.73 feet to a point
- 9 - S 67° 18' 31" W 115.02 feet to a point
- 10 - S 68° 41' 45" W 70.21 feet to a point
- 11 - S 76° 14' 10" W 54.16 feet to a point which bears N 23° 04' 46" W 21.34 feet from an iron pin set
- 12 - S 86° 03' 27" W 49.91 feet to a point
- 13 - N 86° 57' 43" W 48.91 feet to a point
- 14 - N 84° 45' 15" W 76.17 feet to a point and passing from the southeast quarter of section 1 into the southwest quarter at 17.33 feet
- 15 - N 83° 06' 31" W 50.94 feet to a point
- 16 - N 81° 19' 58" W 51.00 feet to a point
- 17 - N 79° 31' 25" W 53.50 feet to a point
- 18 - N 77° 55' 37" W 56.69 feet to a point
- 19 - N 75° 52' 02" W 53.58 feet to an iron pin found; thence N 3° 08' 49" E along the east line of property owned by Homer and Donna Green (Vol. 1053, Pg. 92) 563.18 feet to an iron pin found on the north line of said southwest quarter of section 1 and passing through an iron pin set at 28.67 feet; thence S 87° 05' 04" E along the north line of said southwest quarter and the south line; of the aforementioned Wilma Fisher (Vol. 1121, Pg. 231) a distance of 322.57 feet to the place of beginning containing Sixteen and One-hundred-eighty-eight-thousandths (16.188) acres

All of Auditors Parcel No. 13-50-01-04-000 in the northeast quarter of section one 2.649 Ac.

Part of Auditors Parcel No. 13-50-01-20-000 in the southeast quarter of section one 9.196 Ac.



Part of Auditors Parcel No. 13-50-01-19-000 in the southwest quarter of section one 4.343 Ac.

Subject to all legal right-of-ways and easements on record.

All iron pins set are 5/8" x 60" rebar capped Graves No. 5792.

This description was written August 14, 2003 from a Field Survey made by Richard Max Graves, Registered Surveyor, No. 5792.

OFFICE COPY
NOT RECORDABLE

DESCRIPTION APPROVED
FOR RECORDING/TRANSFER
BY RSB

8-19-2003

13-50-01-04
 13-50-01-19-001
 13-50-01-20-001 X
 4455 CANNELVILLE

BASE OF BEARINGS IS STATE PLANE
 GRID FROM A SOLAR OBSERVATION

- STONE FOUND
- 5/8" x 30" REBAR SET CAPPED GRAVES #5792
- ⊗ I.P. FOUND WITH ALUMINUM ID CAP
C.R. HARKNESS #6885
- I.P. FOUND R.L. DANIELS #5410



WILMA FISHER
 VOL. 1121, Pg. 231
 48.48 AC.

ALL PARCEL 13-50-01-04-000
 2.649 AC.

WILMA FISHER
 VOL. 1121, Pg. 231

REFERENCE LIST
 VOL. 1133, Pg. 373

- C.R. HARKNESS SURVEY #6885
- R.L. DANIELS SURVEY #5410
- CLAY TWP. TAX MAP #13-01
- ARIEL 1" = 400'
- USGS CROOKSVILLE QUAD.

STONE
 CENTER OF
 SECTION 1

PART OF PARCEL NO. 13-50-01-20-000
 9.196 AC.

SARA K. SWINGLE, Trust
 VOL. 1133, Pg. 373
 16.188 AC.

DESCRIPTION APPROVED
 FOR AUTION TO REFER
 BY *[Signature]*
 8-19-2003

MAP SHOWING SURVEY OF 16.188 AC.
 FOR SARA K. SWINGLE TR. V. 1133, P. 373
 IN SECTION 1, TOWNSHIP 14, RANGE
 14 OF THE CONGRESS LANDS EAST OF
 THE SCIOTO RIVER CLAY TOWNSHIP
 MUSKINGUM CO., OHIO

PART OF PARCEL NO.
 13-50-01-19-000
 4.343 AC.

HOMER &
 DONNA
 GREEN
 VOL. 1053, Pg. 92



RICHARD MAX GRAVES
 REGISTERED SURVEYOR #5792
 2925 KENLO WOODS DR.
 NASHVILLE, TN 37230

**OFFICE COPY
 NOT RECORDABLE**

