Being a part of land located in the State of Ohio, County of Maskingham, Township Falls and being part of Lot 4 of Underwoods Subdivision of Orace To Township 1 North, Range 7, bounded and described Commencing at the south Page 21). Township of

uine Acres (Plat Book 9, Page 21);

thence South 85 degrees 04 minutes 12 seconds East 907.37 feet;

thence South 04 degrees 39 minutes 28 seconds West 1764.27 feet;

thence North 84 degrees 48 minutes 00 seconds West 482.93 feet to the northeast corner of Eagle Crest Limited (OR 1585-369);

thence along the east line of Eagle Crest Limited (OR 1585-369) South 06 degrees 09 minutes 15 seconds West 30.97 feet to an iron pin found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 06 degrees 10 minutes 09 seconds West 153.81 feet to an iron pin found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 06 degrees 08 minutes 59 seconds West 16.62 feet to an axle found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 47 minutes 44 seconds West 103.39 feet to an iron pin found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 47 minutes 26 seconds West 26.45 feet to an iron pipe found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 43 minutes 10 seconds West 93.55 feet to an iron pin set;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 43 minutes 10 seconds West 120.12 feet to an iron pin set, the principal place of beginning for this parcel;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 43 minutes 10 seconds West 149.12 feet to an iron pin set;

thence North 50 degrees 44 minutes 39 seconds West 132.10 feet to an iron pin set;


thence on a curve to the left having a radius of 45.00 feet, a delta angle of 86 degrees 32 minutes 28 seconds and a chord bearing and distance of North 18 degrees 19 minutes 45 seconds West 61.69 feet to a point;

thence on a curve to the right having a radius of 20.00 feet, a delta angle of 67 degrees 21 minutes 09 seconds and a chord bearing and distance of North 27 degrees 55 minutes 41 seconds West 22.18 feet to an iron pin set;

thence South 84 degrees 48 minutes 00 seconds East 147.55 feet to the principal place of beginning, containing 0.30 acres, more or less.

Iron pins set are 5/8 inch rebar 30 inches long with identification caps (SWIERZ 8062). This legal description was prepared by Denis P. Swierz Reg. Surv. No. 8062, based on a field survey made in August 2001 by DADECO Engineering.

Subject to all easements, right of ways, restrictions, reservations, etc.. of record and those that may be implied.



j i

