

ADDRESS N/A

WARRANTY DEED

KNOW ALL MEN BY THESE PRESENTS:

That Richard and Hazelena Rucker
hereinafter referred to as the Grantor (as used herein, Grantor includes the plural and words in the masculine include the feminine) in consideration of the sum of _____
Dollars (\$ _____) to him paid by the State of Ohio, the Grantee, the receipt whereof is hereby
acknowledged, does hereby grant, bargain, sell and convey to the said Grantee, its successors and
assigns forever, the following described real estate:

The lands herein described are situated in Bank Lot Number 6, Township 11N, Range 9W, Falls
Township, Muskingum County, State of Ohio. Being further described as follows:

PARCEL NO. 9WD

OFFICE COPY
NOT RECORDABLE

Being a parcel of land lying on the left side of the centerline of survey for Mus-60-22.70 made by
the Ohio Department of Transportation, and recorded in Plat File _____, Slot _____, of the Muskingum
County Plat Records and being located within the following described points in the boundary thereof.

Beginning at a railroad spike set where the east line of Bank Lot 6 intersects the center of existing
State Route 60, at Station 1192+74.32 as shown on the plan of Mus-60-22.70 as mentioned above:

thence, **N45°29'23"W** a distance of **773.96 feet**, along the existing centerline of State Route 60 to a P.K.
Nail set, located 0.50 feet left of centerline station 1200+48.27 of proposed State Route 60;

thence, on a curve to the right a distance of 293.81 feet, with a radius of 603.11 feet and whose chord
bears **N31°32'01"W** a distance of **290.91 feet**, along the existing centerline of State Route 60
to a P.K. Nail set on the southwest corner of Donald N. and Anita Jane Melhorn's (830/114)
0.410 acre tract located 11.90 feet left of and radially to centerline station 1203+38.82
of proposed State Route 60;

thence, on a curve to the right a distance of 137.54 feet, with a radius of 603.11 feet and whose chord
bears **N11°02'41"W** a distance of **137.24 feet**, along the existing centerline of State Route 60
to a P.K. Nail set, located 14.55 feet left of centerline station 1204+74.34 of proposed State
Route 60;

thence, **N04°30'42"W** a distance of **171.15 feet**, along existing State Route 60 to a point located 6.44
feet left of centerline station 1206+45.30 of proposed State Route 60;

thence, on a curve to the left a distance of 103.90 feet, with a radius of 5729.58 feet and whose chord
bears **N05°01'52"W** a distance of **103.89 feet**, along the existing centerline of State Route 60
to a point located 2.46 feet left of and radially to centerline station 1207+49.12 of proposed
State Route 60;

thence, on a curve to the left a distance of 124.17 feet, with a radius of 5729.58 feet and whose chord
bears **N06°10'17"W** a distance of **124.17 feet**, along the existing centerline of State Route 60
to a point located 0.17 feet left of and radially to centerline station 1208+73.26 of proposed
State Route 60;

thence, on a curve to the left a distance of 43.61 feet, with a radius of 5729.58 feet and whose chord
bears **N07°00'37"W** a distance of **43.61 feet**, along the existing centerline of State Route 60
to a point located 0.00 feet left of centerline station 1209+16.86 of proposed State Route 60;

thence, **N07°13'42"W** a distance of **34.32 feet**, to a point, located 0.00 feet left of centerline station
1209+51.18 of proposed State Route 60; being the **TRUE POINT OF BEGINNING**;

thence, **N88°30'31"W** a distance of **40.47 feet**, along the southern property line of Richard and Hazelena Rucker (1132/178) to a point, located 40.00 feet left of centerline station 1209+57.34 of proposed State Route 60;

thence, **N07°13'42"W** a distance of **97.99 feet** through said lands to a set rebar, located 40.00 feet left of centerline station 1210+55.32 of proposed State Route 60;

thence, **S88°06'07"E** a distance of **40.51 feet**, along the northern property line of Richard and Hazelena Rucker (1132/178) to point, located 0.00 feet left of centerline station 1210+48.89 of proposed State Route 60;

thence, **S07°13'42"E** a distance of **97.71 feet** to a point, being the **TRUE POINT OF BEGINNING**;

It is understood that the parcel of land described covers 0.090 acres, more or less, including the present road which occupies 0.067 acres, more or less, and is a part of the Auditors Parcel No. 17-05-01-06-000. All set iron pins are 5/8" x 30" rebars with yellow I.D. caps inscribed "O.D.O.T. District 5". Bearings are based upon an assumed meridian.

Said stations being the Station numbers as stipulated in the hereinbefore mentioned survey and as shown by plans on file in the Ohio Department of Transportation, Columbus Ohio.

Description prepared from an actual field survey by The Ohio Department of Transportation, description prepared under the supervision of Thomas E. Andrews, P.E. #6884, June 08, 1998.

Grantor claims title by instrument(s) of record in Deed Book 1132, Page 178, County Recorder's Office.

The grantor reserves the right of ingress and egress to and from residual area.

Grantor, for himself and his heirs, executors, administrators, and assigns, reserves _____

TO HAVE AND TO HOLD the real estate with all the rights, privileges and appurtenances thereto therefore belonging to the Grantee, its successors and assigns forever.

And the said Grantor, for himself and his heirs, executors, administrators and assigns does hereby covenant with the said Grantee, its successors and assigns, that he is the true and lawful owner of the said premises, and has full power to convey the same; and that the title so conveyed is free and clear from all liens and encumbrances whatsoever, and further, that he does Warrant and will Defend the same against all claims of all persons whomsoever.

DESCRIPTION APPROVED
FOR AUDITOR'S TRANSFER
BY K. Bueley
6-11-98