TERRY FINLEY SURVEYING & MAPPING

Ohio Registered Surveyor #S-7222 155 Mockingbird Hill, Zanesville, OH 43701 Phone or FAX (740) 454-8721

LEGAL DESCRIPTION Lois Worthington property Twin Hills Drive

Situated in the State of Ohio, County of Muskingum, Township of Falls, and being part of Quarter Township 2, Township 1, Range 8; and being the remainder of those lands recorded in Deed Volume 1866, page 917; being further bounded and described as follows:

Beginning at an iron pin found in the center of Twin Hills Drive, said pin marking the southwest corner of Lot #1 of Dillon View Subdivision, as recorded in Plat Book 12, page 48, **thence**, leaving said road and along the north line of those lands now or formerly owned by D. Campbell (2195/409), **north 88 degrees – 53 minutes – 42 seconds west, 317.72 feet** to an iron pipe found;

Thence, along the northeasterly line of those lands now or formerly owned by D. & R. Armstrong (1837/590), the following four (4) courses and distances:

- north 18 degrees 31 minutes 31 seconds west, 143.65 feet to an iron pipe found;
- 2. **north 34 degrees 42 minutes 26 seconds west, 245.73 feet** to a one inch iron bar found in the center of a small stream, from which an iron pin found bears south 66 degrees 30 minutes 40 seconds west, 10.54 feet:
- 3. north 03 degrees 38 minutes 01 seconds west, 132.76 feet to an iron pin found;
- 4. north 32 degrees 10 minutes 43 seconds west, 156.50 feet to an iron pin set;

Thence, continuing along the southeasterly line of aforesaid D. & R. Armstrong lands, **north 65 degrees – 20 minutes – 27 seconds east, 294.89 feet** to a point in the center of Twin Hills Drive, passing an iron pin set at 274.89 feet;

Thence, along said road, the following six (6) courses and distances:


- south 20 degrees 24 minutes 12 seconds east, 139.87 feet to a point;
- south 24 degrees 04 minutes 33 seconds east, 117.08 feet to a point;
- south 30 degrees 52 minutes 54 seconds east, 127.67 feet to a point;
- 4. south 27 degrees 10 minutes 34 seconds east, 183.52 feet to a point;
- south 21 degrees 08 minutes 23 seconds east, 100.72 feet to a point;
- south 19 degrees 20 minutes 35 seconds east, 135.20 feet to the point of beginning, and <u>containing 4.930 acres more or less</u>.

Subject to all legal highways and easements, whether recorded or implied.

Iron pins set are 5/8 rebar with yellow identification cap (FINLEY S-7222).

Bearings described herein are based on assumed azimuth and to be used for angle purposes only.

Being all of Auditor's Parcel #17-30-02-05-000.



95/s/2011

