DESCRIPTION FOR A 2.089 ACRE TRACT

Situated in the State of Ohio, County of Muskingum, Township of Falls, being a part of the Third Quarter, Township-1, Range-8, United States Military Lands and being a part of that 5.53 acre tract (Parcel Number 17-82-02-10-000) as conveyed to the Board of Education of the West Muskingum Local School District by deed of record in Deed Book 1805, Page 227, all references being to those of record in the Recorder's Office, Muskingum County, Ohio, said 2.089 acre tract being more particularly bounded and described as follows:

Commencing at an iron pin found marking the southwesterly corner of Lot 2 of Monroe and Duncan's Subdivision of the South half of Quarter Township 3;

Thence along the southerly line of Lot 2, **South 88°34'05"** East, **483.08 feet** to an iron pin found in the easterly line of that 28.07 acre tract as conveyed to the Board of Education of the West Muskingum Local School District by deed of record in Deed Book 1731, Page 5;

Thence along said easterly line, South 01°41'53" West, 1434.60 feet to a point in West Pike (U.S. Route 40) marking the southeasterly corner of said 28.07 acre tract;

Thence along West Pike and the southerly line of said 28.07 acre tract, South 83°05'57" West, 530.16 feet to a point marking he southeasterly corner of said 5.53 acre tract and being the Point of Beginning for the 2.089 acre parcel herein to be described;

Thence continuing along West Pike and the southerly line of said 5.53 acre tract, **South** 83°25'18" West, 92.30 feet to a point marking the southeasterly corner of that 0.63 acre tract as conveyed to R.A. and M.E. Evan as recorded in Deed Book 1885, Page 832;

Thence leaving said line along the westerly line of the 0.63 acre tract the following six (6) courses and distances:

North 13°19'11" West, passing an iron pin set at 38.23 feet, a total distance of 85.77 feet to a point;

North 26°38'03" West, 24.55 feet to a point;

DESCRIPTION FOR A 2.089 ACRE TRACT Page 2

North 24°13'12" East, 12.98 feet to a point;

North 12°41'14" West, 32.80 feet to a point;

North 50°38'42" West, 67.11 feet to a point, said point being referenced, South 06°32'20" West, 14.64 feet from an iron pin found; and . . .

North 86°22'45" West, 71.04 feet to a point in the westerly line of said 5.53 acre tract, said point being referenced, North 02°42'50" East, 7.91 feet from an iron pin found;

Thence along said westerly line, North 02°42'50" East, passing an iron pin found at 181.67 feet marking the northeasterly corner of that 2.77 acre tract as conveyed to R.A. and M.E. Evan as recorded in Deed Book 870, Page 81, a total distance of 256.73 feet an iron pin found;

Thence leaving the westerly line across said 5.53 acre tract, North 87°38'20" East, 256.59 feet to an iron pin set in the easterly line of said 5.53 acre tract;

Thence South 02°42'34" West, passing an iron pin set at 74.75 feet and an iron pin set at 414.75 feet, a total distance of 453.23 feet to the Point of Beginning and containing 2.089 acres, more or less, according to a survey conducted by Jobes Henderson and Associates, Inc. in March of 2013.

The bearings in the above description are based on the Ohio State Plane Coordinate System, South Zone.

All iron pins set are 5/8" in diameter rebar by 30" in length with red identification caps marked "J&H, PS 8283".

Subject to all valid and existing easements, restrictions and conditions of record.

March 7, 2013
S:/13/13-011survey//legals/13-011 2.089ACRES

DESCRIPTION
APPROVED
By:

JEREMY
SWIS
VAN OSTRAN
8283

Surveyor No. 8283

APPROVED
MUSKINGUN COUNTY
PLANNING COMMISSION DIRECTOR

By:

ACCURATE OF THE COUNTY
PLANNING COMMISSION DIRECTOR

Fee Paid

