## **BOWMAN SURVEYING** 38 N. 4<sup>TH</sup> STREET, RM. 103 ZANESVILLE, OHIO PH./FAX (740) 454-0496

## DRAFT

SURVEY DESCRIPTION FOR Huston's Holding, LLC



Huston's Holding, LLC All of Auditors Parcels 17-94-02-11-000 17-94-02-12-000 17-94-02-13-000 17-94-02-15-001 Situated in Quarter Township 3, T-1-N, R-8-W, U.S.M.D. Falls Township, Muskingum County, Ohio. Being the lands of Huston's Holding, LLC as conveyed in Deed Book 1835 Page 52 of the Muskingum County Deed Percende and being in Deed Book 1835 Page 52 of the Muskingum County Deed Records and being described as follows;

Beginning point located 5.0' right of centerline station 1186+76.54 of u.s. 40 (mus-40-1.11-5.03);

- Thence, N.73°41'39"W. a distance of 10.88 feet to a point located within the Right of way of U.S. 40;
- Thence, N.73°25'52"W. a distance of 88.76 feet to a point located within the Right of way of U.S. 40;
- Thence, N.73°26'00"W. a distance of 464.24 feet to a point located within the Right of way of U.S. 40;
- Thence, N.84°39'27"E. a distance of 106.75 feet to a point located within the Right of way of U.S. 40;
- Thence, N.73°26'00"W. a distance of 199.81 feet to a point located within the Right of way of U.S. 40;
- Thence, N.16°06'48"E. a distance of 256.51 feet leaving said right of way and along the lands of T. Vest (1075/431) to a found iron pin on the Southwest corner of the lands of C. Ross (828/318), passing a set rebar at 46.76 feet;
- Thence, N.81°29'21"E. a distance of 450.11 feet along the South line of said Ross lands to a set rebar on the Southwest corner of the lands of M. Tyne (1061/359);
- Thence, S.74°46'08"E. a distance of 109.35 feet along the South line of said Type lands to a found rebar on the Northwest corner of the lands of the Canaan Mennonite Church;
- Thence, S.04°40'59"W. a distance of 104.03 feet along said Church lands to a found rebar;

Houston's Page 2


- Thence, S.21°30'42"E. a distance of 86.28 feet along said Church lands to a found rebar;
- Thence, **S.05°07'49"W.** a distance of **117.56** feet along said Church lands to a found rebar;
- Thence, **S.85°15'25"E.** a distance of **9.97** feet along said Church lands to a found rebar;
- Thence, **S.05°05'30"W.** a distance of **210.94** feet along said Church lands to the point of beginning.

The above described parcel contains **5.68 acres**, more or less, and is subject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars with plastic I.D. caps. North is based upon an assumed meridian.

De **DE DE LA Was propriet** from an actual survey by Bowman Surveying, Stephen H. Bowman COHINISS. May 25, 2004.

**DESCRIPTION APPROVED** FOR AUDITORIS/TRANSFER 2002

3775 W. P.KE



75 W. P.KE

3

\_\_\_\_