## SURVEY DESCRIPTION FOR **FASHION LIDS, LLC**

Situated in Quarter Township 4, T-1-N, R-8 OFFICE CORD thip, Muskingum County, Ohio. Being part of the conveyed in Deed Book 1151 and ds and being described. PART OF AUDITORS PARCEL 17-96-01-04-000 (32.189 Acres)

Situated in Quarter Township 4, T-1-N, R-8 File. Falls Township, Muskingum County, Ohio. Being part of the language Fashion Lids, LLC conveyed in Deed Book 1151 page 535 of the Muskingum County Deed Records and being described as follows:

Beginning at a found iron pin marking the Southwest corner of Lot 215 of Licking View Subdivision;

- Thence, N.77°46'17"W. a distance of 426.66 feet along the North line of the lands, now or formerly, owned by Mutual Federal (1126/149) to a found iron pin on the Northeast corner of the lands, now or formerly, owned by R. Patton (1109/445);
- Thence, N.78°06'45"W. a distance of 805.44 feet along said Patton lands to a found iron pin;
- Thence, S.14°37'18"E. a distance of 706.89 feet along said Patton lands to a wood post, referenced by a found iron pin bearing N.66°51'08"E. at 20.15 feet;
- Thence, S.05°45'05"W. a distance of 517.53 feet along said Patton lands to a found iron pin on the Northeast corner of the lands, now or formerly, owned by R. Ritchie (1092/211);
- Thence, S.85°45'03"W. a distance of 149.93 feet along said Ritchie lands to a found iron pin:
- Thence, S.05°45'05"W. a distance of 587.49 feet along said Ritchie lands to a point in the center of National Road (C.R. 420), passing a found iron pin at 557.08 feet;
- Thence, N.75°54'07"W. a distance of 158.67 feet along the center of said road to a point on the Southeast corner of the lands, now or formerly, owned by S. Marshall (1089/333);
- Thence, N.12°52'07"E. a distance of 201.33 feet along said Marshall lands to a found iron pin, passing a found iron pin at 39.98 feet;
- Thence, N.01°22'03"W. a distance of 588.84 feet along said Marshall lands to a found iron pin;
- Thence, S.87°42'48"W. a distance of 197.45 feet along said Marshall lands to a point in the center of Highland Road (T.R. 602), passing a found iron pin at 177.27 feet;

- Thence, N.05°03'20"E. a distance of 78.11 feet along the center of said road to a point;
- Thence, N.05°15'20"E. a distance of 162.58 feet along the center of said road to a point;
- Thence, N.03°17'00"E. a distance of 53.46 feet along the center of said road to a point;
- Thence, N.01°14'42"E. a distance of 54.81 feet along the center of said road to a point;
- Thence, N.02°48'29"W. a distance of 69.44 feet along the center of said road to a point;
- Thence, N.02°47'15"W. a distance of 23.69 feet along the center of said road to a point;
- Thence, N.09°35'58"W. a distance of 52.23 feet along the center of said road to a point;
- Thence, N.10°31'12"W. a distance of 68.69 feet along the center of said road to a point;
- Thence, N.13°48'47"W. a distance of 96.28 feet along the center of said road to a point;
- Thence, N.13°52'33"W. a distance of 70.42 feet along the center of said road to a point;
- Thence, N.40°27'05"E. a distance of 29.32 feet leaving said road and through the lands of Fashion lids, LLC (1151/535) to a set rebar;
- Thence, N.49°41'37"E. a distance of 464.28 feet through said lids lands to a set rebar;
- Thence, S.78°06'43"E. a distance of 244.77 feet through said lids lands to a set rebar;
- Thence, N.27°42'53"E. a distance of 950.38 feet through said lids lands to a point in Highland Road Right of way, passing a set rebar at 628.40 and 936.00 feet;
- Thence, S.57°57'43"E. a distance of 670.44 feet along said road to a point;

  Thence, N.88°04'26"E. a distance of 42.15 feet along said road to a point;

  iron pin on the Northwest corner of Lot 215 of the king the Subdivision; NOT REPORT ABILE

Fashion Lids Page 3

Thence, S.02°34'27"E. a distance of 250.00 feet along the West line of lot 215 to a found iron pin;

Thence, S.03°17'32"W. a distance of 509.64 feet along said lot 215 to the point of beginning.


The above described parcel contains 32.189 acres, more or less, and is subject to all legal easements and right of ways. All set rebars are  $5/8" \times 30"$  rebars with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual field survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. June 04, 2000 OFFICE CORDABLE

NOT RECORDABLE

DESCRIPTION APPROVED
FOR AUDITOR'S TRANSFER

6-9-2003 (



- Thence, N.05°03'20"E. a distance of 78.11 feet along the center of said road to a point;
- Thence, N.05°15'20"E. a distance of 162.58 feet along the center of said road to a point;
- Thence, N.03°17'00"E. a distance of 53.46 feet along the center of said road to a point;
- Thence, N.01°14'42"E. a distance of 54.81 feet along the center of said road to a point;
- Thence, N.02°48'29"W. a distance of 69.44 feet along the center of said road to a point;
- Thence, N.02°47'15"W. a distance of 23.69 feet along the center of said road to a point;
- Thence, N.09°35'58"W. a distance of 52.23 feet along the center of said road to a point;
- Thence, N.10°31'12"W. a distance of 68.69 feet along the center of said road to a point;
- Thence, N.13°48'47"W. a distance of 96.28 feet along the center of said road to a point;
- Thence, N.13°52'33"W. a distance of 70.42 feet along the center of said road to a point;
- Thence, N.40°27'05"E. a distance of 29.32 feet leaving said road and through the lands of Fashion lids, LLC (1151/535) to a set rebar;
- Thence, N.49°41'37"E. a distance of 464.28 feet through said lids lands to a set rebar;
- Thence, S.78°06'43"E. a distance of 244.77 feet through said lids lands to a set rebar;
- Thence, N.27°42'53"E. a distance of 950.38 feet through said lids lands to a point in Highland Road Right of way, passing a set rebar at 628.40 and 936.00 feet;
- Thence, S.57°57'43"E. a distance of 670.44 feet along said road to a point;

  Thence, N.88°04'26"E. a distance of 42.15 feet along said road to a point;

  iron pin on the Northwest corner of Lot 215 of the king the Subdivision; NOT REPORT ABILE

Fashion Lids Page 3

Thence, S.02°34'27"E. a distance of 250.00 feet along the West line of lot 215 to a found iron pin;

Thence, S.03°17'32"W. a distance of 509.64 feet along said lot 215 to the point of beginning.

The above described parcel contains 32.189 acres, more or less, and is subject to all legal easements and right of ways. All set rebars are  $5/8" \times 30"$  rebars with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual field survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. June 04, 2000 OFFICE CORDABLE

NOT RECORDABLE

DESCRIPTION APPROVED
FOR AUDITOR'S TRANSFER

6-9-2003 (

