Biedenbach Engineering, Inc.

3010 East Pike Zanesville, OH 43701 Civil Engineering and Land Surveying

Telephone (740) 453-4850 Fax (740) 450-1000 E-mail biedenbach@ee.net

JACK SNIDER AUDITORS PARCEL NUMBERS 17-17-84-02-09-000 (PART) - 0.193 MORE OR LESS ACRES 17-17-96-01-09-001 (PART) - 7.522 MORE OR LESS ACRES OT 210 OF LICKING VIEW (PLAT BOOK 5. PART BOOK 5. PART

BEING A PART OF LOT 210 OF LICKING VIEW (PLAT BOOK 5, PARE 7 OF THE MUSKINGUM COUNTY PLAT RECORDS) AND A PART OF THE TRACT CONVEYED TO JACK AND DELORES SNIDER (DEED BOOK 1110, PAGE 22 OF THE MUSKINGUM COUNTY DEED RECORDS), SITUATED INPART OF QUARTER TOWNSHIP 4, TOWNSHIP 1, RANGE 8, OF THE UNITED STATES MILITARY LANDS, FALLS TOWNSHIP, MUSKINGUM COUNTY, OHIO AND BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT AN IRON PIN SET AT THE SOUTHWEST CORNER OF LOT 210 OF LICKING VIEW (PLAT BOOK 5, PAGE 97);

THENCE WITH THE WEST LINE OF LOT 210 OF LICKING VIEW, NORTH 20 DEGREES 34 MINUTES 18 SECONDS EAST 473.17 FEET TO A POINT AT THE NORTHWEST CORNER OF SAIDLOT 210, PASSING AN IRON PIN SET AT 423.17 FEET;

THENCE WITH THE NORTH LINE OF LOT 210, SOUTH 27 DEGREES 59 MINUTES 17 SECONDS EAST 182.42 FEET TO A POINT IN HIGHLAND ROAD, SAID POINT BEING THE PLACE OF BEGINNING OF THE TRACT HEREIN INTENDED TO BE DESCRIBED;

THENCE CONTINUING WITH THE NORTH LINE OF LOT 210, SOUTH 27 DEGREES 59 MINUTES 17 SECONDS EAST 29.68 FEET TO A POINT IN SAID HIGHLAND ROAD;

THENCE LEAVING THE NORTH LINE AND TRAVERSING THROUGH LOT 210, SOUTH 29 DEGREES 22 MINUTES 57 SECONDS WEST 325.12 FEET TO AN IRON PIN SET, PASSING AN IRON PIN SET AT 54.00 FEET;

THENCE CONTINUING THROUGH LOT 210 AND TRAVERSING THROUGH THE ABOVE SAID SNIDER TRACT (DEED BOOK 1110, PAGE 22) THE FOLLOWING FOUR COURSES AND DISTANCES;

- 1) SOUTH 27 DEGREES 17 MINUTES 27 SECONDS WEST 183.17 FEET TO AN IRON PIN SET;
- 2) SOUTH 23 DEGREES 28 MINUTES 32 SECONDS WEST 232.89 FEET TO AN IRON PIN SET;
- 3) SOUTH 08 DEGREES 47 MINUTES 45 SECONDS WEST 122.56 FEET TO AN IRON PIN SET;
- 4) SOUTH 64 DEGREES 21 MINUTES 20 SECONDS EAST 218.50 FEET TO AN IRON PIN SET ON THE WEST LINE OF A TRACT CONVEYED TO GLEN A WILSON et al. (VOLUME 1134, PAGE 433):

THENCE WITH THE WEST LINE OF SAID WILSON TRACT, SOUTH 30 DEGREES 17 MINUTES 01 SECONDS WEST 490.00 FEET TO AN EXISTING IRON PIN (1/2 INCH PIPE) AT THE NORTHEAST CORNER OF A TRACT CONVEYED TO MARLENE L. BIEDENBACH, TRUST (VOLUME 1542, PAGE 729);

THENCE WITH THE NORTH LINE OF SAID BIEDENBACH TRACT, NORTH 65 DEGREES 37 MINUTES 58 SECONDS WEST 326.09 FEET TO AN EXISTING IRON PIN (1/2 INCH PIPE) AT THE NORTHWEST CORNER OF SAID BIEDENBACH TRACT;

THENCE WITH THE WEST LINE OF SAID BIEDENBACH TRACT, SOUTH 20 DEGREES 49 MINUTES 10 SECONDS WEST 132.08 FEET TO AN EXISTING IRON PIN (1/2 INCH PIPE-BENT) AT THE NORTHEAST CORNER OF A TRACT CONVEYED TO R. BLEVINS (VOLUME 1604, PAGE 854);

THENCE WITH THE NORTH LINE OF SAID BLEVINS TRACT, NORTH 72 DEGREES 43 MINUTES 37 SECONDS WEST 229.12 FEET TO AN IRON PIN SET AT THE NORTHWEST CORNER OF SAID BLEVINS TRACT AND THE EAST LINE OF A TRACT CONVEYED TO THE KESSLER COMPANY (VOLUME 1800, PAGE 555);

THENCE WITH THE EAST LINE OF SAID KESSLER COMPANY TRACT, NORTH 24 DEGREES 28 MINUTES 51 SECONDS EAST 660.77 FEET TO AN EXISTING IRON PIN (3/4 INCH PIPE), PASSING AN EXISTING IRON PIN (5/8 INCH REBAR) AT 72.98 FEET;

THENCE LEAVING THE EAST LINE OF SAID KESSLER COMPANY TRACT AND TRAVERSING THROUGH THE SAID SNIDER TRACT, SOUTH 64 DEGREES 21 MINUTES 20 SECONDS EAST 350.01 FEET TO AN IRON PIN SET;

Biedenbach Engineering, Inc.

3010 East Pike Zanesville, OH 43701 Civil Engineering and Land Surveying

Telephone (740) 453-4850 Fax (740) 450-1000 E-mail biedenbach@ee.net

THENCE CONTINUING THROUGH SAID SNIDER TRACT, NORTH 08 DEGREES AMINUTE ASSECONDS EAST 118.21 FEET TO A GIN PIN SET;

THENCE CONTINUING THROUGH SAID SNIDER TRACT, NORTH 23 DEGREE 18 MINUTES 32 SECONDS EAST 236.94 FEET TO A MAG NAIL SET:

THENCE CONTINUING THROUGH SAID SNIDER TRACT AND TRAVERSING THROUGH LOT 210 OF LICKING VIEW, NORTH 27 DEGREES 17 MINUTES 27 SECONDS EAST 184.46 FEET TO A MAG NAIL SET;

THENCE CONTINUING THROUGH SAID LOT, NORTH 29 DEGREES 22 MINUTES 57 SECONDS EAST, PASSING A MAG NAIL SET AT 274.48 FEET, A TOTAL DISTANCE OF 341.59 FEET TO THE PLACE OF BEGINNING.

CONTAINING 7.715 MORE OR LESS ACRES (TOTAL) OF WHICH 0.193 MORE OR LESS ACRES ARE IN LOT 210 OF LICKING VIEW (PLAT BOOK 5, PAGE 97) AND 7.522 MORE OR LESS ACRES ARE IN THE TRACT CONVEYED TO JACK AND DELORES SNIDER (VOLUME 1110, PAGE 22), SUBJECT TO ALL OTHER APPLICABLE EASEMENTS.

ALSO THE FOLLOWING 25 FOOT WIDE INGRESS AND EGRESS EASEMENT

COMMENCING AT AN IRON PIN SET AT THE SOUTHWEST CORNER OF LOT 210 OF LICKING VIEW (PLAT BOOK 5, PAGE 97);

THENCE WITH THE WEST LINE OF LOT 210 OF LICKING VIEW, NORTH 20 DEGREES 34 MINUTES 18 SECONDS EAST 473.17 FEET TO A POINT AT THE NORTHWEST CORNER OF SAID LOT 210, PASSING AN IRON PIN SET AT 423.17 FEET;

THENCE WITH THE NORTH LINE OF LOT 210, SOUTH 27 DEGREES 59 MINUTES 17 SECONDS EAST 152.73 FEET TO A POINT IN HIGHLAND ROAD, SAID POINT BEING THE PLACE OF BEGINNING OF THIS EASEMENT:

THENCE CONTINUING WITH THE NORTH LINE OF LOT 210, SOUTH 27 DEGREES 59 MINUTES 17 SECONDS EAST 29.69 FEET TO A POINT IN SAID HIGHLAND ROAD;

THENCE LEAVING THE NORTH LINE OF LOT 210 AND TRAVERSING INTO SAID LOT, SOUTH 29 DEGREES 22 MINUTES 57 SECONDS WEST 341.59 FEET TO A MAG NAIL SET, PASSING A MAG NAIL SET AT 67.11 FEET;

THENCE CONTINUING THROUGH SAID LOT AND TRAVERSING INTO THE ABOVE SAID SNIDER TRACT (DEED BOOK 1110, PAGE 22), SOUTH 27 DEGREES 17 MINUTES 27 SECONDS WEST 184.46 FEET TO A MAG NAIL SET;

THENCE CONTINUING THROUGH SAID SNIDER TRACT THE FOLLOWING FIVE COURSES AND DISTANCES;

- 1) SOUTH 23 DEGREES 28 MINUTES 32 SECONDS WEST 236.94 FEET TO A GIN PIN SET;
- 2) SOUTH 08 DEGREES 47 MINUTES 45 SECONDS WEST 118.21 FEET TO AN IRON PIN SET;
- 3) NORTH 64 DEGREES 21 MINUTES 20 SECONDS WEST 26.12 FEET TO A POINT;
- 4) NORTH 08 DEGREES 47 MINUTES 45 SECONDS EAST 113.86 FEET TO A POINT;
- 5) NORTH 23 DEGREES 28 MINUTES 32 SECONDS EAST 187.87 FEET TO AN IRON PIN SET;

THENCE CONTINUING THROUGH SAID SNIDER TRACT, NORTH 23 DEGREES 28 MINUTES 32 SECONDS EAST 53.13 FEET TO AN IRON PIN SET;

THENCE CONTINUING THROUGH SAID SNIDER TRACT AND TRAVERSING INTO LOT 210 OF LICKING VIEW, NORTH 27 DEGREES 17 MINUTES 27 SECONDS EAST 185.75 FEET TO AN IRON PIN SET;

THENCE CONTINUING THROUGH SAID LOT, NORTH 29 DEGREES 22 MINUTES 57 SECONDS EAST, PASSING AN IRON PIN SET AT 277.83 FEET, A TOTAL DISTANCE OF 358.05 FEET TO THE PLACE OF BEGINNING.

ALSO BEING SUBJECT TO THE FOLLOWING 25 FOOT WIDE INGRESS AND EGRESS EASEMENT

COMMENCING AT AN IRON PIN SET AT THE SOUTHWEST CORNER OF LOT 210 OF LICKING VIEW (PLAT BOOK 5, PAGE 97);

Biedenbach Engineering, Inc.

3010 East Pike Zanesville, OH 43701 Civil Engineering and Land Surveying

Telephone (740) 453-4850 Fax (740) 450-1000 E-mail biedenbach@ee.net

THENCE WITH THE WEST LINE OF LOT 210 OF LICKING VIEW, NORTH 20 DEGREES 34 MINUTES 18 SECONDS EAST 473.17 FEET TO A POINT AT THE NORTHWEST CORNER OF SAID LOT 210, PASSING AN IRON PIN SET AT 423.17 FEET;

THENCE WITH THE NORTH LINE OF LOT 210, SOUTH 27 DEGREES 59 MINUTES 17 SECONDS EAST 182.42 FEET TO A POINT IN HIGHLAND ROAD, SAID POINT BEING THE PLACE OF BEGINNING OF THIS EASEMENT;

THENCE CONTINUING WITH THE NORTH LINE OF LOT 210, SOUTH 27 DEGREES 59 MINUTES 17 SECONDS EAST 29.68 FEET TO A POINT IN HIGHLAND ROAD;

THENCE LEAVING THE NORTH LINE OF LOT 210 AND TRAVERSING INTO THE SAID LOT, SOUTH 29 DEGREES 22 MINUTES 57 SECONDS WEST 325.12 FEET TO AN IRON PIN SET, PASSING AN IRON PIN SET AT 54.00 FEET;

THENCE CONTINUING THROUGH SAID LOT AND TRAVERSING INTO THE ABOVE SAID SNIDER TRACT (DEED BOOK 1110, PAGE 22), SOUTH 27 DEGREES 17 MINUTES 27 SECONDS WEST 183.17 FEET TO AN IRON PIN SET;

THENCE CONTINUING THROUGH SAID SNIDER TRACT THE FOLLOWING FIVE COURSES AND DISTANCES;

- 1) SOUTH 23 DEGREES 28 MINUTES 32 SECONDS WEST 232.89 FEET TO AN IRON PIN SET;
- 2) SOUTH 08 DEGREES 47 MINUTES 45 SECONDS WEST 122.56 FEET TO AN IRON PIN SET:
- 3) NORTH 64 DEGREES 21 MINUTES 20 SECONDS WEST 26.12 FEET TO AN IRON PIN SET;
- 4) NORTH 08 DEGREES 47 MINUTES 45 SECONDS EAST 118.21 FEET TO A GIN PIN SET;
- 5) NORTH 23 DEGREES 28 MINUTES 32 SECONDS EAST 236.94 FEET TO A MAG NAIL SET;

THENCE CONTINUING THROUGH SAID SNIDER TRACT AND TRAVERSING INTO LOT 210 OF LICKING VIEW, NORTH 27 DEGREES 17 MINUTES 27 SECONDS EAST 184.46 FEET TO A MAG NAIL SET;

THENCE CONTINUING THROUGH SAID LOT, NORTH 29 DEGREES 22 MINUTES 57 SECONDS EAST, PASSING A MAG NAIL SET AT 274.48 FEET, A TOTAL DISTANCE OF 341.59 FEET TO THE PLACE OF BEGINNING.

ALL IRON PINS SET ARE 5/8 INCH X 30 INCH REBAR WITH PLASTIC IDENTIFICATION CAPS (BIEDENBACH PS7923-PS6923).

BEARINGS ARE BASED ON THE PREVIOUS SURVEY OF 5.226 MORE OR LESS ACRES BY W. J. BIEDENBACH (PS#5718), DATED MAY 13th, 1987.

I HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE AND BELIEF THE SURVEY AND DESCRIPTION TO BE CORRECT AS PREPARED BY ME, THIS 3rd DAY OF FEBRUARY 2004.

D SURVEYOR 6923

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER

2-14-2007

SURVEY FOR JACK SNIDER AUDITORS PARCEL NUMBERS 17-17-84-02-09-000 (PART) $-0.193 \pm ACRES$ 17-17-96-01-09-001 (PART)-7.522 ± ACRES BEING A PART OF LOT 210 OF LICKING VIEW (PLAT BOOK 5, PAGE 97 OF THE MUSKINGUM COUNTY PLAT RECORDS) AND A PART OF THE TRACT CONVEYED TO JACK AND DELORES SNIDER (DEED BOOK 1110, PAGE 22 OF THE MUSKINGUM COUNTY DEED RECORDS), SITUATED IN QUARTER TOWNSHIP 4, TOWNSHIP 1, RANGE 8, OF THE UNITED STATES MILITARY LANDS, FALLS TOWNSHIP, MUSKINGUM COUNTY, OHIO. BEARINGS ARE BASED ON THE PREVIOUS SURVEY OF 5.226 MORE OR LESS ACRES BY W. J. BIEDENBACH (PS#5718), DATED MAY 13th, 1987. LEGENDDESCRIPTION APPROVED FOR AUDITOR'S TRANSFER EXISTING IRON PIN IRON PIN SET 2-26-2004 (5/8" REBAR W/CAP) ANGLE POINTS MAG NAIL SET GIN PIN SET SCALE 1"=200" 400 100 200 LOT 209 LICKING VIEW TIMOTHY & RESEARCH: SOUTHWEST CORNER OF LOT 210 OF LICKING VIEW (PLAT (S) P. B. 5, PG. 97 VOL. 759, PG. 127 VOL. 851, PG. 105 LOT LINE CINDY BAUGHMAN VOL. 1139, PG. 448 MUSKINGUM CO. TAX MAP BOOK 5, PAGE 97) JACK & DELORES SNIDER KESSLER CO. VOL. 1800, PG. 555 S.64-21.20 E LINE DATA S.64°21'20'E No. BEARING S.27°59'17"E. JACK & DELORES SNIDER VOL. 1110, PG. 22 7.522 ± ACRES

GLEN A. WILSON et al. VOL. 1134, PG. 433

DISTANCE 29.68 S.29"22'57"W. 54.00' S.29°22'57"W. 271.12 S.27°17'27"W. 183.17 S.23°28'32"W. 232.89 S.08°47'45"W. 122.56 N.08°47'45"E. 118.21 N.23"28'32"E. 236.94 N.27°17'27"E. 184.46" N.29°22'57"E. 274.48 10 N.29°22'57"E. 67.11 12 N.08°47'45"E. 113.86 13 N.23°28'32"E. 187.87 14 N.23°28'32"E. 53.13 N.27°17'27"E. 15 185.75 N.29°22'57"E. 277.83 16 N.29°22'57"E. 80.22 17 18 S.27°59'17"E. 29.69

7.715 ± ACRES (TOTAL)

MARLENE L. R. BLEVINS BIEDENBACH, TRUST VOL. 1604, PG. 854 VOL. 1542, PG. 729;

I HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE AND BELIEF THE ABOVE PLAT AND RECT SEPARED BY ME, SURVEY TO BE CORRE

REGISTERED SURVEYOR #6923

BIEDENBACH ENGINEERING, INC. ZANESVILLE, OHIO (740) 453-4850

DRAWN BY:	DATE:
AJS	02-03-04
SCALE:	CHECKED BY:
1"=200'	MDN
JOB NO:	DRAWING NO: D:\5016\5016