Adjoiner Survey Split of Donald F. Milner Lands in Harrison Township

Situated in the State of Ohio, County of Muskingum, Township of Harrison, and being part of the Northwest Quarter of Fractional Section 32, Township 12, Range 12, Congress Lands East of the Scioto River, and being part of the lands presently owned by Donald F. Milner as per Deed Record 1048, Page 529, and being more particularly described as follows:

Beginning for reference at an iron pin found at the Northwest corner of Fractional Sectional 32, Township 12, Range 12, Congress Lands East of the Scioto River;

Thence along the section line, South 03 degrees 03 minutes 16 seconds West, 750.64 feet to a point on the north line of lands presently owned by Kristy L. Ritchie, Trustee, (OR 3259-395);

Thence along the north line of said Ritchie lands, North 69 degrees 32 minutes 55 seconds East 432.00 feet to an iron pin found, on the west line of a railroad right of way, and the principal place of beginning, passing an iron pin found at 233.53 feet;

Thence across said right of way, North 69 degrees 32 minutes 55 seconds East, 51.84 feet to an iron pin set on the east line of said right of way;

Thence along the east line of said right of way the following two courses:

- 1.) Along a curve to the left with a delta angle of 1 degree 27 minutes 26 seconds, a radius of 2839.92 feet, an arc length of 72.23 feet, and a chord which bears South 36 degrees 38 minutes 51 seconds East, 72.22 feet to an iron pin set;
- 2.) South 37 degrees 22 minutes 34 seconds East, 63.95 feet to a point on the a north line of said Ritchie lands;

Thence along the north line of said Ritchie lands, South 61 degrees 03 minutes 30 seconds West, 50.54 feet to an iron pin found, on the west line of said railroad right of way, and passing an iron pin found at 4.06 feet;

Thence along the east line of said right of way the following two courses:

- 1.) North 37 degrees 22 minutes 34 seconds West, 56.54 feet to an iron pin found;
- 2.) Along a curve with a delta angle of 1 degree 43 minutes 53 seconds, a radius of 2889.92 feet, an arc length of 87.32 feet, and a chord which bears North 36 degrees 30 minutes 37 seconds West, 87.32 feet to the principal place of beginning, containing 0.16 acres, more or less, and being part of Auditor's Parcel Number 20-80-31-02-000.

The above described tract is not to be used as a separate building site, or transferred as an independent parcel in the future without planning commission approval in accordance with applicable subdivision regulations.

Subject to all legal recorded easements and right of ways.

Iron pins set are 5\8 inch rebars, 30 inches long, with plastic identification caps.

Bearings are based on the Ohio State Plane Coordinate System, NAD 83(2011), South Zone, Grid North, as per GPS observations, all distances shown are grid distances.

This description is written based on a field survey completed June 16, 2025 by Jack D. Newcome, Reg. No. 7321.

DESCRIPTION
APPROVED
By: DA. Banks A
6-17-2-22

