BOWMAN SURVEYING Zanesville, Ohio 43701 PH. (740) 819-1087

SURVEY DESCRIPTION FOR Barbara Hill

ALL OF AUDITORS PARCEL 25-20-01-44-000 (28.20 Acres)

Situated in the west half of lot 19, Quarter Township 1, T-1-N, R-9-W, U.S.M.L., Hopewell Township, Muskingum County, Ohio. Being the lands of Barbara Hill conveyed in Deed book 536 page 718 of the Muskingum County Deed records and being described as follows:

Beginning at an iron pin found marking the Southwest corner of Lot 19;

- Thence, N.00°27'24"E. a distance of 11.42 feet along the West line of lot 19 to a point in the center of Chapman Lane;
- Thence, N.57°06'51"E. a distance of 84.12 feet along the center of Chapman Lane and the lands, now or formerly, owned by J. Miller (869/087) to a point;
- Thence, N.63°08'38"E. a distance of 281.17 feet along said lane to a point;
- Thence, N.60°46'08"E. a distance of 60.70 feet along said lane to a point;
- Thence, N.51°58'35"E. a distance of 252.61 feet along said lane to a point;
- Thence, N.41°43'06"E. a distance of 89.49 feet along said lane to a found iron pin;
- Thence, N.14°12'33"E. a distance of 70.61 feet along said lane to a point;
- Thence, N.00°28'49"E. a distance of 186.38 feet along said lane to a point;
- Thence, N.00°30'27"E. a distance of 353.13 feet along said lane to a point;
- Thence, N.02°46'58"E. a distance of 144.92 feet along said lane to a found iron pin;
- Thence, N.12°52'01"E. a distance of 75.27 feet along said lane to a point;
- Thence, N.33°48'41"E. a distance of 49.96 feet along said lane to a point;

- Thence, N.48°14'29"E. a distance of 67.76 feet along said lane to a found iron pin;
- Thence, N.59°12'26"E. a distance of 139.73 feet along said lane to a point;
- Thence, N.55°18'47"E. a distance of 47.18 feet along said lane to a point;
- Thence, N.47°09'17"E. a distance of 41.13 feet along said lane to a found iron pin;
- Thence, N.44°46'00"E. a distance of 187.12 feet along said lane to a point;
- Thence, N.49°02'52"E. a distance of 204.68 feet along said lane to a point;
- Thence, N.54°36'26"E. a distance of 59.07 feet along said lane to a found iron pin;
- Thence, N.64°29'58"E. a distance of 31.92 feet along said lane to a point;
- Thence, N.73°07'13"E. a distance of 64.85 feet along said lane to a found iron pin on the East line of the West half of lot 19, also being the west line of the lands, now or formerly, owned by J. Chapman (1036/401);
- Thence, S.00°02'10"W. a distance of 1,787.66 feet along said East line to a set rebar on the South line of Lot 19;
- Thence, S.89°06'28"W. a distance of 1,370.66 feet along said lot line to the point of beginning.

The above described parcel contains 28.20 acres, more or less, and is subject to all legal easements and right of ways. All set rebars are $5/8" \times 30"$ rebars with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual field survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. December 3, 2004.

PRESENT TICH APPROVED
FOR A A THAT I TRANSFER
EY A TABOP

OFFICE COPY
RECORDABLE

