BOWMAN SURVEYING 38 N. 4<sup>th</sup> Street, Rm. 103 Zanesville, Ohio 43701 PH. (740) 454-0496

## SURVEY DESCRIPTION FOR DON URBAN

ALL OF AUDITORS PARCELS 25-55-21-30-000 (34.31 acres) 6975 NATIONAL M 25-55-22-22-000 (2.47 acres)

Situated in Sections 21 and 22, T-1-N, R-9-W, U.S.M.L., Hopewell Township, Muskingum County, Ohio. Being the lands of Don Urban conveyed in Deed Book 1584 page 455 of the Muskingum County Deed records, and being described as follows:

Beginning at a set rebar in the Northwest corner of the Southwest Quarter of Section 21;

- Thence, N.01°58'10"W. a distance of 458.20 feet along the West line of Section 21 to a found iron pin on the Southwest corner of the lands, now or formerly, owned by H. Kearns, Trust (1128/715);
- Thence, **S.02°55'19"W**. a distance of **459.98** feet along said Bagent lands to a found iron pin;
- Thence, N.87°28'38"E. a distance of 238.36 feet along said Bagent lands to a found iron pin;
- Thence, N.00°32'16"W. a distance of 337.92 feet along said Bagent lands to a found iron pin;
- Thence, N.87°56'25"E. a distance of 183.05 feet along said Bagent lands to a found iron pin on the Northwest corner of the lands, now or formerly, owned by K. Hanes (445/004);
- Thence, S.00°28'47"E. a distance of 791.34 feet along said Hanes lands to a found iron pin;
- Thence, S.85°22'20"W. a distance of 721.35 feet along the north lines of the lands, now or formerly, owned by E. wells (1142/687), C. Smith (1088/253) and T. Weeks (1568/251), respectively, to a set rebar on the Northwest corner of said Weeks lands;

Page 1 of 2

Urban property 36.78 acres Page 2 of 2

- Thence, S.01°41'15"E. a distance of 568.35 feet along the west line of said Weeks lands to a point in the center of Old National Road (Old centerline of U.S. 40), passing a found iron pin at 528.19';
- Thence, **S.86°20'02"W**. a distance of **620.44** feet along said old centerline of U.S. 40 to a found iron pin, located on the East line of section 22;
- Thence, on a curve to the right an arc distance of 505.13 feet, on a radius of 1,492.90', whose chord bears, N.83°57'54"W. a distance of 502.72 feet along said old centerline of U.S. 40 to a point;
- Thence, N.74°16'32"W. a distance of 120.29 feet along said old centerline of U.S. 40 to a point on the east side of the lands, now or formerly, owned by R. Johnson (516/878);
- Thence, N.01°58'14"W. a distance of 100.00 feet along said Johnson lands to a drill hole set in a large rock;
- Thence, N.87°34'08"E. a distance of 612.49 feet along said Johnson lands to a found iron pin on the East line of section 22;
- Thence, N.01°56'17"W. a distance of 849.80 feet along said section line to the point of beginning.

The above described parcel contains **36.78 acres**, more or less, (2.47 acres in section 22 and 34.31 acres in section 21) and is subject to all legal easements and right of ways.

All set rebars are 5/8" x 30" with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual field survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. August 18, 2006.

PPROVED FOR CLOSURE

EXEMPT FROM PLANNUNG COMMISSION



