BOWMAN SURVEYING 38 N. 4<sup>th</sup> Street, Rm. 103 Zanesville, Ohio 43701 PH. (740) 454-0496

## SURVEY DESCRIPTION FOR DON URBAN

ALL OF AUDITORS PARCELS
25-55-21-30-000 (34.31 acres) 6975 NATIOMAL M
25-55-22-22-000 (2.47 acres)

Situated in Sections 21 and 22, T-1-N, R-9-W, U.S.M.L., Hopewell Township, Muskingum County, Ohio. Being the lands of Don Urban conveyed in Deed Book 1584 page 455 of the Muskingum County Deed records, and being described as follows:

Beginning at a set rebar in the Northwest corner of the Southwest Quarter of Section 21;

- Thence, N.01°58'10"W. a distance of 458.20 feet along the West line of Section 21 to a found iron pin on the Southwest corner of the lands, now or formerly, owned by H. Kearns, Trust (1128/715);
- Thence, N.87°27'48"E. a distance of 973.04 feet along said Kearns lands to a set rebar on the West line of the lands, now or formerly, owned by K. Bagent (1823/588);
- Thence, S.02°55'19"W. a distance of 459.98 feet along said Bagent lands to a found iron pin;
- Thence, N.87°28'38"E. a distance of 238.36 feet along said Bagent lands to a found iron pin;
- Thence, N.00°32'16"W. a distance of 337.92 feet along said Bagent lands to a found iron pin;
- Thence, N.87°56'25"E. a distance of 183.05 feet along said Bagent lands to a found iron pin on the Northwest corner of the lands, now or formerly, owned by K. Hanes (445/004);
- Thence, S.00°28'47"E. a distance of 791.34 feet along said Hanes lands to a found iron pin;
- Thence, S.85°22'20"W. a distance of 721.35 feet along the north lines of the lands, now or formerly, owned by E. wells (1142/687), C. Smith (1088/253) and T. Weeks (1568/251), respectively, to a set rebar on the Northwest corner of said Weeks lands;

- Thence, S.01°41'15"E. a distance of 568.35 feet along the west line of said Weeks lands to a point in the center of Old National Road (Old centerline of U.S. 40), passing a found iron pin at 528.19';
- Thence, S.86°20'02"W. a distance of 620.44 feet along said old centerline of U.S. 40 to a found iron pin, located on the East line of section 22;
- Thence, on a curve to the right an arc distance of 505.13 feet, on a radius of 1,492.90', whose chord bears, N.83°57'54"W. a distance of 502.72 feet along said old centerline of U.S. 40 to a point;
- Thence, N.74°16'32"W. a distance of 120.29 feet along said old centerline of U.S. 40 to a point on the east side of the lands, now or formerly, owned by R. Johnson (516/878);
- Thence, N.01°58'14"W. a distance of 100.00 feet along said Johnson lands to a drill hole set in a large rock;
- Thence, N.87°34'08"E. a distance of 612.49 feet along said Johnson lands to a found iron pin on the East line of section 22;
- Thence, N.01°56'17"W. a distance of 849.80 feet along said section line to the point of beginning.

The above described parcel contains 36.78 acres, more or less, (2.47 acres in section 22 and 34.31 acres in section 21) and is subject to all legal easements and right of ways.

All set rebars are 5/8" x 30" with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual field survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. August 18, 2006.

APPROVED FOR CLOSURE

8)30)2006

EXEMPT FROM PLANMING COMMISSION

8 8/30/2006

FICE COPY ABL

