

Description of Parcel No. 6

Situated in the State of Ohio, County of Muskingum, Township of Hopewell, being in the southwest quarter of Section 8, Range 15 West, Township 18 North, of "The Congress Lands East of The Scioto River", and being bounded and described as follows:

Commencing for reference at an iron pin found at the northwest corner of the southwest quarter of Section 8 (Note: Reference bearing on the north line of the northwest quarter of the southwest quarter of Section 8 used as South 89°28'08" East.);

thence, with the west line of Section 8 and the east line of an 89.61 acres tract as conveyed to Bertram Porter by Deed Volume 724, Page 159 of the Muskingum County Recorder's Office, South 01°08'12" East a distance of 882.81 feet to an iron pin set;

thence, leaving the section line, South 62°17'02" East a distance of 74.46 feet an iron pin set;

thence North 35°14'13" East a distance of 228.00 feet to an iron pin set, being THE TRUE POINT OF BEGINNING for this description;

thence, from said Point of Beginning, North 35°14'13" East a distance of 232.00 feet to an iron pin set;

thence South 62°03'52" East a distance of 962.77 feet to a point in the centerline of Township Road No. 285 (Palmer Road), passing through two iron pins set at distances of plus 850.00 feet and plus 950.00 feet, respectively;

thence, with the centerline of Township Road No. 285, the following two courses:

- (1) South 34°46'52" West a distance of 216.41 feet to a point;
- (2) thence South 35°26'13" West a distance of 9.75 feet to a point;

thence, leaving the road, North 62°23'46" West a distance of 965.21 feet to the Point of Beginning, passing through two iron pins set at distances of plus 20.57 feet and plus 120.57 feet, respectively;

containing 5.029 acres, more or less, being a new split out of Parcel No. 25-80-08-12.000.

DESCRIPTION APPROVED
FOR AUDITOR'S TRANSFER

BY Atkins
5-31-95

Page 2 of 2
Description of Parcel No. 6

Subject to all legal right-of-ways, easements, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of Township Road No. 285.

Subject to the 100 year Flood Plain restrictions, if applicable.

Subject to a 50.00 feet wide easement being reserved unto the grantor, his heirs, and/or assigns, forever. Said easement is for the purposes of running utilities to other parcels of land on or near Township Road No. 285. Said easement runs in a southwest to northeast direction across the southeast end of the above described property with the southeast line of said easement being the centerline of Township Road No. 285. Containing 0.260 acres, more or less, of easement.

Subject to any facts that may be disclosed in a full and accurate title search.

All iron pins set are 1/2" x 30" rebar capped and labeled "Claus 6456".

The bearings in this description are for angle calculations only and are based on the south line of Section 8 used as an assumed bearing of North 89°11'26" West.

The above description prepared by Roger W. Claus, Registered Surveyor No. 6456, based on a new survey of May 23, 1995.

Prior Deed: Deed Volume 1107, Page 34.

**OFFICE COPY
NOT RECORDABLE**

| LINE | BEARING | DIST. |
|------|---------------|---------|
| A | S 48°14'35" W | 101.33' |
| B | S 40°01'22" W | 127.72' |
| C | S 82°56'57" W | 71.04' |
| D | S 54°17'12" W | 98.55' |
| E | S 60°10'23" W | 151.73' |
| F | | |
| G | S 61°58'38" W | 246.50' |
| H | S 61°39'22" W | 175.83' |
| I | S 55°42'36" W | 86.80' |
| J | S 44°36'54" W | 33.07' |
| K | S 41°01'13" W | 59.19' |
| L | | |
| M | S 31°51'18" W | 52.36' |
| N | S 29°48'42" W | 79.18' |
| O | S 29°48'42" W | 171.47' |
| P | S 34°40'52" W | 68.06' |
| Q | S 34°40'52" W | 216.41' |
| R | | |
| S | S 35°26'13" W | 9.75' |
| T | S 35°26'13" W | 76.89' |
| U | S 38°04'03" W | 145.40' |
| V | S 38°04'03" W | 8.85' |
| W | S 32°53'16" W | 226.06' |
| X | S 32°53'16" W | 44.99' |
| Y | S 30°54'44" W | 122.97' |
| Z | S 28°55'09" W | 96.45' |
| AA | S 28°48'11" W | 58.97' |
| BB | S 28°30'55" W | 259.19' |
| CC | S 28°19'47" W | 62.35' |
| DD | S 28°19'47" W | 68.02' |
| EE | S 28°19'47" W | 271.00' |
| FF | S 28°33'16" W | 381.12' |
| GG | | |
| HH | S 00°25'18" W | 152.13' |
| II | | |
| JJ | S 88°30'12" E | 119.24' |
| KK | N 33°24'35" E | 153.30' |
| LL | S 83°39'01" W | 91.20' |
| MM | S 26°47'01" W | 139.11' |
| NN | S 26°47'01" W | 10.00' |

TOTAL FARM = 162.565 Ac
 PARCEL # 25-80-08-12.000
 BRUNER DEED = DV.1107 P.6.34

SURVEY PLAT

for
BRUNER LAND CO.

Situated in the State of Ohio, County of **BRUNER**, Township of **HERRICK**, being **IN THE S.W. 1/4** of **SECTION 8**, **QUARTER 12** of **TOWNSHIP 12**, **RANGE 15** West, Township 12 North, of the **CARROLL LANDS**, EAST OF **SHAWNEE RIVER**.

- NECESSARY DOCUMENTS**
- (1) All deeds as shown.
 - (2) County tax maps.
 - (3) U.S.G.S. quadrangle map **GREATNOT**.
 - (4) Survey plat by **W.C. LITTLE**.
 - (5) Survey plat by **W.M. ENGINEERING**.
 - (6) Survey plat by **W.C. LITTLE**.
 - (7) Survey plat by **W.C. LITTLE**.
 - (8) Survey plat by **W.C. LITTLE**.
 - (9) Survey plat by **W.C. LITTLE**.
 - (10) Survey plat by **W.C. LITTLE**.
 - (11) Survey plat by **W.C. LITTLE**.
 - (12) Survey plat by **W.C. LITTLE**.
 - (13) Survey plat by **W.C. LITTLE**.
 - (14) Survey plat by **W.C. LITTLE**.
 - (15) Survey plat by **W.C. LITTLE**.
 - (16) Survey plat by **W.C. LITTLE**.
 - (17) Survey plat by **W.C. LITTLE**.
 - (18) Survey plat by **W.C. LITTLE**.
 - (19) Survey plat by **W.C. LITTLE**.
 - (20) Survey plat by **W.C. LITTLE**.
 - (21) Survey plat by **W.C. LITTLE**.
 - (22) Survey plat by **W.C. LITTLE**.
 - (23) Survey plat by **W.C. LITTLE**.
 - (24) Survey plat by **W.C. LITTLE**.
 - (25) Survey plat by **W.C. LITTLE**.
 - (26) Survey plat by **W.C. LITTLE**.
- Subject to all legal right-of-ways, easements, restrictions, reservations, and zoning regulations of record. Subject to 100 Year Flood Plain restrictions, if applicable. Subject to any facts that may be disclosed in a full and accurate title search.
- 1/2" iron pin set capped "Claus 458"
 - iron pin found uncapped
 - iron pin found capped
 - iron pin found capped
 - marked stone found
 - un-marked stone found
 - survey angle point
 - railroad spike set
 - railroad spike found
 - tree with wire found
 - existing property lines
 - fence evidence found
 - lines of this survey


SURVEYOR'S CERTIFICATION
 I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND THAT IT WAS PREPARED FROM AN ACTUAL FIELD SURVEY OF THE PREMISES.

5-23-95 *Roger W. Claus*

OFFICE COPY
 NOT RECORDABLE




The bearings on this plat are for angle calculations only and are based on the **SECTION LINE** OF **SECTION 8**, **TOWNSHIP 12**, **RANGE 15**.



CLAUSS SURVEYING
ROGER W. CLAUS, P.E.
 (614) 567-3168
 2210 7th Street
 Lorain, Ohio 43134



950508



DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER

[Signature]
 5-31-95

Bruce Shepard
 150.00 Ac.
 V. 1027 P. 331

R. Mellon
 155.00 Ac.
 V. 1046 P. 116

Richard Stevaker
 155.00 Ac.
 V. 543 P. 729