ALAN DONAKER SURVEYING

Alan Donaker, P.S. 19849 TR 383 Walhonding, OH 43843

Fax: (740) 327-1083 Phone: (740) 327-7001



T-3

Being 4.873 acres, more or less, in Smith's Addition to the Town of Dresden, Plat Book Y, page 513, the Hinds Addition, DR 3-98 and Out Lot 81, Plat Book AO, page 128, Township 3 North, Range 8 West, United States Military Lands, in the Village of Dresden, in the County of Muskingum, in the State of Ohio, conveyed to Judith Davis aka Judith K. Davis, DR 2339-915 (TOD) (part, T-4), Parcel No. 33-30-26-04-000 (part), and more particularly described as follows:

Commencing at a %" rebar found at the Northwest corner of Farm Lot 9, (K. pg. 623), in Jefferson Township, said rebar being the TRUE POINT OF BEGINNING:

thence, with the property line of John K. Inman and Roxanne M. Stafford, DR 1148-653 and the South line of Out Lot 81, Plat Book AO, page 128, N. 88° 20' 10" W. a distance of 355.13' to a 5%" rebar found on the East Right-of-Way line of State Road 60;

thence, with the East Right-of-Way line of State Road 60, the following 2 courses:

- 1. thence, with a curve to the left (non-tangent), the curve data for which is: $D = 06^{\circ}$ 51' 53", R = 2029.86', L = 243.21', Ch. B. N. 07° 52' 46" W., Ch. L. 243.06' to a $\frac{5}{8}$ " rebar found;
- 2. thence, N. 22° 21' 08" W. a distance of 143.62' to a %" rebar set;

thence, through the property of Judith Davis aka Judith K. Davis, DR 2339-915 (TOD, T-4), the following 5 courses:

- 1. thence, with the South line of a Right-of-Way, N. 68° 11' 51" E. a distance of 45.27' to a 5%" rebar set;
- 2. thence, S. 21° 48' 09" E. a distance of 143.61' to a %" rebar set;
- 3. thence, N. 68° 11' 51" E. a distance of 297.00' to a %" rebar set;
- 4. thence, N. 21° 48' 09" W. a distance of 143.61' to a 1/8" rebar set;
- 5. thence, N. 68° 11' 51" E. a distance of 179.28' to a %" rebar set;

thence, with the West line of the Abandoned Cincinnati and Muskingum Valley Railway Company, DR 54-510, (now used as Clay Street), with a curve to the right, the curve data for which is: $D = 12^{\circ} 04' 47''$, R = 2845.93', L = 600.01', Ch. B. S. 13° 18' 24" E., Ch. L. 598.90' to a $\frac{5}{8}$ " rebar found;

thence, with the property line of John K. Inman and Roxanne M. Stafford, DR 1148-653 and the South line of Out Lot 81, Plat Book AO, page 128, N. 88° 20' 10" W. a distance of 179.24', to the TRUE POINT OF BEGINNING, containing 4.873 acres, more or less, and is subject to all easements, rights-of-way, or restrictions, whether recorded or implied.

Subject to an Easement to the State of Ohio, DR 577-733.

ALSO Granting and Reserving a Right-of-Way for Ingress, Egress and Utilities to be maintained in equal shares by the Grantor and Grantee their heirs and assigns over and upon a strip of ground, and described as follows, being 0.838 acres in Smith's Addition to the Town of Dresden, Plat Book Y, page 513, Township 3 North, Range 8 West, United States Military

Lands, in the Village of Dresden, in the County of Muskingum, in the State of Ohio, conveyed to Judith Davis aka Judith K. Davis, DR 2339-915 (TOD) (part, T-4 and part T-3), Parcel No. 33-30-26-04-000 (part, 0.696 acres), Parcel No. 33-30-26-03-000 (all, 0.018 acres), and Parcel No. 33-30-25-14-000 (all, 0.124 acres) and more particularly described as follows:

Commencing at a %" rebar found at the Northwest corner of Farm Lot 9, (K. pg. 623), in Jefferson Township;

thence, with the property line of John K. Inman and Roxanne M. Stafford, DR 1148-653 and the South line of Out Lot 81, Plat Book AO, page 128, N. 88° 20' 10" W. a distance of 355.13' to a 5%" rebar found on the East Right-of-Way line of State Road 60;

thence, with the East Right-of-Way line of State Road 60, the following 2 courses:

- 1. thence, with a curve to the left (non-tangent), the curve data for which is: D = 06° 51' 53", R = 2029.86', L = 243.21', Ch. B. N. 07° 52' 46" W., Ch. L. 243.06' to a 5/8" rebar found;
- 2. thence, N. 22° 21' 08" W. a distance of 143.62' to a \(\frac{5}{8} \)" rebar set, said rebar being the TRUE POINT OF BEGINNING:

thence, continuing with the East Right-of-Way line of State Road 60, the following 2 courses:

- 1. thence, N. 22° 21' 08" W. a distance of 271.21' to a 5%" rebar found;
- 2. thence, N. 68° 11' 51" E. a distance of 47.87' to a $\frac{5}{8}$ " rebar set;

thence, with the property line of Jerry and Christy Hahn, DR 1878-518 and the West line of Lot 13, Smith's Addition to the Town of Dresden, Plat Book Y, page 513, S. 21° 48' 09" E. a distance of 114.20' to a %" rebar found;

thence, through the property of Judith Davis aka Judith K. Davis, DR 2339-915 (TOD, T-4), the following 2 courses:

- 1. thence, S. 21° 48' 09" E. a distance of 107.00' to a %" rebar set;
- 2. thence, N. 68° 11' 51" E. a distance of 477.98' to a $\frac{5}{8}$ " rebar set;

thence, with the West line of the Abandoned Cincinnati and Muskingum Valley Railway Company, DR 54-510, (now used as Clay Street), with a curve to the right, the curve data for which is: $D = 01^{\circ} 00' 26"$, R = 2845.93', L = 50.03', Ch. B. S. 19° 51' 01" E., Ch. L. 50.03' to a $\frac{5}{8}$ " rebar set;

thence, through the property of Judith Davis aka Judith K. Davis, DR 2339-915 (TOD, T-4), the following 3 courses:

- 1. thence, S. 68° 11' 51" W. a distance of 179.28' to a 1/8" rebar set;
- 2. thence, S. 68° 11' 51" W. a distance of 297.00' to a %" rebar set;
- 3. thence, S. 68° 11' 51" W. a distance of 45.27' to the TRUE POINT OF BEGINNING, containing 0.838 acres, more or less, and is subject to all easements, rights-of-way, or restrictions, whether recorded or implied.

Bearings are based on DR 2339-915 and are for angular calculations only. All %" rebars set are 30" long with plastic cap marked "AMD 8050". Pertinent Documents: Tax Map, all Deeds and Plats shown. Surveys by: Richard Max Graves, Stephen M. Bowman, Thomas A. Rager

Description and plat by Alan Donaker, Professional Surveyor, #8050, from a survey of the professional Two Thousand Twelve.

NOT RECORDABLE

DESCRIPTION
APPROVED
By () 3 12 12013

