BOWMAN SURVEYING 38 N. 4TH STREET, RM. 103 ZANESVILLE, OHIO PH./FAX (740) 454-0496

SURVEY DESCRIPTION FOR David McCarty

Part of Auditors Parcel 44-12-03-35-000 (54.854 ACRES)

Situated in Lot 24, Quarter Township 3, t-2-N, R-8-W, U.S.M.L., Muskingum Township, Muskingum County, Ohio. Being part of the lands of David McCarty conveyed in Deed Book 522 Page 700 of the Muskingum County Deed records, and being described as follows;

- Beginning at a stone found marking the Northwest corner of Lot 24;
- Thence, S.83°36'14"E. a distance of 889.12 feet along the North line of said lot to a point on the Northwest corner of the lands of D. & A. Waite (1030/93);
- Thence, S.01°27'15"W. a distance of 499.13 feet along said Waite lands to a found rebar on the Southwest corner of said Waite lands, passing a found iron pin at 0.56 feet;
- Thence, S.26°49'38"E. a distance of 377.27 feet through the lands of David McCarty (522/700) to a set rebar;
- Thence, 8.71°14'49"E. a distance of 508.79 feet through said McCarty lands to a point on the East line of lot 24, passing a set rebar at 481.95 feet;
- Thence, 8.06°04'33"W. a distance of 1,220.95 feet along said lot line and along McCaslin Road to a point on the Northeast corner of the lands of R. Mahaffey (689/180);
- Thence, N.64°15'53"W, a distance of 678.46 feet along said Mahaffey lands to a found %" pipe, passing a found %" pipe at 21.25 feet;
- Thence, N.61°08'35"₩. a distance of 415.23 feet along said Mahaffey lands to a found %" pipe;
- Thence, N.58°10'28"W. a distance of 138.16 feet along said Mahaffey lands to a found %" pipe;
- Thence, N.44°24'42"W. a distance of 112.04 feet along said Mahaffey lands to a found 4" pipe;
- Thence, N.44°21'25"W. a distance of 138.14 feet along said Mahaffey lands to a found 34 " pipe;

- Thence, N.60°43'17"W. a distance of 113.46 feet along said Mahaffey lands to a found %" pipe;
- Thence, N.79°24'33"W. a distance of 106.57 feet along said Mahaffey lands to a found %" pipe;
- Thence, S.79°25'52"W. a distance of 79.26 feet along said Mahaffey lands to a found 4" pipe, on the West line of lot 24;
- Thence, N.05°53'00"E. a distance of 1,513.13 feet along said lot line to the Point of Beginning.

The above described parcel contains $\bf 54.854$ acres, more or less, and is subject to all legal easements and right of ways. All set rebars are $5/8" \times 30"$ rebars with plastic I.D. caps. North is based upon an assumed meridian.

Reserving a 50 foot wide right of way for ingress and egress unto the Grantor and assigns being described as follows:

Beginning at a point on the East line of Lot 24, located S.06°04'33"W. a distance of 921.77 feet from an iron pin found marking the Northeast corner of Lot 24; Thence, S.06°04'33"W. a distance of 332.33 feet along said lot line to a point; Thence, N.83°55'30"W. a distance of 50.00 feet to a point; Thence, N.06°04'33"E. a distance of 343.58 feet to a point on the Northline of aforesaid 54.854 acre parcel; Thence, S.71°14'49"E. a distance of 51.25 feet to the point of beginning.

Description was prepared from an actual survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. January 15, 2004.

OFFICE COPY NOT RECORDABLE PESCHISTICH APPROVED
FOR KUSHOUS TRANSPORT
EY

