Situated in the State of Ohio, County of Muskingum, Township of Newton, Township 15, Range 14, part of the Northeast MACKET ST Quarter of Section 15, bounded and described as follows:

Parcel One to Tom & Arnetta Morrison:

47-50-15-03-001

Commencing at the intersection of the South line of Market Street and the West line of Moxahala Avenue of the Village of Avondale as Recorded in Plat Book 4, Page 72; thence South 85° 15' 00" East along the South line of a 15.00 foot wide access right-of-way and extended Market Street683.70 feet to an iron pin set, the place of beginning, passing iron pins found at 65.00 feet, 231.00 feet and 437.14 feet; thence North 21 11 00" East along William Morozowski, Vol. 620, Page 75, 429.43 feet to an iron pin set; thence South 40° 18' 00" East along R. Tyler Jr., Vol. 430, Page 215, 136.59 feet to an iron pin set; thence continuing along R. Tyler Jr. South 51° 03' 00" East 23.04 feet to an iron pin set; thence leaving R. Tyler Jr. South 16° 01' 00" West 308.38 feet to an iron pin set; thence on the North line of J. Butler, Wol. 569, Page 860, and South line of 15.00 access right-of-way North 85° 15' 00" West 176.96 feet to the place of beginning, containing 1.307 acres more or less.

Being part of Auditor's Parcel Number 47-50-15-03-000.

Parcel Two to Evans:

41-50-15-02

GONAL.

Commencing at the intersection of the South Line of Market Street and the West line of Moxahala Avenue of the Village of Avondaleas Recorded in Plat Book 4, Page 72; thence South 85° 15' 00" East along the South Line of a 15.00 foot wide access right-of-way and extended Market Street 850.56 feet to the place of beginning, passing iron pins found at 65.00 feet, 231.00 feet, 437.14 feet and 683.70 feet; thence North 16 01' 00" East 308.38 feet to an iron pin set, passing an iron pin set at 156.77 feet; thence along R. Tyler Jr., Vol. 430, Page 215, South 51 03' 00" East 99.26 feet to an iron pin set; thence along J. Butler, Vol. 526, Page 249, South 4 31 08" West 246.65 feet to an iron pin set; thence along J. Butler, Vol. Vol. 569, Page 860, North 85° 15' 00" West 143, 34 feet to the place of beginning, containing 0.729 acres more or less.

Being Auditor's Parcel Number 47-50-15-02-000 and 0.09 acres of Parcel No. 47-50-15-03-000.


Bearings are based on the South line of Market Street of the Village of Avondale bearing South 85° 15' 00" East

Iron pins set are No. 5 reinforcing bars 30 inches long, a with plastic I. D. caps.

Deed Reference: Volume 700, Page 268.

DESCRIPTION APPROVED for auditors transfer OFFICE CONVERTION By:
NOT HECORDABLE stered Surveyor No. 5410

3-21-94



OIron Pins Set No. 5 Reinf Bas 30"Lg Plastic I.D. Caps

Iron Pins Found

DESCRIPTION APPROVED FOR AUDITORS TRANSFER 3-21-94

Wanda Hunt Vol. 700, P268

Surveyor No.5410 3/21/94 PFICE COPY Muskingum County, Ne NOT RECORDABLE
Township, T15, R14 Pt. N.E. TECORDABLE
Cor. Section 15 Parcel Nos, 47-50-15-02-000 47-50-15-03-000

MAR-19-98 01:28 PM MIKE+DANIELS

1.11

6970012

P. 01

William Evans

Situated in the State of Ohio, County of Muskingum, Township of Newton, Township 15, Range 14, part of the Northeast Quarter of Section 15, bounded and described as follows.

Being part of William Evans Vol. 1110, Page 276, Parcel No. 47-50-15-02-000.

Commencing at the intersection of the South line of Market Street and the West line of Moxahala Avenue of the Village of Avondale as recorded in Plat Book 4, Page 72; Thence South 85°15'00" East along the South line of a 15.00 foot wide access right of way and extended Market Street 954,00 feet to the place of beginning, passing an iron pins found at 65.00 feet, 231.00 feet, 437.14 feet, and 683.70 feet; Thence North 4°31'08" Hast 280.72 feet to a point; Thence South 51°03'00" East along R. Tyler Jr. Vol. 430, Page 215, 60.62 feet to an iron pin; Thence South 4°31'08" West along William Evans Vol. 1129, Page 212, 246.65 feet to an iron pin; Thence along Vol. 1129, Page 212, North 85°15'00" West 50.00 feet to the place of beginning containing 0.303 acres more or less:

Bearings are based on the South line of Market Street of the village of Avondale bearing South 85°15'00" Bast.

Above description is based on the survey by R.L. Daniels, Registered Surveyor No. 5410, March 19, 1998 and is intended for legal transfer of property described and does not intend to describe all or any easements of record nor encroachments unless otherwise indicated.

from pins set are No. 5 reinforcing bars 30 inches long with plastic LD, caps.

Deed Reference: Vol. 700, Page 268.

OFFICE COPY NOT RECORDABLE DESCRIPTION APPROVED
FOR AUDITORS TRANSFER

3-19-98

