P.O. BOX 207 FRAZEYSBURG, OHIO 43822 PH./FAX (740) 828-2204

SURVEY DESCRIPTION FOR Clare Buchanan

All OF PARCELS 56-20-01-16-000 (9.195 Acres) 56-50-01-21-000 (90.567 Acres)

Situated in lots 27 and 28 of Quarter Township 1, T-2, R-6, Salem Township, Muskingum County, Ohio. Being the lands of Verna A. Morrison, Et Al, located in lots 27 and 28 as conveyed by Deed Book 582 page 132 of the Muskingum County Deed Records, and being described as follows:

Beginning at a set rebar in the Northeast corner of lot 28;

- thence, S.00°00'53"E. a distance of 1,389.33 feet along the West line of lot 21 to a set rebar on a corner of the lands of the lands, now or formerly, owned by B. Lapp (304/281);
- thence, N.74°12'38"W. a distance of 273.51 feet along said Lapp lands to a set rebar;
- thence, \$.00°25'36"W. a distance of 195.69 feet along said Lapp lands to a set rebar on the Northeast corner of the lands, now or formerly, owned by P. Johnson (521/693);
- thence, N.89°34'23'W. a distance of 2,449.59 feet along said Johnson lands to a stone found on the East line of Lot 37;
- thence, N.00°30'56"E. a distance of 1,271.95 feet along said lot to a point on the South line of the New Hope Cemetery, referenced by a found rebar bearing N.00°06'14"W. A distance of 2.21';
- thence, S.89°27'35"E. a distance of 362.64 feet along said cemetery lands to a found stone;
- thence, N.00°11'09"E. a distance of 223.86 feet along said cemetery lands to a point on the South line of lot 27, passing a set rebar at 171.75 feet;
- thence, S.90°00'00"E. a distance of 159.74 feet along said lot line to a set rebar;

C. Buchanan page 2

- thence, N.00°05'01"W. a distance of 396.67 feet to a point in the center of S.R. 93, passing a set rebar at 361.69 feet;
- thence, N.58°57'57"E. a distance of 154.13 feet along the centerline of said road to a point;
- thence, N.51°31'24"E. a distance of 15.58 feet along the centerline of said road to a point:
- thence, 8.89°52'37"E. a distance of 694.24 feet along the South line of the lands of the New Hope Lutheran Church to a found stone on the West line of the lands, now or formerly, owned by H. Spiker (1064/205) Passing a set rebar at 60.00 feet;
- thence, S.00°11'02"E. a distance of 484.34 feet along said Spiker lands to a set rebar on the South line of lot 27;
- thence, S.90°00'00"E. a distance of 1,339.80 feet along said lot line to the point of beginning.

9.195 acres in 100 legal easements and right with plastic T.D. caps. North is Description was prepared from an actual survey -. Stephen M. Bowman, P.S.#7135. September 22, 1998 OFFICE COPY FOR AUDITOR'S TRANSFER The above described parcel contains 99.762 acres, more or less, (9.195 acres in lot 27 and 90.567 acres in lot 28) and is subject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars

Description was prepared from an actual survey by Bowman Surveying,

