BOWMAN SURVEYING 38 N. 4th Street, Rm. 103 Zanesville, Ohio 43701 PH. (740) 454-0496

SURVEY DESCRIPTION FOR Steven Patrick Clark



AUDITORS PARCELS
56-70-24-07-000 (ALL), 56-70-24-08-000 (ALL), 56-70-24-09-000 (ALL)
56-70-25-01-000 (ALL), 56-70-17-08-000 (PART, 2.02 ACRES)
TOTAL ACRES 14.06

Situated in Section 17, 24, and 25, T-2-N, R-6-W, U.S.M.L., Salem Township, Muskingum County, Ohio. Being part of the lands of Steven Patrick Clark conveyed in Deed Book 823 page 307 of the Muskingum County Deed records, being described as follows:

Beginning at the Northwest corner of section 24, located in the right of way of Piper Road;

- Thence, N.14°28'39"E. a distance of 201.60 feet along said road to a point in the center of said road;
- Thence, N.22°51'58"E. a distance of 132.49 feet along said road to a point;
- Thence, N.13°57'55"E. a distance of 123.33 feet along said road to a point;
- Thence, N.21°07'34"E. a distance of 72.08 feet along said road to a point;
- Thence, N.33°13'46"E, a distance of 39.42 feet along said road to a point;
- Thence, **8.59°47'11"E.** a distance of **158.85** feet through the lands of S. Clark (823/307) to a set rebar, passing a set rebar at 19.76';
- Thence, S.17°27'53"W. a distance of 476.58 feet through said Clark lands to a set rebar on the North line of section 24;
- Thence, N.89°07'53"E. a distance of 514.51 feet along said section line to a found iron pin;
- Thence, 9.10°57'35"W. a distance of 794.02 feet along the lands, now or formerly, owned by R. Michel (1118/158) to a found iron pin;
- Thence, N.88°03'14"W. a distance of 650.82 feet along said Michel lands to a point in the center of Piper Road, passing into section 25 at 525.02 feet, and passing a found iron pin at 603.33 feet;

Steven Clark Survey Page 2

Thence, N.15°51'21"W. a distance of 109.56 feet along said road to a point;
Thence, N.00°59'19"E. a distance of 67.44 feet along said road to a point;
Thence, N.12°18'28"E. a distance of 97.83 feet along said road to a point;
Thence, N.22°54'17"E. a distance of 257.02 feet along said road to a point;
Thence, N.05°02'43"E. a distance of 242.78 feet along said road to the point of beginning.

The above described parcel contains 14.06 acres, more or less, (2.02) acres in section 17, 10.66 acres in section 24, and 1.38 acres in section 25) and is subject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual field survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. October 5, 2004.

OFFICE COPY NOT RECORDABLE

10-6-2004

