6080-28-03 4820 BODAT MILL BD

DESCRIPTION OF SURVEY FOR RUTH HOCK.

JOB#358-2

Situated in the State of Ohio, County of Muskingum, Township of Salt Creek:

Being part of the Northwest Quarter, of Section #28, Township #13, Range #12, of the Congress Lands East of the Scioto River, **being all of the** remaining pertion of the Ruth Hock property recorded in Deed Book Volume 862, Page 295 of said county's deed records, further being known as Muskingum County **Auditor's Parcel Number 60-80-28-03-000**, and more particularly described as follows;

Beginning at a stone found (marked) at the common corner for the Northwest and Northeast Quarters of said Section #28, also for the Southeast and Southwest Quarters of Section #21 of said Township and Range;

- **#1- THENCE South 02 degrees 07 minutes 40 seconds West 1731.02 feet** along the common line for said Northeast and Northwest Quartars of Section #28 to an unmarkad point in the cartar line of Sugargrove Road (County Road #97), passing an iron pipe (found) at 1711.02 feet;
- #2- THENCE South 83 degrees 10 minutes 50 seconds West 139.02 feet into said Northwast Quarters and along said county road to an iron pin (set);
- #3- THENCE South 66 degrees 58 minutes 20 seconds West 153.33 feet continuing along said county road to an iron pin (set);
- #4- THENCE South 55 degrees 23 minutes 10 seconds West 425.85 feet continuing along said county road to an iron pin (set);
- #5- THENCE South 63 degrees 13 minutes 40 seconds West 106.65 feet continuing along said county road to an iron pin (set);
- #5- THENCE South 75 degrees 23 minutes 25 seconds West 92.11 feet continuing along said county road to an iron pin (set);
- #7- THENCE South 88 degrees 39 minutes 40 seconds West 195.00 feet continuing along said county road to the unmarked Northeast cornar of the R Williams and M Bates property recordad in Deed Book Volume 928, Page 155, from which an iron pin (found) at a cornar of said Williams/Bates proparty bears for reference South 00 degrees 39 minutes 05 seconds West 26.79 feet;
- #8- THENCE South 89 degrees 11 minutes 40 seconds West 84.36 feet continuing along said county road to the unmarked intersection of said county road and Burnt Mill Road (Township Road #196);
- #9- THENCE North 23 degrees 54 minutes 25 seconds East 295.08 feet along said township road to an unmarked peint;
- #10- THENCE North 12 degrees 13 minutes 25 seconds East 173.40 feet continuing along said township road to an unmarked point;
- #11- THENCE North 09 degrees 33 minutes 25 seconds East 185.70 feet continuing along said township road to an unmarked point;
- #12- THENCE North 06 degrees 43 minutes 25 seconds East 361.50 feet continuing along said township road to an unmarked corner of the Larry and Ethel Wells properties recorded in Deed Book Volume 504, Page 285 and Deed Book Volume 521, Page 412, from which an iron pipe (found) on the common line for said Wells properties bears for reference North 88 degrees 06 minutes 10 seconds West 30.00 feet;
- #13- THENCE North 09 degrees 53 minutes 10 seconds East 984.01 feet continuing along said township road to the unmarked Southwest corner of the Clifford Harmon property recorded in Deed Book Volume 521, Page 259;
- **#14- THENCE South 88 degrees 52 minutes 45 seconds East 214.81 feet leaving said road and along the South line of said Harmon property to an iron pipe (found), passing an iron pipe (found) at 16.86 feet;**
- #15- THENCE North 01 degrees 14 minutes 50 seconds East 203.55 feet along the East line of said Harmon property to an unmarked point on the common line for said Sections #21 & #28, passing an iron pipe (found) at 199.56 feet;
- #16- THENCE South 87 degrees 29 minutes 15 seconds East 527.93 feet along said Section line to the place of beginning, containing 37.44 acres.

The bearings within this description are based on State Plane Coordinate Grid (Ohio South 1983) derived from GPS Observations. Iron pins (set) are 5/8" rebar with identification caps (C.R.Harkness P.L.S.6885).

This description was written by Charles R. Harkness Professional Land Surveyor #6885 from an actual survey completed on August 7, 2004, in accordance with Chapter 4733-37 of the Administrative Code, and is intended to be used for a SURVEYQR'S AFFIDAVIT FQR PREVIOUS JQB #358 PLAT #01 utilizing a stone corner undiscovered during the original survey and correcting a rotation error along Sugargrove Road, the property is now in the name of Randy Hock Deed Book Volume 1050, Page 435.

OFFICE COPY NOT BE COPY

DESCRIPTION APPROVED FOR ANOITORS TRANSFER

8-10-1000

DESCRIPTION OF SURVEY FOR RANDY HOCK

Situated in the State of Ohio, County of Muskingum, Township of Salt Creek:

Being part of the Northwest Quarter, of Section #28, Township #13, Range #12, of the Congress Lands East of the Scioto River, **being all of** the Clifford Harmon property recorded in Deed Book Volume 521, Page 259 of said county's deed records, further being known as Muskingum County **Auditor's Parcel Number 60-80-28-04-000**, and more particularly described as follows;

Commencing at a stone found (marked) at the common corner for the Northwest and Northeast Quarters of said Section #28, also for the Southeast and Southwest Quarters of Section #21 of said Township and Range; **THENCE North 87 degrees 29 minutes 15 seconds West 527.93 feet** along the common line for said Sections #21 and #28 to the unmarked Northeast corner of said Harmon property, being the place of beginning for the property herein intended to be described;

- **#1-** THENCE South 01 degrees 14 minutes 50 seconds West 203.55 feet into said Northwest Quarter of Section #28 and along the East line of said Harmon property to an iron pipe (found), passing an iron pin (found) at 3.99 feet;
- #2- THENCE North 88 degrees 52 minutes 45 seconde West 214.81 feet along the South line of said Harmon property to an unmarked corner in the centerline of Burnt Mill Road (Township Road #196), passing an iron pipe (found) at 197.95 feet;
- #3- THENCE North 01 degrees 38 minutes 35 seconds East 208.74 feet along said road to an unmarked point on the common line for said Sections #21 & #28, from which an iron pipe (found) for reference bears South 70 degrees 57 minutes 20 seconds East 12.96 feet;
- **#4.** THENCE South 87 degrees 29 minutes 15 seconds East 213.42 feet along said Section line to the place of beginning, containing 1.01 acres.

The bearings within this description are based on State Plane Coordinate Grid (Ohio South 1983) derived from GPS Observations. Iron pins (set) are 5/8" rebar with identification caps (C.R.Harkness P.L.S.6885).

This description was written by Charles R. Harkness Professional Land Surveyor #6885 from an actual survey completed on August 7, 2004, in accordance with Chapter 4733-37 of the Administrative Code, and is intended to be used for a SURVEYOR'S AFFIDAVIT FOR PREVIOUS JQB #410 PLAT #01 utilizing a stone cerner undiscovered during the original survey the property, now in the name of Randy Hock Deed Book Volume 1052, Page 561.

Charles NOTIFICE COPY

DESCRIPTION APPROVED FOR AUD/TOR'S TRANSFER 29-2004

