

Survey for Galen D. Wilson and Judith A. Wilson (2-WD)

2-WD-0.342 acres

2-WD, MUS-C.R.45-1.71

Being a part of land located in the State of Ohio, County of Muskingum, Salt Creek Township, part of the southeast quarter of Section 33, Township 13 North, Range 12 West, Congress Lands East of the Scioto River.

Being part of the lands conveyed to Galen D. Wilson and Judith A. Wilson, in Deed Record 593, page 299, bounded and described as follows:

Commencing at the northeast corner of the southeast quarter of Section 33;

thence North 87 degrees 40 minutes 26 seconds West 1410.00 feet to a point in the center of Cutler Lake Road (County Road 45);

thence along Cutler Lake Road (County Road 45) the following six courses and distances:

1. South 09 degrees 33 minutes 34 seconds West 144.00 feet to a point;
2. South 04 degrees 37 minutes 26 seconds East 100.00 feet to a point;
3. South 32 degrees 35 minutes 26 seconds East 146.80 feet to a point;
4. South 72 degrees 49 minutes 26 seconds East 200.00 feet to a point;
5. South 31 degrees 12 minutes 26 seconds East 500.00 feet to a point;
6. South 26 degrees 03 minutes 03 seconds East 134.77 feet to a point, 2.68' right of MUS-C.R. 45-1.71 centerline station 0+50.00, the **place of beginning** for this parcel;

thence continuing along Cutler Lake Road (County Road 45) South 26 degrees 03 minutes 03 seconds East 65.17 feet to a point, 0.13' right of MUS-C.R. 45-1.71 centerline station 1+15.17;

thence leaving Cutler Lake Road (County Road 45) North 41 degrees 20 minutes 34 seconds East 22.49 feet to an iron pin set on the existing east right-of-way of Cutler Lake Road (County Road 45), 20.00' left of MUS-C.R. 45-1.71 centerline station 1+05.13;

thence along the proposed right-of-way of Cutler Lake Road (County Road 45) the following four courses:

1. North 41 degrees 20 minutes 34 seconds East 22.35 feet to an iron pin set, 40.03' left of MUS-C.R. 45-1.71 centerline station 0+95.97;
2. South 22 degrees 09 minutes 19 seconds East 111.56 feet to an iron pin set 40.00' left of MUS-C.R. 45-1.71 centerline station 2+05.76;
3. South 19 degrees 24 minutes 19 seconds East 65.20 feet to an iron pin set 40.00' left of MUS-C.R. 45-1.71 centerline station 2+70.00;
4. South 70 degrees 35 minutes 41 seconds West 20.00 feet to an iron pin set on the existing east right-of-way of Cutler Lake Road (County Road 45), 20.00' left of MUS-C.R. 45-1.71 centerline station 2+70.00;

thence continuing South 70 degrees 35 minutes 41 seconds West 20.00 feet to a point in the centerline of Cutler Lake Road (County Road 45), being MUS-C.R. 45-1.71 centerline station 2+70.00;

thence along the centerline of Cutler Lake Road (County Road 45) North 19 degrees 24 minutes 19 seconds West 9.14 feet to a point, being MUS-C.R. 45-1.71 centerline station 2+60.86;

thence leaving the centerline of Cutler Lake Road (County Road 45) South 70 degrees 35 minutes 41 seconds West 20.00 feet to an iron pin set on the existing west right-of-way of Cutler Lake Road (County Road 45), 20.00' right of MUS-C.R. 45-1.71 centerline station 2+60.86;

thence along the proposed right-of-way of Cutler Lake Road (County Road 45) the following five courses:

1. South 70 degrees 35 minutes 41 seconds West 20.00 feet to an iron pin set, 40.00' right of MUS-C.R. 45-1.71 centerline station 2+60.86;
2. North 19 degrees 24 minutes 19 seconds West 54.14 feet to an iron pin set, 40.00' right of MUS-C.R. 45-1.71 centerline station 2+04.80;
3. North 22 degrees 09 minutes 19 seconds West 107.50 feet to an iron pin set, 40.00' right of MUS-C.R. 45-1.71 centerline station 0+95.69;
4. North 24 degrees 27 minutes 41 seconds West 45.69 feet to an iron pin set, 40.00' right of MUS-C.R. 45-1.71 centerline station 0+50.00;
5. North 65 degrees 32 minutes 19 seconds East 20.00 feet to an iron pin set on the existing west right-of-way of Cutler Lake Road (County Road 45), 20.00' right of MUS-C.R. 45-1.71 centerline station 0+50.00;

thence continuing North 65 degrees 32 minutes 19 seconds East 17.32 feet to the place of beginning containing 0.342 acres, more or less.

Part of Parcel No.: 60-80-33-20-000 (\pm 0.342 acres)


This legal description was written by Denis P. Swierz based on a field survey completed January 2012 by Muskingum County Engineers' Office. The bearings in this description are based on NAD 83, Ohio South Zone, State Plane Coordinates as per GPS observations from Muskingum County Engineer monument – GPS 19.

Subject to all easements, right of ways, restrictions, reservations, etc.. of record and those that may be implied.



3/04/14
Date

DESCRIPTION APPROVED
By: [Signature] 3/5/14



LOCATION MAP

LATITUDE: N 39°31'14" LONGITUDE: W 81°52'04"

RIGHT OF WAY LEGEND SHEET MUS-C.R.45-1.71

MUSKINGUM COUNTY SALT CREEK TOWNSHIP SECTION 33 TOWNSHIP 13N RANGE 12W

PROJECT DESCRIPTION

IMPROVEMENT OF 0.05 MILE OF C.R.45 IN SALT CREEK TOWNSHIP, BY REPLACING A SINGLE SPAN STEEL BEAM BRIDGE OVER THE MANN'S FORK SALT CREEK WITH A STEEL BEAM BRIDGE INCLUDING APPROACH SLABS, GUARDRAIL, AND MINIMAL APPROACH WORK.

PROJECT CONTROL

NORTH AMERICAN VERTICAL DATUM (NAVD 88) AND NAD 83 (2007) STATE PLANE GRID COORDINATES, OHIO SOUTH ZONE.

PLANS PREPARED BY:

FIRM NAME: MUSKINGUM COUNTY ENGINEER'S OFFICE
R/W DESIGNER: SHAWN E. JOHNSON
R/W REVIEWER: DENIS P. SWIERZ
FIELD REVIEWER: DENIS P. SWIERZ
OWNERSHIP VERIFIED BY: DENIS P. SWIERZ
PLAN COMPLETION DATE: 2/14/14

INDEX OF SHEETS:

LEGEND SHEET	1
PROPERTY MAP	2
SUMMARY OF ADDITION R/W	3
R/W TOPOGRAPHIC SHEET	4
R/W BOUNDARY SHEET	5

STRUCTURE KEY

- RESIDENTIAL
- COMMERCIAL
- OUT-BUILDING

LEGEND

SH = STANDARD HIGHWAY EASEMENT

UTILITY OWNERS	
TYPE	NAME & ADDRESS
PHONE	AT&T (SBC) 160 W 6TH STREET ZANESVILLE, OH 43701 (740) 454-0748 ATTN: JEANINE YOUNG
ELECTRIC	AMERICAN ELECTRIC POWER CO. 850 TECH CENTER DRIVE GAHANNA, OHIO 43230 (614) 883-6631 ATTN: PAUL PAXTON


NOTES: THE LOCATION OF THE UNDERGROUND UTILITIES SHOWN ON THE PLANS ARE OBTAINED FROM THE OWNER OF THE UTILITIES AS REQUIRED BY SECTION 153.64 O.R.C.

CONVENTIONAL SYMBOLS

County Line	-----	Ditch / Creek (Ex)	-----
Township Line	-----	Ditch / Creek (Pr)	-----
Section Line	-----	Tree Line (Ex)	-----
Corporation Line	-----	Ownership Hook Symbol	-----
Fence Line (Ex)	-----	Property Line Symbol	-----
Center Line	-----	Break Line Symbol	-----
Right of Way (Ex)	-----	Tree (Pr)	-----
Right of Way (Pr)	-----	Tree (Ex)	-----
Standard Highway Easement (Ex)	-----	Shrub (Ex)	-----
Temporary Right of Way	-----	Tree (Remove)	-----
Channel Easement (Pr)	-----	Shrub (Remove)	-----
Utility Easement (Ex)	-----	Evergreen (Ex)	-----
Railroad	-----	Evergreen (Remove)	-----
Guardrail (Ex)	-----	Wetland (Pr)	-----
Construction Limits	-----	Grass (Pr)	-----
Edge of Pavement (Ex)	-----	Aerial Target	-----
Edge of Pavement (Pr)	-----	Post (Ex)	-----
Edge of Shoulder (Ex)	-----	Mailbox (Ex)	-----
Edge of Shoulder (Pr)	-----	Light (Ex)	-----
		Telephone Marker (Ex)	-----
		Fire Hydrant (Ex)	-----
		Water Meter (Ex)	-----
		Water Valve (Ex)	-----
		Utility Valve Unknown (Ex)	-----
		Telephone Pole (Ex)	-----
		Power Pole (Ex)	-----
		Light Pole (Ex)	-----

I, Denis P. Swierz, P. S. have conducted a survey of the existing conditions for the Muskingum County Engineer's Office on January 30, 2012. The results of that survey are contained herein. Underground utility locations are shown for informational purposes only. Though they are believed to be accurate, their location is as marked on the ground by the utility company per OUPS and OGPUPS Confirmation Number A134000620 and those markings subsequently being surveyed as a part of this project. As a part of this project I have reestablished the locations of the existing property lines and the centerline of the proposed property lines, calculated the Gross Take, present roadway occupied (PRO), Net Take and Net Residue; as well as prepared the legal descriptions necessary to acquire the parcels as shown herein. As a part of this work, I have set, or will set, right of way monuments at property corners, property line intersections, points along the right of way and/or angle points on the right of way, Section Corners and other points as shown herein. All of my work contained herein was conducted in accordance with the Ohio Administrative Code Chapter 4733-37 Standards for Boundary Surveys unless so noted. The words "I" and "my" as used herein are to mean that myself or someone working under my direct supervision.

Denis P. Swierz
Denis P. Swierz, P.S. 8062
3/04/14
Date



FEDERAL PROJECT NO. E091 (142)
 PID NO. 87216
 STATE OF OHIO
 SEJ
 STATE OF OHIO
 DPS
 RIGHT OF WAY
 LEGEND SHEET
 MUS-C.R.45-1.71
 1 / 5
 23 / 27

