## Re-Survey of Harold and Linda Johnson Lands

Situated in the State of Ohio, County of Muskingum, Township of Union, and being part of the Southwest Quarter of Section 7, Township 1, Range 5, United States Military Lands, and being all the lands presently owned by Harold E. and Linda M. Johnson, as per Official Record 2389, Page 672, and being more particularly described as follows:

Beginning for reference at the Northwest Corner of the Southwest Quarter of Section 7, Township 1, Range 5, United States Military Lands;

Thence, (by deed), South 04 degrees 36 minutes 14 seconds West, 1079.76 feet to a point; Thence, (by deed), South 89 degrees 51 minutes 43 seconds East, 648.50 feet to a point in the center of Brick Road, and the southeast corner of lands presently owned by Larry J. Parker, (OR 1149-852), and the principal place of beginning;

Thence along the lines of said Parker lands the following two courses:

- 1.) North 00 degrees 27 minutes 17 seconds East, 154.96 feet to an iron stake found, passing an iron pipe found at 15.33 feet;
- 2.) South 89 degrees 58 minutes 49 seconds East, 159.90 feet to a point in a ravine, on the west line of lands presently owned by Jerry and Janet S. Taylor, (DR 588-114), passing an iron pin set at 121.56 feet;

Thence along the west line of said Taylor lands, South 43 degrees 19 minutes 32 seconds East, 175.51 feet to a point in the center of Norwich Drive, passing an iron pipe found at 150.10 feet;

Thence along the center of Norwich Drive, South 52 degrees 07 minutes 37 seconds West, 47.26 feet to a point at the intersection of said Norwich Drive and Brick Road;

Thence along the centerline of said Brick Road, North 89 degrees 34 minutes 51 seconds West, 244.26 feet to the principal place of beginning, passing an iron pin set along the line 78.35 feet, and being 15.00 feet right and perpendicular to said line, containing 0.82 acres, (+- 0.20 acres in right of way of Brick Rd. and Norwich Dr.), more or less, and being all of Auditor's Parcel Number 66-16-02-22-000.

Subject to all legal recorded easements and right of ways.

Iron pins set are 5\8 inch rebars, 30 inches long, with plastic identification caps.

Bearings are based on the Ohio State Plane Coordinate System, NAD 83, South Zone, Grid North, as per GPS observations.

This description is written based on a field survey completed April 13, 2016, by Jack D. Newcome, Reg. No. 7321.

OFFICE COPY

NJack D. Newcome Reg. No. 7321

JACK D.

NEWCOME

S-7321

REMINISTRATE OF OF OFFICE AND OFFICE AND

Date

## believed to be thirty feet wide, a note was found on the right of way map for Norwich Drive, shows that Old National Road was abandoned on 6–23–66, and became Surveyor's Note: As per monumentation in the field, and improvements built, the right of way of Brick Road, is S 04°36'14"W Graphic Scale in Feet 1"- 50" (by deed) Northwest Corner of the Southwest Quarter of Section 7, T 1, R 7, U. S. M. S 89°51'43"E (by deed) Larry J. Parker OR 1149-852 648.50 N 00°27'17"E 154.96 139.63 5.33 S 89°58'49"E |59.90' 21.56 Reg. Surveyor No. 7321 Linda M. Johnson OR | | 49-852 Larry J. Parker D. Newcome Brick Road +- 0.82 Acres Harold E. and Assumed OR 2389-672 R\W 30' N 89°34'51"W 244.26" 38.34 Date 15.00 0 010000 Norwich Drive 78.35 Jerry and Janet S. Taylor NEWCOME S-7321 ONAL SUFFICIENT DR 588-114 Bearings are based on the Ohio State Plane Coordinate System, NAD 83, South Zone, Grid North, as per GPS State of Ohio, County of Muskingum, Township of Union, and being part of the Southwest Quarter of Section 7, Township 1, Range 5, United States Military Lands. observations. PLE OF S 52°07'37"W 47.26 (+- 0.20 Acres in R\W of Norwich Dr. and Brick Rd. All of: 66-16-02-22-000 +- 0.82 Acres OR 2389-672 OR 1149-852 DR 588-114 R/W Plan 22 & BASIS OF BEARINGS 22-23.75-25.42 SITUATED IN: REFERENCES PARCEL NO. $\blacksquare$ Newcome Surveying Company iron Stake Found Iron Pin Set, 5/8" rebar Railroad Spike Found Iron Pipe Found Railroad Spike Set Stone Found Iron Pin Found Monument Found Axle Found 6515 Ballard Road Nashport, Ohio 740-452-5796 LEGEND