Phone and Fax: 740-453-8448



## L. Peter Dinan & Associates

27 South Sixth Street P.O. Box 55, Zanesville, Ohio 43702-0055

House Parcel 1.00 Acres Part of Parcel #70-90-07-06-000

Situated in the State of Ohio, County of Muskingum, Township of Washington.

Being a part of Quarter Township 4, Township 1, Range 7 bounded and described as follows:

Commencing at an iron pin found at the southeast corner of Lot 3 in Eastlynd Acres Subdivision as recorded in Plat Book 10, Page 13; thence along the east line of said subdivision and said line extended north 1 degree 40 minutes 49 seconds east 671.72 feet to a point in the center of U.S. Route 40; thence along the center of said U.S. Route 40 north 65 degrees 04 minutes 35 seconds east 55.92 feet to the true place of beginning of the premises herein intended to be described; thence continuing along the center of U.S. Route 40 north 65 degrees 04 minutes 35 seconds east 179.92 feet to a point; thence leaving said centerline south 1 degree 40 minutes 49 seconds west 310.57 feet to a point; thence north 88 degrees 19 minutes 11 seconds west 160.87 feet to a point; thence north 1 degree 40 minutes 49 seconds east 230.0 feet to the true place of beginning,

Subject to the easements of U.S. Routald:

This description writter from Survey made by L. Peter Dinan, Registered Surveyor #1451, Aleptember 26, 2005.

RØVED FOR CLOSURE



## L. PETER DINAN & ASSOCIATES 27 SOUTH SIXTH STREET ZANESVILLE, OHIO

|  | 2007 E AD TORTOS 222<br>55.92 CONTEST OF TORTOS 222  | 40405<br>079, P. 382.   |
|--|--|---|
|  | 23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.0.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23.00<br>23 | Approved For Transfer No On-Lot Sewage Date 129 Zanesville - Muskingum Co Health Department         |
| ** ** G71.72 GMOS ***                                  | 5, 88 19 11 E, 160, 87   | OB. 907. P. M. 209. 50. 50. 107. P. S.                          |
| 7 ACAES SUBOIN<br>TOOK 10, PAGE 13<br>N. 1" 40' 48' E. | 723 Ac.  MARTOF MARCEL# 70-90-07-06-000  | APPROVED MINOR LOT SPLIT ONLY MUSKING COMMISSION PLANNING COMMISSION  10-3-4000 Yes  Date: Fée Paid |
| 5.78°4   | 4.82<br>657W. 89   | JBC; JOHNSON<br>5.74°57.06 24<br>230.50-250.50'   |
|  | N. 89°54'08"W  CUET LUBURGH DB. IT   |   |
| WASHING  | 19.4,7WP.1, R.7<br>1DN TOWNSHIP<br>(COUNTY OHIO<br>SEPT. 23, 2005  | REGISTERED SURVEYOR \$ 5451   |