W. J. BIEDENBACH & ASSOC., SURVEYING & MAPPING 3120 LISA LANE, ZANESVILLE, OHIO 43701 (614)453-4850

DESCRIPTION POR CONVEYANCE
W. A. HAYES
PARCEL NUMBER 73-73-12-01-57-000 (PART)

BEING A PART OF THE 65.07 MORE OR LESS ACRE TRACT CONVEYED TO W. A. & M. E. HAYES BY DEED RECORDED IN VOLUME 563, PAGE 579 OF THE MUSKINGUM COUNTY DEED RECORDS, SITUATED IN THE NOWTHWEST QUARTER OF PRACTIONAL SECTION 1, TOWNSHIP 12, RANGE 13, OF THE CONGRESS LANDS EAST OF THE SCIOTO RIVER, WAYNE TOWNSHIP, MUSKINGUM COUNTY, OHIO AND ABEING FURTHER DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHWEST CORNER OF LOT NUMBER FOUR OF CLEAR LAKE ACRES NUMBER TWO AS RECORDED IN PLAT BOOK 13, PAGE 49 AND 50 OF THE MUSKINGUM COUNTY PLAT RECORDS; THENCE SOUTH 02 DEGREES 41 'INUTES 24 SECONDS WEST 369.56 FEET ALONG THE WEST LINE OF SAID LOT NUMBER FOUR TO AN IRON PIN SET ON THE WEST LINE OF LOT NUMBER FIVE, PASSING EXISTING IRON PINS (3/4 INCH ID PIPE) AT 15.00 FEET, 200, DD FEET, AND 250.00 FEET: THENCE LEAVING SAID WEST LINE NORTH 78 DEGREES 07 MINUTES 30 SECONDS WEST 315.63 PEET TO AN IRON PIN SET; THENCE NORTH 71 DEGREES 39 MINTUES 06 SECONDS WEST 123.17 FEET TO AM EXISTING IRON PIN (3/6 INCH ID PIPE); THENCE NORTH 86 DEGREES 41 MINUTES 48 SECONDS WEST 113.04 FEET TO AN EXISTING IRON PIN (3/8 INCH ID PIPE); THENCE SOUTH 68 DEGREES 56 MINUTES 11 SECONDS WEST 99,70 FEET TO AN EXISTING IRON PIN (3/8 INCH -IO PIPE) ON THE NORTH LINE OF LOT NUMBER 17 OF LOCUST LAKE ADDITION NUMBER TWO AS RECORDED IN PLAT BOOK 13 PAGE 30 OF SAIO COUNTY RECORDS; THENCE NORTH 77 DEGREES 17 MINUTES 29 SECONDS WEST 57.7S FEET ALONG THE SAID NORTH LINE TO AN FIXISTING IKON PIN (3/4 INCH ID PIPE) AT THE NORTHWEST CORNER OF SAID LOT NUMBER 17: THENCE SOUTH 12 DEGREES 44 MINUTES 21 SECONDS WEST 333.21 FEET ALONG THE WEST LINE OF , 18, AND 19 TO AN EXISTING IRON PIN (1/2 INCN IO LOTS 17. PIPE) AT THE SOUTHWEST CORNER OF SAID LOT NUMBER 19; THENCE NORTH 77 DEGREES 14 MINTUES OF SECONDS WEST 80.00 FEET ALONG THE NORTH LINE OF A 0.459 MORE OR LESS ACRE TRACT C SVEYED TO R. AND A. CRABTREE BY DEED RECORDED IN VOLUME 726, PAGE 190 OF SAID COUNTY REORDS TO AN EXISTING IRON PIN (1/2 INCH REBAR) AT THE NORTHWEST CORNER OF SAID TRACT; THENCE SOUTH 12 DEGREES 48 MINUTES 05 SECONDS WEST 200.00 FRET ALONG THE WEST LINE OF SAID 0.459 MORE OR LESS ACRE TRACT TO AN EXISTING IRON PIN (3/4 INCH ID PIPE) AT THE NORTHEAST CORNER OF LOT NUMBER 26 OF SAID LOCUST LAKE ADDITION NUMBER TWO: THENCE NORTH 77 OBGREES 14 MINUTES OO SECONDS WEST 260.00 FEET ALONG THE NORTH LINE OF LOTS 26. 27, AND 28 TO AN IRON PIN SET AT THE NORTHWEST CORNER OF LOT 28, PASSING EXISTING IRON PINS (3/4 INCH 10 PIPE) AT 80.00 FEET; AND 170.00 FEET; THENCE NORTH 12 DEGREES 46 MINUTES OO SECONDS EAST 96,27 FEET ALONG THE EAST LINE OF A 0.369 MORE OR LESS ACRE TRACT TO AN EXISTING IRON PIN (3/4 INCH 10 PIPE) AT THE NORTHEAST CORNER OF SAID TRACT: THENCE NORTH 77 DEGREES 22 MINUTES 37 SECONDS

W. J. BIEDENBACH & ASSOC., SURVEYING & MAPPING S120 LISA LANE, ZANESVILLE, OHIO 43701 (614)453-4850

WEST 110.00 FEET ALONG THE NORTH LINE OF SAID TRACT TO AN IRON PIN SET ON THE EAST LINE OF A THACT CONVEYED TO C. W. LINE BY DEED RECORDED IN VOLUME 967, PAGE 189 DF SAID COUNTY RECORDS; THENCE NORTH 12 DEGREES 46 MINUTES OO SECONDS EAST 662.17 FEET TO AN EXISTING IRON PIN (5/8 INCH HEBAR), PASSING AN EXISTING IRON PIN (5/8 INCH HEBAR) AT 49.54 FEET; THENCE SOUTH 88 DEGREES 14 MINUTES 30 SECONDS EAST 1093.70 FEET TO THE PLACE OF BEGINNING.

CONTAINING 12.474 MDRE OR LESS ACRES, SUBJECT TO ALL APPLICABLE EASEMENTS.

ALL IRON PIN SET ARE 5/8 INCH X 30 INCH REBAR WITH PLASTIC IDENTIFICATION CAPS.

BEARINGS ARE BASED ON THE PLAT BEARING OF THE WEST LINE OF LOT NUMBER 28 OF THE ABOVE MENTIONED LOCUST LAKE ADDITION NUMBER TWO.

I HERBBY CERTIFY TO THE BEST OF MY KNOWLEDGE THE SURVEY AND DESCRIPTION TO BE CORRECT AS PREPARED BY ME, THIS 9TH DAY OF SEPTEMBER 1988.

W. NO BIEDENBACH

REGISTERED SURVEYOR #5718

D2885A W.A. HAYES

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER

9-11-89

