W. J. BIEDENBACH AND ASSOCIATES, SURVEYING AND MAPPING 3120 LISA LANE, ZANESVILLE, OHIO 43701 (614)453-4850

DESCRIPTION FOR CONVEYANCE L. HUFFMAN PARCEL NUMBER 73-73-12-01-59-000 (PART)

BEING A PART OF THE NORTHWEST QUARTER OF SECTION 1, TOWNSHIP 12, RANGE 13, OF THE CONGRESS LANDS EAST OF THE SCIOTO RIVER, WAYNE TOWNSHIP, MUSKINGUM COUNTY, OHIO AND BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT AN EXISTING IRON PIN (5/8 INCH REBAR) AT THE SOUTHWEST CORNER OF THE NORTHWEST QUARTER OF SECTION 1; THENCE NORTH 02-DEGREES 54 MINUTES 30 SECONDS EAST 868.24 FEET TO A POINT IN THE CENTER OF COUNTY ROAD NUMBER 5 (CLAY PIKE), PASSING AN EXISTING IRON PIN (5/8 INCH REBAR) AT 844.25 FEET; THENCE SOUTH 76 DEGREES 08 MINUTES 03 SECONDS EAST 186.12 FEET ALONG THE CENTER OF SAID ROAD TO A POINT; THENCE SOUTH 76 DEGREES 04 MINUTES 33 SECONDS EAST 1617.12 FEET ALONG THE CENTER OF SAID ROAD TO A POINT, SAID POINT BEING THE PLACE OF BEGINNING OF THE TRACT HEREIN INTENDED TO BE DESCRIBED; THENCE CONTINUING SOUTH 76 DEGREES 04 MINUTES 33 SECONDS EAST 125.00 FEET ALONG THE CENTER OF SAID ROAD TO A POINT; THENCE LEAVING SAID ROAD SOUTH 03 DEGREES 33 MINUTES 12 SECONDS WEST 300.00 FEET TO AN IRON PIN SET, PASSING AN IRON PIN SET AT 30.50 FEET; THENCE NORTH 76 DEGREES 04 MINUTES 33 SECONDS WEST 125.00 FEET TO.AN IRON PIN SET; THENCE NORTH 03 DEGREES 33 MINUTES 12 SECONDS EAST 300,00 FEET TO THE PLACE OF BEGINNING, PASSING AN IRON PIN SET AT 269.50 FEET.

CONTAINING 0.847 MORE OR LESS ACRES, SUBJECT TO ALL LEGAL ROAD RIGHT-OF-WAY OF COUNTY ROAD 5 (CLAY PIKE) AND ALL APPLICABLE BASEMENTS.

D3153 L.HUFFMAN

OFFICE COPY NOT RECORDABLE W. J. BIEDENBACH AND ASSOCIATES, SURVEYING AND MAPPING 3120 LISA LANE, ZANESVILLE, OHIO 43701 (614)453-4850

ALSO THE FOLLOWING 25 FOOT INGRESS AND EGRESS EASEMENT

BEING A PART OF THE NORTHWEST QUARTER OF SECTION 1. TOWNSHIP 12, RANGE 13. OF THE CONGRESS LANDS EAST OF THE SCIOTO RIVER, WAYNE TOWNSHIP, MUSKINGUM COUNTY, OHIO AND BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT AN EXISTING IRON PIN (5/8 INCH REBAR) AT THE SOUTHWEST CORNER OF THE NORTHWEST QUARTER OF SECTION 1; THENCE NORTH 02 DEGREES 54 MINUTES 30 SECONDS EAST 868.24 FEET TO A POINT"IN THE CENTER OF COUNTY ROAD NUMBER 5 (CLAY PIKE), PASSING AN EXISTING IRON PIN (5/8 INCH REBAR) AT 844.25 FEET; THENCE SOUTH 76 DEGREES 08 MINUTES 03 SECONDS EAST 186.12 FEET ALONG THE CENTER OF SAID ROAD TO A POINT; THENCE SOUTH 76 DEGREES 04 MINUTES 33 SECONDS EAST 1742.12 FEET ALONG THE CENTER OF SAID ROAD TO A POINT, SAID POINT BEING THE PLACE OF BEGINNING OF THE EASEMENT HEREIN INTENDED TO BE DESCRIBED; THENCE CONTINUING SOUTH 76 DEGREES 04 MINUTES 33 SECONDS EAST 25.42 FEET ALONG THE CENTER OF SAID ROAD TO A POINT AT THE NORTHWEST CORNER OF A TRACT CONVEYED TO E. G. BLACKFORD AS RECORDED IN DEED VOLUME 746, PAGE 8 OF THE MUSKINGUM COUNTY DEED RECORDS; THENCE LEAVING SAID ROAD AND ALONG THE WEST LINE OF SAID BLACKFORD TRACT SOUTH 03 DEGREES 33 MINUTES 12 SECONDS WEST 300.00 FEET TO A POINT, PASSING AN EXISTING IRON PIN (5/8 INCH REBAR) AT 24.30 FEET; THENCE LEAVING SAID BLACKFORD LINE NORTH 76 DEGREES 04 MINUTES 33 SECONDS WEST 25.42 PEET TO AN IRON PIN SET; THENCE NORTH 03 DEGREES 33 MINUTES 12 SECONDS EAST 300.00 FEET TO THE PLACE OF BEGINNING, PASSING AN IRON PIN SET AT 269.50 FEET.

BEARINGS ARE BASED ON THE PREVIOUS SURVEY OF 97.721 MORE OR LESS ACRES AS SURVEYED BY L.C. CAMP, REGISTERED SURVEYOR #5843 AND DATED MARCH 20, 1989.

ALL IRON PINS SET ARE 5/8 INCH X 30 INCH REBAR WITH PLASTIC IDENTIFICATION CAP,

I HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE THE SURVEY AND DESCRIPTION TO BE CORRECT AS PREPARED BY ME, THIS 19TH DAY OF

BIEDENBACH

W. J. BIEDEREGIE DAS


E3153 L.HUFFMAN

MARCH (

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER

3-21-90

* ** ** *** *** **



SURVEYING & MAPPING ZANESVILLE, OHID (614) 453-4850 DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER 3-21-90

Dale: 3-16-90 50 Checked by: 3/53