Office Copy

DESCRIPTION OF SURVEY FOR GRACE HEIZMAN

Situated in the State of Ohio, County of Müskingum, Township of Wayne, South Half, of the Southeast Quarter, of Section #7, and the Northeast Quarter of Section #14, Township #12, Range #13, of the Congress Lands East of the Schoto River:

PARCEL #1 73-19-05-44 1310 SISTZLN

Being all of Parcels #1, #2 & #5, of the prior deed reference Volume 571, Page 484, of the Muskingum County Deed Records, also being all of Muskingum County Auditor's Parcel Numbers 73-73-18-05-44-000, and 73-73-18-05-45-000, and more particularly described as follows;

Commencing at an iron pipe (found) at the Southeast corner of Section #7; thence along the South line of said Section #7 N 86 24 03 W 825.43 feet to an iron pin (set) at the place of beginning for the property herein intended to be described; thence continuing along the South line of Section #7 1134.85 feet to the center of Flat Run Creek, passing an iron pin set at 1070.85 feet; thence along the center of said creek the following five courses-#1- N 56 20 22 E 30.27 feet, from which a reference pin (set) bears

- N 69 04 24 E 20.00 feet;
- #2- N 20 55 36 W 58,17 feet, from which a reference pin (set) bears N 69 04 24 E 20.00 feet;
- #3- S 80 09 19 W 33.35 feet, from which a reference pin (set) bears N 36 44 15 E 20.00 feet;
- #4- N 05 33 40 W 62.34 feet, from which a reference pin (set) bears 5 87 29 35 E 20.00 feet;

#5- N 18 50 28 E 48.85 feet; thence along the North line of the property described in deed reference Volume 461. Page 558 N 77 22 56 W 624.09 feet to the West line of said Southeast Quarter of Section #7, passing iron pins (set) at 20.00 feet and at 599.09 feet; thence along the West line of said Southeast Quarter N 03 29 37 £ 632.68 feet to an iron pin (set) at the Southwest corner of the property described in deed reference Volume 524. Page 795; thence 5 86 30 23 E 64.05 feet to the center of County Road #72 (Dietz Lane), passing an iron pin (set) at 30.68 feet; thence along the center of said county road #72 the following five courses-

- #1- with a curve to the right having, a Radius of 127.50 feet, a Arc Length of 52.70 feet, and Chord Bearing N 74 17 57 E 52.32 feet, from which a reference pin (set) bears S 03 51 36 E 20.00 feet;
- #2- N 86 08 24 E 198.71 feet, from which a reference pin (set) bears S 03 51 36 E 20.00 feet;
- #3- with a curve to the left having, a Radius of 100.00 feet, a Arc Length of 136.54 feet, and Chord Bearing N 47 01 28 E 126.18 feet, from which a reference pin (set) beams S 82 05 28 E 20.00 feet;
- #4- N 07 54 32 E 122.80 feet, from which a reference pin (set) bears S 82 05 28 E 20.00 feet;
- #5- with a curve to the right having, a Radius of 534.50 feet, a Arc Length of 134,32 feet, and Chord Bearing N 15 06 29 E 133,96 feet;

thence along the lines of the property described in deed reference

Volume 872, Page 32 the following eight courses-

- #1~ S 87 16 22 E 46.88 feet to a point in said Flat Run Creek, passing an iron pin (set) at 18.84 feet;
- #2- 5 11 23 33 E 574.97 E to an iron pin (set), Passing an iron pin (set) at 27.39 feet;
- #3- S 46 27 48 E 173.30 feet to an iron pin (set);
- #4- S 00 40 12 W 218.25 feet to an iron pin (set);
- #5- N 86 05 00 E 836.89 feet to an iron pin (set);
- #6- S 03 08 40 W 546.84 feet to an iron pin (set);
- #7- S 86 24 03 E 145.00 feet to an iron pin (set);
- #8- S 41 37 42 E 42.59 feet to the place of beginning containing 24.525 acres.

PARCEL #2 73-36-61-03

Being all of Parcel #3 of the prior deed reference Volume 571, Page 484, also being all of Muskingum County Auditor's Parcel Number 73-73-36-01-03-000, and more particularly described as follows;

Commencing at an iron pipe (found) at the Northeast corner of said Section #14; thence along the North line of said Section #14 N 86 24 03 W 438.62 feet to the place of beginning for the property herein intended to be described, from which an iron pipe (found) described in deed reference Volume 746, Page 97 bears N 03 00 47 E 0.48 feet; thence along the West line of said Volume 746, Page 97 and the West line of the property described in deed reference Volume 537, Page 708 S 03 00 47 W 1351.03 feet to an iron pin (set), on the South line of said Northeast Guarter; thence along the South line of said Northeast Guarter N 86 43 15 W 446.00 feet to an iron pin (set); thence along the East line of the property described in deed reference Volume 571, Page 145 N 03 25 35 E 1353.46 feet to an iron pin (set), on the North line of said Section; thence along the North line of said Section S 86 24 03 E 436.25 feet to the place of beginning containing 13.694 acres.

The bearings within this description are based on a Solar Observation (Local Hour Angle Method), completed on the property. Iron pins (set) are 5/8" rebar with aluminum identification caps, (C R Harkness R S 6885).

This description was written by Charles R. Harkness Registered Surveyor #6885 from an actual survey completed on March 10, 1988, and is intended to be used for the legal transfer of the property described and does not intend to describe all or any easements of record, nor any or all encroachments on the property, unless otherwise indicated.

DESCRIPTION APPROVED	
FOR AUDITOR'S TRANSFER	?

BY_____

Charles R. Harkness RS 6885

