## Description of Parcel No. 1

Situated in the State of Ohio. County of Muskingum. Township of Monroe. being part in the southcast quarter of the northeast quarter of Section 7 and part in the south half of the northwest quarter of Section 8, Range 5 West, Township 3 North. of "The United States Military District" and being bounded and described as follows:

Commencing for reference at an iron pipe previously set at the northwest corner of Section 7 and the northwest corner of Section 8 (Note: Reference bearing on the east line of Section 7 and the west line of Section 8 used as South 00°32'10" West.);

thence, with the east line of Section 7 and the west line of Section 8, South 00°32'10" West a distance of 1.316.49 feet to a point at the northeast corner of the southeast quarter of the northeast quarter of Section 7 and being the northwest corner of the south half of the northwest quarter of Section 8, said point being also THE TRUE FOINT OF BEGINNING for this description:

thence, from said Point of Beginning with the quarter-quarter section line and the south line of a 79.88 acres tract as conveved to John R. Bosson by Deed Volume 961, Page 46 of the Muskingum County Recorder's Office. South 89°23'30" East a distance of 1.297.56 feet to a point in the centerline of County Road No. 15 (Parks Road also formerly known as New Low Grade Road), passing through an iron pipe previously set at a distance of plus 1,267.56 feet;

thence, with the centerline of County Road No. 15 (as located in July 1993) being the west line of the Karen J. Burris property as described in Deed Volume 1079, Page 579 of the Muskingum County Recorder's Office, the following two courses:

- (1) South 10°19'28" East a distance of 103.68 feet to a point;
- (2) thence South 11°10'42" East a distance of 167.60 feet to a point in the centerline intersection with a driveway to the west;

thence, with the centerline of said driveway (being also the centerline of a 40.00 feet wide common road right-of-way), the following nine courses:

- (1) North 76016'49" West a distance of 99.60 feet to a point;
- (2) thence South 79°25'44" West a distance of 40.78 feet to a point;
- (3) Uhence South 67033'49" West a distance of 45.80 feet to a point;

Page 2 of 4 Description of Parcel No. 1

- (4) thence South 55°42'24" West a distance of 76.96 feet to a point;
- (5) thence South 63\*47'04" West a distance of 136.57 feet to a point;
- (6) thence South 75°10'38" West a distance of 47.21 feet to a point;
- (7) thence North 85047'51" West a distance of 47.23 feet to a point;
- (8) thence North 76°47'39" West a distance of 90.58 feet to a point;
- (7) thence South 88°24'26" West a distance of 38.45 feet to a point at the extreme west end of said 40.00 feet wide common road right~of~ way;

thence, leaving the driveway and the common road right-of-way, North 89°14'23" West a distance of 2,118.78 feet to an iron pin set in the west line of the southeast quarter of the northeast quarter of Section 7, passing through two iron pins set at distances of plus 30.00 feet and plus 130.00 feet, respectively;

thence, with the quarter-quarter section line and the east line of 150.00 acres tract as conveyed to The Columbus and Southern Ohio Electric Company by Deed Volume 667, Page 107 of the Muskingum County Recorder's Office, North 00032'44" West a distance of 372.00 feet to an iron pin set at the center of the northeast quarter of Section 7:

thence, with the quarter-quarter section line, the south line of 39.58 acres tract as conveyed to Linda L. Hummell by Deed Volume 1066, Page 655, and the south line of the aforementioned John R. Bosson property, South 88°54'30" flast a distance of 1,358.46 feet to the Point of Beginning, passing through an iron pipe previously set at a distance of plus 1,261.43 feet;

containing 22.030 acres, more or less, of which:

- 11.445 acres is out of Parcel No. 42-42-20-07-02-000 in the southeast quarter of the northeast quarter of Section 7 and
- 10.593 acres is out of Parcel No. 42-42-20-08-06-000 in the south half of the northwest quarter of Section B.

Subject to all legal right-of-ways, easements, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of County Road No. 15.

Subject to the 100 year Flood Plain restrictions, if applicable.

OFFICE COPY
NOT RECORDABLE

DESCRIPTION APPROVED FOR AUDITORS TRANSFER

10-19-42

Page 3 of 4 Description of Parcel No. 1

Subject to any facts that may be disclosed in a full and accurate title search.

Subject to a 40.00 feet wide easement being reserved unto the grantor, his heirs, and/or assigns, forever. Said easement is for the purposes of running utilities to other parcels of land on or near County Road No. 15. Said easement runs in a north-south direction across the east end of the above described property with the east line of said easement being the centerline of County Road No. 15. Containing 0.249 acres, more or less, of easement.

TOGETHER WITH a 40.00 feet wide common road right-of-way (the centerline of which follows the centerline of an existing driveway), the following nine courses:

- (1) North 76°16'49" West a distance of 99.60 feet to a point;
- (2) thence South 79\*25'44" West a distance of 40.78 feet to a point;
- (3) thence South 67°33'49" West a distance of 45.80 feet to a point;
- (4) thence South  $55^{\circ}42'24''$  West a distance of 76.90 feet to a point;
- (5) thence South 63047'04" West a distance of 136.57 feet to a point;
- (6) thence South 75°10'38" West a distance of 47.21 feet to a point;
- (7) thence North 85°47'51" West a distance of 47.23 feet to a point;
- (8) thence North 76°47'39" West a distance of 90.50 feet to a point;
- (9) thence South B8•24'26" West a distance of 38.45 feet to a point at the extreme west end of said 40.00 feet wide common road right-ofway;

Containing 0.572 acres, more or less, of common road right-of-way.

Subject to all of the above described 40.00 feet wide common road right-of-way being also reserved unto the grantor, his beins, and/or assigns, forever, for the purposes of ingress and egress from County Road No. 15.

All iron pins set are  $1/2^{\circ}$  x  $30^{\circ}$  rebar capped and labeled "Claus  $6456^{\circ}$ .

All iron pipes previously set are 1" x 30" pipe capped and labeled "Claus 6456".

Page 4 of 4 Description of Parcel No. 1

The bearings in this description are for angle calculations only and are based on the east line of Section 7 and the west line of Section 8 used as an assumed bearing of South 00.932'10'' West.

The above description prepared by Roger W. Claus, Registered Surveyor No. 6456, based on a new survey of October 13, 1993.

Prior Deed: Deed Volume 1082, Page 616.

42.20-08-06-002 42.20-07-02-002 42-20-08-06-001 42-20-07-02-001 BEARING DIST. LINE SURVEY PLAT N 76° 16' 49"W 99.60 5 79° 25' 44" W 5 67° 33′ 49″ W 45.80 S 55° 42' 24" W 76.96 S 63° 47'04" W Realty 136.57 Buckey S 75° 10 '38" W 47.21 N 85° 47'51"W 47.23 N 76° 47' 39" W 90.58 S 88° 24' 26" W 38.45° SEC. 3 SEC.8 Scale 1": 200' 8 See Claus Survey # 169 JEFFREY L. BUCKEY DV. 1082 PG. 616 Situated in the State of Onio, County of Muskingum, Township of Monroe, being part in the southeast quarter of the northeast quarter of Section 7 and part in the south half of the northwest quarter of Section B, Range 5 West, Township 3 North, John R. Bosson Linda Hummell of "The United States Military District". V. 1066 P. 655 79.88 Ac. 39.58 Ac. V. 961 P. 46 CENTER OF 0 : 1/2" IRON PIN SET CAPPED "CLaus 6456". N.E. CORNER OF S.E. YY OF N.E. Y4 OF N.E. YY OF SEC. 7 = I" IRON PIPE PREVIOUSLY SET CAPPED "CLaus 6456". QUARTER-QUARTER SEC. LINE SEC. 7 -N.W. YY OF SOUTH HALF SURVEY ANGLE POINT. OF N.W. Y4 OF SEC. 8. 1261.43 QUARTER SEC. LINE 3/4" IRON PIN FOUND CAPPED "G.A. Stewart, Inc. Coshocton, Ohio". SBB° 54'30" E~ S 89°23'30" E ~ 1297.56' Total QUARTER-QUARTER SEC. LINE 103.68 - MARKED STONE FOUND. 11.445 Ac. OUT OF = 5/8" IRON PIN FOUND UNCAPPED. 511-10'42"6 Columbus of Southern 👢 r 10.593 Ac. OUT OF PAR.# 42-42-20-07-02-000 Ohio Electric Co. 22.038 Ac. 3/4" IRON PIN FOUND WITH ALUM. CAP - "A.P.S. 6791-7103". PAR. # 42-42-20-08-06-000 150.00 Ac. S 11° 10' 42" E PROPERTY LINES. 205.43° V. 667 P. 107 Karen J. Burris 1351.39" 637.39 FENCE EVIDENCE FOUND. N89º14'23"W-2118.78' TOTAL 36.0 Ac. TREE. WITH WIRE FOUND. V. 1019 P. 579 (2) LINES OF THIS SURVEY. 12.895 Ac. OUT OF 14.325 Ac. OUT OF PAR# 42-42-20-07-02-000 PAR # 42.42.20-08-06-000 27.220 Ac. \$ 23°08'56" E -----130.46' DESCRIPTION APPROVED FOR AUDITORS TRANSFER /343.53 425' 701.86 N89 "11' 43" W - 2860.39" TOTAL 540°59'37" E 10-19-93 S 36° 35' 41" E 16.716 Ac. OUT OF --- /23.40° 21.309 Ac. OUT OF PAR.# 42.42-20-07-02-000. PAR. # 42-42-20-08-06-000 38.025 Ac. 5 29°48'08" E ---- 290.32° CENTER OF QUARTER- SEC. LINE QUARTER SEC. LINE S 35° 24' 13" E N 89°05'31" W~ 1333.29 N89025'59" W~ 1890.41' Total ---/23. /8 1272.40 157.54 65.73" 369.74 S.W. CORNER OF 5.E. Yy SE.CORNER OF N.E. YY OF SEC. 7 OF N.E. YY OF SEC. 7 Kyle Thorn S.W. CORNER OF N.W. YY OF SEC. 8 Keven J. Burris 6.8 Ac. Edward F. Ross B. 1 M. Road buck, Ir. Billy W. + D.L. Potter 10.0 Ac. V. 1076 P. 403 145.58 Ac. V. 1054 P. 288 V. 825 V. 61 V. 1079 P.579 42.74 Ac. V. 958 P. 73 PLAT RECORDED 24.94 Ac. IN Du. 1076 PG.403 Torono W. Claus, P.S. **6456** 3331**0** | TH-**2065** Lawisville, Ohio 43754 (614) 567-3168

42-20-07-02

47-10-00,00