

189 Marshall
to
Type J. Station
12/25/65

Situated in the State of Ohio, County of Washington,
Township of Newton, T 15, R 14, Northwest Quarter
of Section 8, bounded and described as follows:

Commencing at the Southwest corner of the Northwest
Quarter of Section 8; thence North $0^{\circ} 00'$ East on
section line 720.25 feet to a point in the center
of Stine Road the place of beginning; thence North
 $0^{\circ} 00'$ East on section line 509.32 feet; thence
leaving section line and Stine Road North $75^{\circ} 03'$
 $17''$ East 138.07 feet to an iron pin passing an iron
pin at 16.07 feet; thence North $0^{\circ} 25' 12''$ East 246.07
feet to an iron pin; thence South $83^{\circ} 49' 15''$ West 172.66
feet to the West line of said section passing an iron
pin at 155.91 feet; thence along section line North
 $0^{\circ} 00'$ East 509.06 feet passing an iron pin at 791.06
feet; thence along the North line of the Northwest
Quarter of Section 8 North $89^{\circ} 39' 27''$ East 1709.50
feet to an iron pin; thence South $2^{\circ} 21' 27''$ West
587.20 feet to an iron pin; thence South $80^{\circ} 01' 00''$
East 560.08 feet to an iron pin; thence South 27°
 $09'$ East 245.34 feet to an iron pin; thence South
 $14^{\circ} 02' 49''$ East 410.83 feet to an iron pin; thence
South $10^{\circ} 11' 29''$ East 208.89 feet to an iron pin;
thence South $11^{\circ} 41' 10''$ East 444.88 feet to an
iron pin; thence South $4^{\circ} 19' 46''$ East 155.64 feet
to an iron pin on the Northeast corner of 3.93 acre
parcel granted to Steve Milatovich; thence along Milatovich
North line North $89^{\circ} 41' 39''$ West 1130.40 feet to an
iron pin; thence North $71^{\circ} 29' 16''$ West 335.96 feet
to an iron pin; thence North $73^{\circ} 49' 38''$ West 171.36
feet to an iron pin; thence North $85^{\circ} 02' 36''$ West
421.54 feet to the center of Stine Road passing an
iron pin at 394.54 feet; thence along the center of
Stine Road the following four courses and distances,
North $23^{\circ} 46' 55''$ West 75.06 feet; North $24^{\circ} 40' 59''$
West 197.73 feet; North $22^{\circ} 58' 47''$ West 84.53 feet
and North $18^{\circ} 03' 43''$ West 90.34 feet to the place
of beginning, containing 103.32 acres more or less.
Bearings are based on the West line of the Northwest
Quarter of Section 8 bearing North $0^{\circ} 00'$ East.
Above description being a part of Auditors Parcel
No. 47-47-22-02-03

Survey Description By:

**OFFICE COPY
NOT RECORDABLE**

R. L. Daniels
Registered Surveyor No. 5410

OK KAD

12-36-85

Ida Russell
to
Myra J. Hartman
2/23/87

Situated in the State of Ohio, County of Muskingum,
Township of Newton, T 15, R 14, Northwest Quarter
of Section 8, bounded and described as follows:

Commencing at the Southwest corner of the Northwest
Quarter of Section 8; thence North 00° 00' East on
section line 720.25 feet to a point in the center
of Stine Road the place of beginning; thence North
00° 00' East on section line 809.32 feet; thence
leaving section line and Stine Road North 75° 03'
17" East 188.07 feet to an iron pin passing an iron
pin at 16.07 feet; thence North 00° 25' 12" West 285.07
feet to an iron pin; thence South 88° 49' 15" West
179.66 feet to the West line of said section passing
an iron pin at 155.91 feet; thence along section line
North 00° 00' East 809.06 feet passing an iron pin at
791.06 feet; thence along the North line of the North-
west Quarter of Section 8 North 89° 39' 23" East
1709.50 feet to an iron pin; thence South 20° 21' 27"
West 567.90 feet to an iron pin; thence South 8° 01'
00" East 560.08 feet to an iron pin; thence South
27° 08' East 245.34 feet to an iron pin; thence South
16° 37' 19" East 391.39 feet to an iron pin; thence
South 13° 02' 57" East 224.68 feet to an iron pin;
thence South 16° 25' 59" East 327.79 feet to an iron
pin; thence South 3° 12' 10" West 287.64 feet to an
iron pin; on the Northeast corner of 3.93 acre parcel
granted to Steve Milatovich; thence along Milatovich
North line North 89° 41' 39" West 1130.40 feet to an
iron pin; thence North 71° 29' 16" West 238.96 feet
to an iron pin; thence North 73° 49' 36" West 171.38
feet to an iron pin; thence North 85° 08' 36" West
421.54 feet to the center of Stine Road passing an
iron pin at 394.54 feet; thence along the center of
Stine Road the following four courses and distances,
North 23° 46' 55" West 75.06 feet, North 24° 40' 59"
West 197.73 feet, North 22° 58' 47" West 84.53 feet
and North 18° 03' 43" West 90.34 feet to the place
of beginning, containing 103.96 acres more or less.

Bearings are based on the West line of the Northwest
Quarter of Section 8 bearing North 00° 00' East.

Being a part of Auditor's Parcel No. 47-47-22-02-03.

DESCRIPTION APPROVED
for Auditor's Transfer


By AY [Signature]
2-27-87

OFFICE COPY Description By:

NOT RECORDABLE

R. L. Daniels
Registered Surveyor No. 5410

Larry & Myra Hartman



We The Undersigned of the American People
 The Boundaries of the United States
 Become The American People
 Line Between the United States and
 This _____ () _____ 1971

**OFFICE COPY
NOT RECORDABLE**

Survey 12-11-30
 From 11-11-30
 Myr. 11-11-30
 By 11-11-30
 No. 54
 Mo. 11-11-30
 New 11-11-30
 N. 11-11-30
 Part 11-11-30
 47-11-30
 The 11-11-30
 Revised 11-11-30

OFFICE COPY
NOT RECORDABLE

**OFFICE COPY
NOT RECORDABLE**

J. H. Hambl
2-27-87