47-48-06-15-000 47-48-06-16-000 47-48-06-41-000 47-48-06-42-000

Vacation of a Portion of Lane "I" in Avondale

Being a part of land located in the State of Ohio, Muskingum County, Newton Township, Avondale (Plat Book 4, page 72), Section 15, Township 15 North, Range 14 West, Congress Lands East of the Scioto River, bounded and described as follows:

NORTH PORTION

Beginning at an iron pipe found at the northeast corner of Lot 191 of Avondale (Plat Book 4, page 72), also being on the south line of Washington Street (50' wide):

thence along the south line of Washington Street (50' wide) South 86 degrees 25 minutes 28 seconds East 15.00 feet to a point, being the northwest corner of Lot 192 of Avondale (Plat Book 4, page 72);

thence leaving the south line of Washington Street (50' wide) and along the west line of Lot 192 South 03 degrees 38 minutes 07 seconds West 124.74 feet to a point, being the southwest corner of Lot 192 and on the north line of Lane "E" of Avondale;

thence along the north line of Lane "E" of Avondale North 86 degrees 25 minutes 28 seconds West 15.00 feet to a point, being the southeast corner of Lot 191;

thence along the east line of Lot 191 North 03 degrees 38 minutes 07 seconds East 124.74 feet to the place of beginning, containing 0.04 acres, more or less.

Acreage to be added to Parcels:

Parcel #: 47-48-06-41-000 ± 0.02 acres Parcel #: 47-48-06-42-000 + 0.02 acres TOTAL + 0.04 ACRES

SOUTH PORTION

Commencing at an iron pipe found at the northeast corner of Lot 191 of Avondale (Plat Book 4, page 72), also being on the south line of Washington Street (50' wide);

thence along the east line of Lot 191 South 03 degrees 38 minutes 07 seconds West 124.74 feet to a point, being the southeast corner of Lot 191 and on the north line of Lane "E" of Avondale;

thence continuing South 03 degrees 38 minutes 07 seconds West 15.00 feet to a point, being the northeast corner of Lot 231, being on the south line of Lane "E" of Avondale, the **place of beginning** for the south portion of this vacation;

thence along the south line of Lane "E" South 86 degrees 25 minutes 28 seconds East 15.00 feet to a point, being the northwest corner of Lot 232;

thence leaving the south line of Lane "E" and along the west line of Lot 232 South 03 degrees 38 minutes 07 seconds West 125.00 feet to a point, being the southwest corner of Lot 232 and being on the north line of Charles Street (50' wide);

thence along the north line of Charles Street (50' wide) North 86 degrees 25 minutes 28 seconds West 15.00 feet to a point, being the southeast corner of Lot 231;

thence leaving the north line of Charles Street (50' wide) and along the east line of Lot 231 North 03 degrees 38 minutes 07 seconds East 125.00 feet to the place of beginning, containing 0.04 acres, more or less.

47-48-06-15-000 A 47-48-06-16-000 A 47-48-06-41-000 A 47-48-06-42-000 A

Acreage to be added to Parcels:

Parcel #: 47-48-06-15-000 ± 0.02 acres Parcel #: 47-48-06-16-000 + 0.02 acres TOTAL + 0.04 ACRES

> DENIS P. SWIERZ

This legal description was written by Denis P. Swierz of the Muskingum County Engineer's Office, based on a field survey on June 9, 2017. The bearings in this description are based on NAD 83, Ohio South Zone, State Plane Coordinates as per GPS Observations from Muskingum County Engineer GPS Monument – GPS 47.

Subject to all easements, right of ways, restrictions, reservations, etc... of record and those that may be implied.

OFFICE COPY

Denis P (Swierz ECOMD OF BL

Reg. Surv. No. 8062

Date

APPROPRION APPROPRION