Baseline Surveying, Inc.

Land Surveying and Construction Layout

3010 East Pike Zanesville, OH 43701 Telephone (740) 453-4850 Email: bei@rrohio.com

PARCEL 2 MIKE AND JODI PAUL

AUDITOR'S PARCEL NUMBERS 73-03-08-26-000 (PART – 6.922 AC.) TO BE COMBINED WITH 73-03-08-32-000

BEING A PART OF THE PARCEL CONVEYED TO MIKE AND JODI PAUL IN O.R. VOLUME 3268, PAGE 233 OF THE MUSKINGUM COUNTY OFFICIAL RECORDS. SITUATED IN THE SOUTHWEST QUARTER OF SECTION 4, TOWNSHIP 12, RANGE 13, OF THE CONGRESS LANDS EAST OF THE SCIOTO RIVER, WAYNE TOWNSHIP, MUSKINGUM COUNTY, OHIO AND BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT AN EXISTING IRON PIN (5/8 INCH REBAR-NEWCOME CAP) AT THE NORTHWEST CORNER OF LOT 37 OF WERNER HEIGHTS (PLAT BOOK 7, PAGE 4);

THENCE WITH THE NORTH LINE OF THE SAID LOT, SOUTH 87 DEGREES 10 MINUTES 50 SECONDS EAST 12.11 FEET TO AN EXISTING IRON PIN (5/8 INCH REBAR WITH LINN CAP), SAID IRON PIN BEING THE PLACE OF BEGINNING OF THE PARCEL HEREIN INTENDED TO BE DESCRIBED;

THENCE WITH THE EAST LINE OF PARCELS CONVEYED TO PAUL CONSTRUCTION COMPANY, INC. (O. R. VOLUME 2265, PAGE 85 THE FOLLOWING THREE COURSES AND DISTANCES:

- 1. NORTH 03 DEGREES 31 MINUTES 18 SECONDS EAST 585.28 FEET TO A POINT;
- 2. NORTH 89 DEGREES 51 MINUTES 50 SECONDS WEST 23.51 FEET TO A POINT;
- 3. NORTH 00 DEGREES 18 MINUTES 44 SECONDS WEST, PASSING AN IRON PIN SET AT 150.98 FEET AND AN EXISTING IRON PIN (3/4 INCH PIPE) AT 340.34 FEET, A TOTAL DISTANCE OF 370.34 FEET TO A POINT IN THE CENTER OF STATE ROUTE 146 (CHANDLERSVILLE ROAD);

THENCE WITH THE SAID ROAD, SOUTH 78 DEGREES 35 MINUTES 56 SECONDS EAST 22.63 FEET TO A POINT;

THENCE LEAVING THE SAID ROAD AND TRAVERSING THROUGH THE ABOVE SAID MIKE AND JODI PAUL PARCEL THE FOLLOWING TWO COURSES AND DISTANCES:

- 1. SOUTH 05 DEGREES 35 MINUTES 51 SECONDS WEST, PASSING AN IRON PIN SET AT 21.11 FEET, A TOTAL DISTANCE OF 215.90 FEET TO AN IRON PIN SET;
- 2. SOUTH 80 DEGREES 58 MINUTES 00 SECONDS EAST 225.15 FEET TO AN IRON PIN SET ON THE WEST LINE OF A PARCEL CONVEYED TO BGT RENTALS, LLC (O.R. VOLUME 2842, PAGE 288)

THENCE WITH THE SAID BGT RENTALS LLC WEST LINE, SOUTH 02 DEGREES 53 MINUTES 14 SECONDS WEST, PASSING AN EXISTING IRON PIN AT 52.50 FEET (3/4 INCH PIPE-DISTURBED), A TOTAL DISTANCE OF 296.90 FEET TO AN EXISTING IRON PIN (3/4 INCH PIPE),

THENCE WITH THE SOUTH LINE OF PARCELS CONVEYED BGT RENTALS, LLC (O.R. VOLUME 2842, PAGE 288), NATHANIEL LAURIE AND JENNY LAURIE (O.R. VOLUME 1762, PAGE 419 AND O.R. VOLUME 2929, PAGE 885) AND COLE N. ROCK AND JENNIFER ROCK (O.R. VOLUME 3089, PAGE 385), 7129A PAUL 6.922 AC

Baseline Surveying, Inc.

Land Surveying and Construction Layout

3010 East Pike Zanesville, OH 43701 Telephone (740) 453-4850 Email: bei@rrohio.com

NORTH 89 DEGREES 07 MINUTES 43 SECONDS EAST, PASSING EXISTING IRON PINS AT 90.14 FEET (3/4 INCH PIPE), AT 194.76 FEET (AXLE), AND AT 244.56 FEET (AXLE), A TOTAL DISTANCE OF 365.78 FEET TO AN EXISTING IRON PIN (AXLE) ON THE WEST LINE OF A PARCEL CONVEYED TO CALLIE LYNEIGH LEE (O.R. VOLUME 3042, PAGE 202);

THENCE WITH THE WEST LINE OF THE SAID LEE PARCEL, SOUTH 03 DEGREES 25 MINUTES 28 SECONDS WEST 438.57 FEET TO AN EXISTING IRON PIN (3/4 INCH PIPE) ON THE NORTH LINE OF LOT 26 OF THE ABOVE SAID WERNER HEIGHTS;

THENCE WITH THE NORTH LINE OF THE SAID WERNER HEIGHTS, NORTH 87 DEGREES 02 MINUTES 22 SECONDS WEST 559.24 FEET TO THE PLACE OF BEGINNING.

CONTAINING 6.922 ACRES FROM PARCEL NUMBER 73-03-08-26-000. SUBJECT TO ALL LEGAL ROAD RIGHT OF WAYS OF CHANDLERSVILLE ROAD (STATE ROUTE 146) AND ALL OTHER APPLICABLE EASEMENTS.

NOT TO BE USED AS A SEPARATE BUILDING SITE OR TRANSFERRED AS AN INDEPENDENT PARCEL IN THE FUTURE WITHOUT PLANNING COMMISSION APPROVAL IN ACCORDANCE WITH APPLICABLE SUBDIVISION REGULATIONS.

ALL IRON PINS SET ARE 5/8 INCH BY 30 INCH LONG REBARS WITH PLASTIC IDENTIFICATION CAPS MARKED BASELINE 6923-8536.

BEARINGS ARE BASED ON OHIO STATE PLANE COORDINATE SYSTEM 1983(2011), OHIO SOUTH ZONE, GRID, FROM A GPS OBSERVATION.

I, MICHAEL D. NICHOLS, PS 6923, HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE AND BELIEF THE SURVEY AND DESCRIPTION TO BE CORRECT AS PREPARED BY ME, THIS 20TH DAY OF MAY, 2025, FROM A FIELD SURVEY COMPLETED BY ME ON THE 14TH DAY OF APRIL, 2025.

OFFICE COPY

MICHAEL

MICHAEL

NICHOLS

S-8923

S-8923

VEY

NICHAER

PROFESSIONAL SURVEYOR 6923

APPROVED
MUSKINGUM COUNTY
PLANNING COMMISSION DIRECTOR

DATE

DESCRIPTION
APPROVED
By: J.h. Barnhard

5-30-2025

SURVEY FOR MIKE AND JODI PAUL

AUDITOR'S PARCEL NUMBER 73-03-08-26-000 (PART)

(PARCEL 1 - 1.064 AC. & PARCEL 2 - 6.922 AC.)

BEING A PART OF THE PARCEL CONVEYED TO MIKE AND JODI PAUL IN O.R. VOLUME 3268, PAGE 233 OF THE MUSKINGUM COUNTY OFFICIAL RECORDS. SITUATED IN THE SOUTHWEST QUARTER OF SECTION 4, TOWNSHIP 12, RANGE 13, OF THE CONGRESS LANDS EAST OF THE SCIOTO RIVER, WAYNE TOWNSHIP, MUSKINGUM COUNTY, OF

BEARINGS ARE BASED ON OHIO STATE PLANE COORDINATE SYSTEM 1983(2011), OHIO SOUTH ZONE, GRID, DERIVED FROM A GPS OBSERVATION. 73-03-08-23-000
BGT RENTALS LLC
O.R. 2842, PG. 288
73-03-08-24-000
NATHANIEL & JENNY LAURIE
O.R. 2929, PG. 885
73-03-09-11-000
MICHAEL L. Sr. &
ELIZABETH J. PARMER
O.R. 2356, PG. 4
73-03-09-10-000
MICHAEL L. Sr. &
ELIZABETH J. PARMER
O.R. 2356, PG. 4
73-03-09-09-000
ADONIA D. GRANT
O.R. 2347, PG. 318
73-03-09-08-000
ADONIA D. GRANT
O.R. 2347, PG. 318 SANDY RIDGE SUBDIVISION 35,56°E P.B. 7, PAGE 54 € CHANDLERSVILLE 6 ROAD (S.R. 146) S78.35'56"E 30.000 MAG NAIL
SET IN CENTER
OF EXISTING
3/4" PIPE TOTAL N00'18'44"W 219.36' TOTAL 189.36' 215.90 73-03-08-32-000 PAUL CONSTRUCTION COMPANY INC. O.R. 2265, PG. 85 S02'53'14"W 203.50' TOTAL V05'35'51"E 50, 173 73-03-08-25-000 HANIEL & JENNY LAURIE O.R. 1762, PG. 419 PARCEL P.O.B. N80.58'00"W 225.15 NOO'18'44"W 150.98' 52.50' A CORNERS NOT MARKED DUE TO CONSTRUCTION CONSTRUCTION COUNTY 73-03-08-22-000 COLE N. & JENNIFER ROCK O.R. 3089, PG. 385 NATHANIEL O.R. 17 В 3/4" DISTURBED 90 DESCRIPTION 296. D. R. Bern N89'51'50"W APPROVE 23.51 244.40 S02'53'14"W BIPE AXLE 49.80 -AXLE 121.22 PIPE N89'07'43"E 365.78' 73-03-08-30-000 PAUL CONSTRUCTION COMPANY INC. O.R. 2265, PG. 85 73-03-08-21-000 CALLIE LYNEIGH LEE O.R. 3042, PG. 202 585.28' DATE NO3.31'18"E IRECTO 8 PARCEL 73-03-08-26-000(PART) MIKE & JODI PAUL O.R. 3268, PG. 233 6.922 AC. SKINGUM COUNTY NORTHWEST CORNER OF LC 37 OF WERNER HEIGHTS (PLAT BOOK 7, PAGE 4) 5/8" REBAR WITH NEWCOME CAP COMMISSION 3.25'28"W APPROVED PARCEL 2 IS NOT TO BE USED AS A SEPARATE BUILDING SITE OR TRANSFERRED AS AN INDEPENDENT PARCEL IN THE FUTURE WITHOUT PLANNING COMMISSION APPROVAL IN ACCORDANCE WITH APPLICABLE SUBDIVISION REGULATIONS. PARCEL 2 IS TO BE COMBINED WITH PARCEL NUMBER 73-03-08-32-000 \$\$ 7.10.50 * 100.00 PIPE N87'02'22"W 559.24" 42 39 37 36 S87.10'50"E, 31 30 28 27 25 24 73 03 - 09 - 13 - 000 MICHAEL L. Sr. & ELIZABETH PARMER 0.R. 2032 PG. 203 F E 73-03-09-30-000 MICHAEL L. Sr. & ELIZABETH J. 0.R. 2326, PG. 907 12 PARMER WERNER HEIGHTS (P.B. 7, PG. 4) LEGEND


DEEDS AS SHOWN
PREVIOUS SURVEY OF A ...
APRIL 16, 2025 BY J. LEACHM...
PLAT OF WERNER HEIGHTS, PLAT BOOK .,
MUSKINGUM COUNTY GIS

I, MICHAEL D. NICHOLS, HEREBY CERTIFY TO
THE BEST OF MY KNOWLEDGE AND BELIEF THE
ABOVE PLAT AND SURVEY TO BE CORRECT AS
PREPARED BY ME, THIS 20th DAY OF MAY, 2025,
FROM THE STRVEY COMPLETED THE 14th DAY

NICHAEL

NI

RESEARCH



EXISTING IRON PIN

ANGLE POINTS AXLE FOUND

IRON PIN SET (5/8" REBAR W/CAP 30" LONG)

THIS PROPERTY IS SUBJECT TO ALL APPLICABLE EASEMENTS, RIGHT OF WAYS, OR RESTRICTIONS, WHETHER RECORDED OR IMPLIED. THIS PLAT, PREPARED IN ACCORDANCE WITH CHAPTER 4733—37 OF THE ADMINISTRATIVE CODE, IS INTENDED FOR THE LEGAL TRANSFER OF THE PROPERTY SHOWN AND DOES NOT INTEND TO SHOW ANY OR ALL OF THE EASEMENTS, RIGHT OF WAYS, RESTRICTIONS OR ENCROACHMENTS UNLESS OTHERWISE INDICATED.

150

300

SCALE 1"=150'

BASELINE SURVEYING, INC.
3010 EAST PIKE, ZANESVILLE, OHIO 43701
phone: 740-453-4850, email: BEI@rrohio.com, www.BaselineSurveyingInc.com

DRAWN BY: JWL	DATE: 05-20-25	SCALE: 1"=150'
CHECKED BY: MDN	JOB NO: 7129A	DRAWING NO: Z:\7129\7129A.dwg