Patricia MacLaine 0.309 ac. O.R. 2494, Pg. 933 (des.935) All Parcel No. 73-36-03-12-000

Situated in the State of Ohio, County of Muskingum, Township of Wayne:
Being a part of the Southwest Quarter of Section 14, Township 12, Range 13 of the Congress
Lands East of the Scioto River and property now owned by Patricia MacLaine
And Recorded in Official Record Book 2494, Page 933 bounded and described as follows:
Commencing at a ¾ inch iron pipe found at the northwest corner of said southwest quarter
ction 14; thence S 87°16′34″E (the base of bearings for this description is Ohio State Plane Grid

Commencing at a ¾ inch iron pipe found at the northwest corner of said southwest quarter of section 14; thence \$ 87°16′34″E (the base of bearings for this description is Ohio State Plane Grid NAD 83, South Zone) along the north line of said southwest quarter 358.34 feet to a 5/8 inch rebar found; thence \$ 87°02′46″E along said line 203.78 feet to a 1-1/4 inch iron pin found; thence \$ 6°19′58″E along the west line of a 15 foot road easement a distance of 96.36 feet to a 1-1/4 inch iron pin found in concrete at the True Place of Beginning; thence \$ 6°12′20″E along the west line of said 15 foot road easement a distance of 100.01 feet to a 1-1/4 inch iron pin found in concrete; thence \$ 83°43′51″W along the north line of 0.217 acre parcel owned by Vickie MacLaine (O.R. 2055, Pg. 360) a distance of 134.73 feet to a 1-1/4 inch iron pin found; thence N 6°14′06″W along the east line of a 0.67 acre parcel owned by Vickie MacLaine (O.R. 2641, Pg. 133) a distance of 99.83 feet to a 1-1/4 inch iron pin found; thence N 83°39′16″E along the southerly line of a 0.62 acre parcel owned by Richard and Nancy MacLaine (Vol. 1107, Pg. 389) a distance of 134.78 feet to the true place of beginning containing 0.309 of an acre.

All of Parcel No. 73-36-03-12-000.

Subject to all recorded easements and right of ways.

All iron pins were found.

Base of Bearings is The Ohio State Plane Grid System - NAD 83 South- Zone.

This description was written April 13, 2016 from a field survey made by Richard Max Graves Registered Surveyor No. 5792.

Right of way used for above property is described on second page.



DESCRIPTION
APPROVED
By: 4 10 16

ACCESS EASEMENT FOR THE ABOVE PROPERTY S.W. Qtr. Sec.14

Commencing at a ¾ inch pipe found at the northwest corner of the southwest quarter of section 14, Township 12, Range 13 in Wayne Township, Muskingum County, Ohio; thence \$ 87°16′34″E along the north line of said southwest quarter 358.34 feet to a 5/8 inch iron pin found; thence \$87°2′46″E along said quarter section line 203.78 feet to a 1-1/4 inch iron pin found at the true place of beginning for the following described existing 15.00 foot easement (Vol. 842, Pg. 28) and Vol. 901, Pg. 99); thence \$ 6°19′58″E 96.36 feet to a 1-14 inch iron pin in concrete found at the northeast corner of the above described property; thence \$ 6°12′20″E along the east line of the above property 100.01 feet to a 1-14 iron pin in concrete found; thence N 83°43′51″E and crossing said 15 foot easement 15.01 feet to a point on the east side of said easement; thence N6°16′09″W along the east side of said easement 193.93 feet to an axle found on the north line of said southwest quarter of section 14; thence N 87°02′46″W and crossing said easement 15.20 feet to the place of beginning.

Undescribed Road N.W. Qtr. Sec. 14

Also used by the above described property and all adjoining properties and being in the northwest quarter of section 14 is an existing roadway for which no description was found. This road is across property owned by Gregory and Linda Vaughn and recorded in Official Record Book 1703, Page 614 and a new survey described in Official Record Book 2294, Page 745 and in said northwest quarter of section 14 and described as follows: Commencing at a ¾ pipe found at the southwest corner of said northwest quarter of said section 14; thence \$ 87°16′34″E along the north line of said quarter 358.34 feet to a 5/8 iron pin found; thence \$ 87°02′ 46″E along said line 203.78 feet to a 1-14 inch iron pin found at the true place of beginning of the following described road; thence N4°05′49″W and through the property of said Gregory and Linda Vaughn 274.91 feet to a point in the center of Dietz Lane and on the north line of said Vaughn property; thence \$ 87°38′43″E along the center of said Dietz Lane and Vaughn property a distance of 15.18 feet to a point, said point bears N 87°38′43″W 7.93 feet from the northeast corner of said Vaughn Property; thence \$ 4°05′49″E and through said Vaughn property 275.07 feet to an axle found at the southeast corner of said Vaughn property; thence N 87°02′46″W along the south line of said Vaughn and the south line of said northwest quarter 15.2 feet to the place of beginning containing 0.095 of an acre.



