## ALAN DONAKER SURVEYING

Alan Donaker, P.S. 19849 TR 383 Walhonding, OH 43843

Fax: (740) 327-1083 Phone: (740) 327-7001

Being 25.398 acres, more or less, 1.105 acres in Lot 6, 16.153 acres in Lot 7, 7.080 acres in Lot 14 and 1.060 acres in lot 15, Adam's 1<sup>st</sup>. Addition, Plat Book 2, page 67, in the First Quarter of Township 3 North, Range 8 West, United States Military Lands, in Township of Cass, in the County of Muskingum, in the State of Ohio, conveyed to Kenneth W. Jr. and Jerilee E. Moore, DR 580-287 (part, parcels 1,3 and 5, and remainder of parcels 2 and 10), Parcel No. 10-08-51-08-000 (part, 1.501 acres), Parcel No. 10-08-51-09-000 (part, 0.407 acres), Parcel No. 10-08-51-10-000 (all, 0.257 acres), Parcel No. 10-08-51-11-000 (all, 7.080 acres) and Parcel No. 10-08-51-12-000 (part, 16.153 acres) and more particularly described as follows:

Commencing at a \( \frac{5}{8} \) rebar of record at the Southwest corner of Lot 7, Adam's 1<sup>st</sup>. Addition, Plat Book 2, page 67;

thence, with the West line of Lot 7, N. 01° 15' 05" E. a distance of 157.64' to a %" rebar of record in the centerline of Cass Irish Ridge Road;

thence, with the centerline of Cass Irish Ridge Road, the following 3 courses:

- 1. thence, S. 71° 05' 47" E. a distance of 142.28' to a %" rebar of record;
- 2. thence, S. 64° 01' 01" E. a distance of 62.18' to a %" rebar of record;
- 3. thence, S. 58° 36' 06" E. a distance of 64.38' to a point, said point being the TRUE POINT OF BEGINNING:

thence, with the property line of Clyde Andrew and Amy Ann Crawford, DR 1046-555, the following 6 courses:

- 1. thence, N. 08° 33' 12" E. a distance of 24.96' to a 5%" rebar found;
- 2. thence, N. 08° 33' 12" E. a distance of 122.04' to a 1/4" rebar found;
- 3. thence, N. 08° 33' 12" E. a distance of 166.23' to a \%" rebar found;
- 4. thence, N. 14° 49' 03" W. a distance of 130.41' to a \square "rebar found;
- 5. thence, N. 07° 05' 53" E. a distance of 134.84' to a %" rebar found;
- 6. thence, N. 02° 05' 54" E. a distance of 25.03' to a %" rebar set;

thence, with the South line of the Limited access line of State Road 16 (SR-16 Mus-16-7.16), the following 3 courses:

- 1. thence, S. 40° 44' 05" E. a distance of 20.51' to a 3/4" pipe found;
- 2. thence, S. 84° 37' 19" E. a distance of 753.25' to a 3/4" pipe found;
- 3. thence, S. 72° 00' 51" E. a distance of 573.97' to a %" rebar set;

thence, with the property line of JNK Land Company, DR 2014-312, the following 2 courses:

- 1. thence, S. 07° 58' 43" W. a distance of 431.10' to a \( \frac{5}{8} \)" rebar set;
- 2. thence, with a curve to the left, the curve data for which is: D = 35° 24' 17", R =922.37', L = 569.96', Ch. B. S. 09° 43' 26" E., Ch. L. 560.94' to a point;

thence, with the property line of County of Muskingum, DR 1508-944, the following 3 courses:

- 1. thence, N. 68° 31' 56" W. a distance of 97.05' to a 5/8" rebar set;
- 2. thence, N. 85° 18' 23" W. a distance of 152.40' to a 1/8" rebar set;
- 3. thence, S. 22° 27' 55" W. a distance of 20.08' to a point in the centerline of Cass Irish Ridge Road;

thence, with the centerline of Cass Irish Ridge Road, the following 4 courses:

- 1. thence, N. 62° 30' 47" W. a distance of 911.45' to a point;
- 2. thence, N. 60° 42' 49" W. a distance of 104.36' to a point;
- 3. thence, N. 56° 24' 29" W. a distance of 218.17' to a point;
- 4. thence, N. 58° 38' 35" W. a distance of 51.25' to the TRUE POINT OF BEGINNING, containing 25.398 acres, more or less, including public road right-of-way and is subject to all easements, rights-of-way, or restrictions, whether recorded or implied.

Bearings are based on Coshocton County OR 477-328 and are for angular calculations only.

All 5/8" rebars set are 30" long with plastic cap marked "AMD 8050".

Pertinent Documents: Tax Map and all Deeds and Plats shown

Surveys by: W. J. Biedenbach, Richard Max Graves, Steven L. Mullaney

Description and plat by Alan Donaker, Professional Surveyor, #8050, from a survey of the premises on May 31, in the year of our Lord Two Thousand Thirteen.

NOT RECORDABLE

ALAN

DONAKER

8050

REGISTERS SURFINITIONS

ALAN

DONAKER

8050

REGISTERS

REGIST

