25-30-03-30-005 ADDRASS NA

WARD SURVEYING

Professional Land Surveyors 640 West High Ave. New Philadelphia OH 44663-2004 (330) 339-5866

Samuel C. Ward Professional Surveyor #7356

Randall A. Emler Professional Surveyor #7760

February 18, 2000

Description of a 6.746 Acre Tract Tract 5

Situated in the Township of Hopewell, County of Muskingum County and State of Ohio.

Being located in Lot 4, Third Quarter, Township 1, Range 9, U.S.M.L. and being a part of a 100.0 acre tract (91.799 Acres by a new survey) as conveyed to J.J. Detweiler Enterprises Inc. (A.P.#25-30-03-30) by Official Record Volume 1504 at Page 358 of the Muskingum County Deed Records being more fully described as follows;

Commencing at an iron pin (found) at the northeast corner of said 100.0 acre tract, the northeast corner of Lot 4;

Thence with the easterly line of said 100.0 acre tract, the easterly line of said Lot 4 and the easterly line of the Third Quarter, Township 1, Range 9, South 3 deg. 30 min. 30 sec. West, 104.56 feet to a stone monument (found) at the northwest corner of the southeast quarter of fractional Section 18;

Thence continuing with said line, South 4 deg. 24 min. 11 sec. West, 817.31 feet to a 5/8" iron pin (set) at the TRUE PLACE OF BEGINNING of the tract herein to be described;

Thence from said beginning and continuing with said line, South 4 deg. 24 min. 11 sec. West, 200.00 feet to a 5/8" iron pin (set);

Thence leaving said line, North 86 deg. 47 min. 06 sec. West, 1403.98 feet to a point in "FLINT RIDGE ROAD" (C.R.#8), passing on line a 5/8" iron pin (set) at 1363.98 feet;

Thence with said road the following 2 courses and distances;

- 1) North 28 deg. 58 min. 58 sec. West, 158.75 feet to a point;
- 2) Thence North 30 deg. 37 min. 36 sec. West, 79.05 feet to a point;

Thence leaving said road, South 86 deg. 47 min. 01 sec. East, 1536.74 feet to the TRUE PLACE OF BEGINNING (passing on line a 5/8" iron pin (set) at 35.00 feet) containing 6.746 acres more or less but subject to all legal highways, right-of-ways, easements, leases and restrictions of record or otherwise legally established.


Bearings are oriented to assumed north and iron pins indicated (set) are 5/8" iron rebars with a yellow plastic cap stamped "EMLER 7760".

Survey and description by Randall A. Emler, Professional Surveyor #7760

Randall A. Emicopola Professional Surveyor DABLE

ALE OF COMMUNICATION

FOR AUTTOR STATE OF THE STATE O



I, the Orthogodocophy state that this plat is true and spired to the Ecopy of the South of the S