## ALAN DONAKER SURVEYING

Alan Donaker, P.S. 19849 TR 383 Walhonding, OH 43843 Fax: (740) 327-1083 Phone: (740) 327-7001

Being 0.500 acres, more or less, in the Southwest Quarter of the Southeast Quarter of Section 17, Third Quarter of Township 3 North, Range 6 West, United States Military Lands, in Township of Adams, in the County of Muskingum, in the State of Ohio, conveyed to Adonia L. and Sarah J. Hostetler, DR 2266-538 (part), Parcel No. 02-40-17-04-003 (part), and more particularly described as follows:

Commencing at a  $\frac{1}{2}$ " rebar found at the Southwest corner of the Southeast Quarter of Section 17, of said Third Quarter;

thence, with the property line of Robert W. Miller, DR 2265-154, N. 90° 00' 00" E. a distance of 308.88' to a 5%" rebar set, said rebar being the TRUE POINT OF BEGINNING:

thence, through the property of Adonia L. and Sarah J. Hostetler, DR 2266-538, the following 3 courses:

- 1. thence, N. 00° 23' 16" W. a distance of 117.73' to a 3/8" rebar set;
- 2. thence, N. 90° 00' 00" E. a distance of 155.00' to a 5/8" rebar set;
- 3. thence, N. 90° 00' 00" E. a distance of 30.00' to a point in the centerline of State Road 208, Dresden-Adamsville Road;

thence, with the centerline of State Road 208, Dresden-Adamsville Road, S. 00° 23' 16" E. a distance of 117.73' to a point;

thence, with the property line of Robert W. Miller, DR 2265-154, the following 2 courses:

- 1. thence, N. 90° 00' 00" W. a distance of 29.83' to a point (1/2" rebar found (bent) N. 00° 00' 00"W a distance of 0.47');
- thence, N. 90° 00' 00" W. a distance of 155.17' to the TRUE POINT OF BEGINNING, containing 0.500 acres, more or less, including public road right-ofway and is subject to all easements, rights-of-way, or restrictions, whether recorded or implied.

Bearings are based on DR 1155-757 and are for angular calculations only.

All <sup>5</sup>/<sub>8</sub>" rebars set are 30" long with plastic cap marked "AMD 8050".

Pertinent Documents: Tax Map and all Deeds and Plats shown


Surveys by: Alan Donaker, Terry J. Finley

Description and plat by Alan Donaker, Professional Surveyor, #8050, from a survey of the prentities on March 8, in the year of our Lord Two Thousand Eleven.

FFICE COPY

DESCRIPTION APPRO PROVED CHM-COUNTY SSION DIRECTO LANNING C 3/30 Fee Paid

Page 1 of 1



2 23hor

## ALAN DONAKER SURVEYING

Alan Donaker, P.S. 19849 TR 383 Walhonding, OH 43843 Fax: (740) 327-1083 Phone: (740) 327-7001

Septic System Easement #1

Being a easement for a septic system, in the Southwest Quarter of the Southeast Quarter of Section 17, Third Quarter of Township 3 North, Range 6 West, United States Military Lands, in Township of Adams, in the County of Muskingum, in the State of Ohio, conveyed to Robert W. Miller, DR 2265-154 (part), Parcel No. 02-70-24-04-000 (part), and more particularly described as follows:

Commencing at a <sup>1</sup>/<sub>2</sub>" rebar found at the Southwest corner of the Southeast Quarter of Section 17, of said Third Quarter;

thence, with the property line of Adonia L. and Sarah J. Hostetler, DR 2266-538, the following 4 courses:

- 1. thence, N. 90° 00' 00" E. a distance of 208.88' to a point;
- 2. thence, N. 90° 00' 00" E. a distance of 9.88' to a point;
- 3. thence, N. 90° 00' 00" E. a distance of 90.12' to a <sup>5</sup>/<sub>8</sub>" rebar set;
- 4. thence, N. 90° 00' 00" E. a distance of 32.12', said point being the TRUE POINT OF BEGINNING:

thence, continuing with the property line of Adonia L. and Sarah J. Hostetler, DR 2266-538, N. 90° 00' 00" E. a distance of 60.00' to a point;

thence, through the property of Robert W. Miller, DR 2265-154, the following 7 courses:

- 1. thence, S. 00° 00' 00" W. a distance of 49.49' to a point;
- 2. thence, S. 69° 33' 25" E. a distance of 45.47' to a point;
- 3. thence, S. 05° 33' 15" W. a distance of 42.39' to a point;
- 4. thence, N. 71° 20' 18" W. a distance of 107.65' to a point;
- 5. thence, N. 54° 11' 36" E. a distance of 28.96' to a point;
- 6. thence, N. 25° 54' 34" W. a distance of 45.77' to a point;
- 6. thence, N. 00° 00' 00" E. a distance of 15.00' to the TRUE POINT OF BEGINNING.

Bearings are based on DR 1155-757 and are for angular calculations only.

All <sup>5</sup>/<sub>8</sub>" rebars set are 30" long with plastic cap marked "AMD 8050".

Pertinent Documents: Tax Map and all Deeds and Plats shown

Surveys by: Alan Donaker, Terry J. Finley

Description and plat by Alan Donaker, Professional Surveyor, #8050, from a survey of the

premion and plat by Main Bonaker, Professional Surveyor, #805 premion and plat by Main Bonaker, Professional Surveyor, #805 What Bernstein Contraction of the Surveyor, #805 What Bonaker, Professional Surveyor, #805 NOT RECORDABLE

with the second TECF HOTES CNAL SU

Page 1 of 1

## ALAN DONAKER SURVEYING

Alan Donaker, P.S. 19849 TR 383 Walhonding, OH 43843 Fax: (740) 327-1083 Phone: (740) 327-7001

Septic System Easement #2

Being a easement for a septic system, in the Southwest Quarter of the Southeast Quarter of Section 17, Third Quarter of Township 3 North, Range 6 West, United States Military Lands, in Township of Adams, in the County of Muskingum, in the State of Ohio, conveyed to Adonia L. and Sarah J. Hostetler, DR 2266-538 (part), Parcel No. 02-40-17-04-003 (part), and more particularly described as follows:

Commencing at a <sup>1</sup>/<sub>2</sub>" rebar found at the Southwest corner of the Southeast Quarter of Section 17, of said Third Quarter;

thence, with the property line of Robert W. Miller, DR 2265-154, N. 90° 00' 00' E. a distance of 208.88' to a point, said point being the TRUE POINT OF BEGINNING:

thence, through the property of Adonia L. and Sarah J. Hostetler, DR 2266-538, the following 4 courses:

- 1. thence, N. 00° 00' 00" E. a distance of 150.00' to a point;
- 2. thence, N. 90° 00' 00" E. a distance of 98.99' to a point;
- 3. thence, S. 00° 23' 16" E. a distance of 32.27' to a 3/8" rebar set;
- 4. thence, S. 00° 23' 16" E. a distance of 117.73' to a <sup>5</sup>/<sub>8</sub>" rebar set;

thence, with the property line of Robert W. Miller, DR 2265-154, the following 2 courses:


- 1. thence, S. 90° 00' 00" W. a distance of 90.12' to a point;
- 2. thence, S. 90° 00' 00" W. a distance of 9.88' to the TRUE POINT OF BEGINNING.

Bearings are based on DR 1155-757 and are for angular calculations only.


All %" rebars set are 30" long with plastic cap marked "AMD 8050".

Pertinent Documents: Tax Map and all Deeds and Plats shown

Surveys by: Alan Donaker, Terry J. Finley



Description and plat by Alan Donaker, Professional Surveyor, #8050, from a survey of the premises on March 8, in the year of our Lord Two Thousand Eleven.



Page 1 of 1

## ALAN DONAKER SURVEYING Alan Donaker, P.S. 19849 TR 383

Walhonding, OH 43843

Fax: (740) 327-1083 Phone: (740) 327-7001

Waterline and holding tank easement

Being a easement for a waterline and holding tank, in the Southwest Quarter of the Southeast Quarter of Section 17, Third Quarter of Township 3 North, Range 6 West, United States Military Lands, in Township of Adams, in the County of Muskingum, in the State of Ohio, conveyed to Robert W. Miller, DR 2265-154 (part), Parcel No. 02-70-24-04-000 (part), and more particularly described as follows:

Commencing at a  $\frac{1}{2}$ " rebar found at the Southwest corner of the Southeast Quarter of Section 17, of said Third Quarter;

thence, with the property line of Adonia L. and Sarah J. Hostetler, DR 2266-538, the following 2 courses:

- 1. thence, N. 90° 00' 00" E. a distance of 208.88' to a point;
- 2. thence, N. 90° 00' 00" E. a distance of 9.88' to a point, said point being the TRUE POINT OF BEGINNING:

thence, continuing with the property line of Adonia L. and Sarah J. Hostetler, DR 2266-538, the following 2 courses:

1. thence, N. 90° 00' 00" E. a distance of 90.12' to a <sup>5</sup>/<sub>8</sub>" rebar set;

2. thence, N. 90° 00' 00" E. a distance of 32.12' to a point;

thence, through the property of Robert W. Miller, DR 2265-154, the following 3 courses:

- 1. thence, S.  $00^{\circ}$  00' 00" W. a distance of 15.00' to a point;
- 2. thence, S. 85° 19' 24" W. a distance of 122.65' to a point;
- 3. thence, N. 00° 00' 00" E. a distance of 25.00' to the TRUE POINT OF BEGINNING.

Bearings are based on DR 1155-757 and are for angular calculations only.

All 5/8" rebars set are 30" long with plastic cap marked "AMD 8050".

Pertinent Documents: Tax Map and all Deeds and Plats shown

Surveys by: Alan Donaker, Terry J. Finley

Description and plat by Alan Donaker, Professional Surveyor, #8050, from a survey of the premises on March 8, in the year of our Lord Two Thousand Eleven.

iption ses on March o, Mor OFFICE COPY NOT RECORDABLE



