Demonstrate Ohio, County of Muskingum, Township of Blue Rock, being in the west half of the southeast quarter of Section 9.

Rock, being in the west half of the southeast quarter of Section 9, Range 12 West, Township 12 North, of "The Congress Lands East of Scioto River", and being bounded and described as follows:

Commencing for reference at a point at the southeast corner of Section 9 (Note: Said point is located for reference North 02°41'28 West along the east line of Section 16 a distance of 5.00 feet from an iron pin found labeled "Biedenbach PS-5718, PS-6923" );

thence, with the south line of Section 9, South 84°32'37" West a distance of 1,331.26 feet to another Biedenbach iron pin found at the southeast corner of the east half of the southeast quarter of Section 9:

thence, continuing with the south line of Section 9, North 900000" West a distance of 97.34 feet to a point in the centerline of Township Road No. 234 at the southeast corner of a 7.407 acres tract as conveved to James and Elaine Donich by Deed Volume 718, Page 337 of the Muskingum County Recorder's Office, said point being THE TRUE POINT OF BEGINNING for this description;

thence, from said Point of Beginning continuing with the section line which is the south line of said Donich property, North 90°00'00" West a distance of 511.52 feet to an iron pin set, passing through an iron pin found at a distance of plus 81.51 feet;

thence, leaving the section line and the property line, North 24°31'40" East a distance of 68.91 feet to a point on the north line of said Donich property and in the centerline of Township Road No. 234, passing through an iron pin found at a distance of plus 43.28 feet;

thence, with the centerline of Township Road No. 234 and the north line of said Donich property, the following three courses:

- (1) South 78-12'40" East a distance of 97.55 feet to a point;
- (2) the ce South 88 53 40" East a distance of 270.96 feet to a point:
- (3) themce South 72008'20" East a distance of 122.40 feet to the Point of Beginning;

containing 0.436 acres, more or less.

Page 2 of 2 Description of 0.436 acres

Subject to all legal right-of-ways, easements, restrictions, reservations, and zoning regulations of record.

All iron pins set are rebar with yellow caps labeled "Claus 6456".

The bearings in this description are for angle calculations only and are based on the north line of Section 16 being North 86\*48'59" East as shown on a survey by R.M. Roberts, Registered Surveyor No. 5803, dated July 6, 1973, and on the bearings found in Deed Volume 718, Page 337 of Registered Surveyor ptenent, 1989.

The above description prepared by Free No. 6456, based on a new survey of September Prior Deed: Deed Volume Total

Part of Parcel No. 06-06-/0-09-11-000

**DESCRIPTION APPROVED** FOR AUDITOR'S TRANSFER

