Description of Parcel No. 12

. . . .

Situated in the State of Ohio, County of Muskingum, Township of Blue Rock, being part of the southeast quarter of Section 22, Range 12 West, Township 12 North, of "The Congress Lands East of The Scioto River", and being bounded and described as follows:

Commencing for Reference at a marked stone found at the southeast corner of Section 22 (Note: Reference bearing on the south line of Section 22 used as South 89*59'56" West.):

thence, with the south line of Section 22, South 89°59'56" West a distance of 1,721.95 feet to an iron pin set;

thence, leaving the section line, North 22°30'47" East a distance of 1,428.59 feet to a point in the centerline of Township Road No. 236 (Nettie Lane), being THE TRUE POINT OF BEGINNING for this description;

thence, from said Point of Beginning leaving the road, North 18°25'33" West a distance of 724.91 feet to an iron pin set, passing through two iron pins set at distances of plus 20.00 feet and plus 120.00 feet, respectively;

thence North 81°24'38" East a distance of 382.00 feet to an iron pin set:

thence South 05°32'51" East a distance of 745.18 feet to a point in the centerline of Township Road No. 236, passing through two iron pins set at distances of plus 625.18 feet and plus 725.18 feet, respectively;

thence, with the centerline of Township Road No. 236, the following two courses:

- (1) North 88°44'41" West a distance of 106.12 feet to a point;
- (2) thence South 87°16'53" West a distance of 114.66 feet to the Point of Beginning;

containing 5.003 acres, more or less, out of Parcel No. 06-06-50-22-12-000.

age 1 of 2

Subject to all legal right-of-ways, easements, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of Township Road No. 236.

OFFICE COPY ABLE

OFFICE COPY

DESCRIPTION APPROVED FOR AUDITORS TRANSFER

Page 2 of 2 Description of Parcel No. 12

Subject to the 100 year Flood Plain restrictions, if applicable.

Subject to any facts that may be disclosed in a full and accurate title search.

Subject to a 40.00 feet wide easement being reserved unto the grantor, his heirs, and/or assigns, forever. Said easement is for the purposes of running utilities to other parcels of land on or near Township Road Said easement runs in an east-west direction across the south No. 236. end of the above described property with the south line of said easement being the centerline of Township Road No. 236. 0.203 acres, more or less, of easement.


All iron pins set are 1/2" x 30" rebar capped and labeled "Claus 6456".

The bearings in this description are for angle calculations only and are based on the north line of the northwest quarter of Section 27

Registered Surveyor 1994. used as an assumed bearing of North 90°00'00 West Due West).

The above description prepared by Rose C. Registered S No. 6456, based on a new survey problem bearing, 1994.

Prior Deed: Deed Volume



LINE	BEARING	DIST
A	5 09 07'04"W	124.99'
В	5 19" 56" 08" W	400.00
c	5 13° 50' 22" W	69.50
ס	5 89° // 31" W	3 67. 62
E	N 00° 11' 21" W	
F	N 00° 11' 21" W	164.36
G	5 04°35'19" W	62.17'
н	S 02° 47' 40" E	83.86'
エ	S 12º48'09" E	88.08
J	S 25°20 17" E	67.63
×	S 41º 10' 52" E	73.57
	5 49° 15'21" E	
M	5 49 °06' 52" E	128.69
N	N 49º06'52" W	200.38
"o"		93. 32
P		29. 32°
Q		122.56
R	5 62°51'47" E	108.78
S	\$ 59°49'06" E	82.14"
T	S 50° 13' 48" E	49.99
и	5 37°06' 16" E	93.60
V	5 32°45'39" E	86.93
W	5 29°32'37" E	46.58
x	521° 15'21" E	81.26
У	S 10°24' 33" E	191.79
Ŧ	5 08°22'24" E	100.50
AA	S 71º 19'34" E	35. 92'
BB	5 82°39' 18" E	35.42'
cc	N84°37'39" E	223.95
DD	N 80°59'48"E	49.10
EE	N 87º16'53" E	114.66
FF	S 88°44' 41" E	106.12'
66	S 87°33'14" E	221.00
нн	S 87°26'35" E	198.96
II	587°26'35" E	82.92
22	N 87°29'34" E	215.40
XK	N85°19'51"E	169.89
21	N 78º11.45" E	70.57
MM	S 38°48'56" E	111. 85'
NN	535007'33"E	109.32'
"00"	5 35°07'33" E	21.86
PP	S 35°07'93" E	23.40
QQ	S 42°56' 38" E	264.26
RR	5 35 ° 31' 16" E	81.65'
55	S 27°42'20" E	99.38
TT	529°42'/3" E	185.18
uu	5 21° 38'25" E	104.54
VV	521°49'25"E	136.51
WW	S 34°20'44"E	64.65'
XX	S 44.56.10" E	87.18
yy .	S 51° 44'00" E	//3.20
22	N54°52'29"E	222.94'

SURVEY PLAT

BRUNER LAND CO.

Situated in the State of Ohio, County of MUSKINGUM, Township of SLUE ROCK being IN SECTIONS 22 AND 26

Range /E West, Township /2 North, of The Congress Lawns FAST OF SCIOTO RIVER.

PERTINENT DOCUMENTS

- (1) All deeds as shown. (2) County tax maps.
- (3) U.S.G.S. quadrangle map RURAL DALE

- (3) U.S.G.S. quadrangle map RMANL DAKE
 (4) Survey plat by CIAUS SURVEYING
 (5) Survey plat by W.T. BIEDEN FACH
 (8) Survey plat by R. L. DANIELS
 (7) " " R. L. DANIELS
 (8) " " " R. L. DANIELS
 (9) " " " R. L. DANIELS
 (9) " " " PATIER DINAN

Subject to all legal right-of-ways, ease--ments, restrictions, reservations, and zoning regulations of record. Subject to 100 year Flood Plain restrictions, if applicable. Subject to any facts that may be disclosed in a full and accurate title search.

- o = 1/2 iron pin set capped "Claus 8456". e = iron pin found uncapped.
- iron pin found capped a = iron pin found capped
- marked stone found.
- | = un-marked stone found.
- = survey angle point.
- = railroad spike set.
- a = railroad spike found. = tree with wire found.
- = existing property lines.
- *** = fence evidence found.
- = lines of this survey.

SURVEYOR'S CERTIFICATION

I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND THAT IT WAS PREPARED FROM AN ACTUAL

FIELD SURVEY OF THE PREMISES.

The bearings on

this plat are for

angle calculations only and are based on THE NETH LINE
OF N.W. YY OF SEC.

27
used as
N 90 W
SEE DV. 801 F6.148.

SCALE 1'= 600'FT.

600 1200

CLAUS SURVEYING

ROGER W. CLAUS, P.S.

(614) 567-3168

\$3310 TH 2065 Lewisville, Ohio 43754

PAR. [] = DONALD ELLIS DV. 423 FG. 320 / Ac.Deed O. 476 AC. ACTUAL

940827-