Situated in the State of Ohio, County of Muskingum, Township Brush Creek, southeast quarter of Section 7, Township 11 North, Range 13 West of the Congress Lands East of the Scioto River.

Commencing at the northwest corner of the northwest quarter of Section 14, being the northwest corner of R. E. and V. M. Rupe (OR 1116-279);

thence along the north line of R. E. and V. M. Rupe (OR 1116-279) South 89 degrees 14 minutes 48 seconds East 1927.45 feet to an iron pin found, being the northeast corner of R. E. and V. M. Rupe (OR 1116-279);

thence along a line of R. E. and V. M. Rupe (OR 1116-279) South 23 degrees 46 minutes 38 seconds East 518.80 feet to the northwest right-of-way of State Route 555 (Center Road);

thence along the northwest right-of-way of State Route 555 (Center Road) on a curve to the right having a radius of 1502.39 feet, a delta angle of 03 degrees 21 minutes 54 seconds, a chord bearing and distance of North 42 degrees 53 minutes 36 seconds East 88.22 feet;

thence continuing along the northwest right-of-way of State Route 555 (Center Road) North 44 degrees 34 minutes 33 seconds East 144.78 feet;

thence leaving the northwest right-of-way of State Route 555 (Center Road) and along the vacated centerline of State Highway 873 the following eleven courses;

- 1. North 19 degrees 26 minutes 58 seconds East 147.99 feet;
- 2. North 16 degrees 06 minutes 33 seconds East 223.46 feet;
- 3. North 19 degrees 17 minutes 47 seconds East 82.82 feet;
- 4. North 23 degrees 15 minutes 31 seconds East 73.28 feet;
- 5. North 23 degrees 50 minutes 46 seconds East 67.53 feet;
- 6. North 32 degrees 13 minutes 22 seconds East 24.30 feet to an iron pin found;
- 7. North 34 degrees 20 minutes 00 seconds East 122.27 feet;
- 8. North 52 degrees 41 minutes 24 seconds East 159.55 feet;
- 9. North 59 degrees 50 minutes 31 seconds East 134.94 feet;
- 10. North 67 degrees 07 minutes 08 seconds East 90.66 feet;
- 11. North 60 degrees 44 minutes 53 seconds East 23.50 feet to an iron pin set, the place of beginning;

thence continuing along the vacated centerline of State Highway 873 North 60 degrees 44 minutes 53 seconds East 79.58 feet to an iron pin set;

thence continuing along the vacated centerline of State Highway 873 North 54 degrees 11 minutes 29 seconds East 161.71 feet to an iron pin set;

thence continuing along the vacated centerline of State Highway 873 North 41 degrees 13 minutes 41 seconds East 51.51 feet to an iron pin found;

thence leaving the vacated centerline of State Highway 873 North 77 degrees 58 minutes 33 seconds East 13.70 feet to an iron pin set on the west right of way of existing State Route 555;

thence along the west right of way of existing State Route 555 on a curve to the right having a radius of 1060.92 feet, a delta angle of 03 degrees 07 minutes 19 seconds, and a chord bearing and distance of South 19 degrees 36 minutes 08 seconds West 59.16 feet to an iron pin set;

thence leaving the west right of way of existing State Route 555 South 41 degrees 13 minutes 41 seconds West 10.90 feet to an iron pin set;

thence South 54 degrees 11 minutes 29 seconds West 166.84 feet to an iron pin set; thence South 60 degrees 44 minutes 53 seconds West 75.00 feet to an iron pin set; thence North 41 degrees 06 minutes 10 seconds West 30.65 feet to the place of

beginning, containing 0.20 acres.


Part of Parcel No.: 08-08-05-02-07-002 (± 0.20 acres) **NOTES**:

1. This 0.20 acre survey was completed as part of an agreement between the property owners (Johnnie R. and Elizabeth A. Boykin and Mildred K. and Ronald E. Hall) and Muskingum County, in order to accomplish Muskingum Countys' goal of vacating a portion of old State Route 873 (Commissioners Resolution 06-755).

2. Not to be used as a separate building site or transferred as an independent parcel in the future without planning commission approval in accordance with applicable subdivision regulations.

Iron pins set are 5/8 inch rebar 30 inches long with identification caps ("DAVIS" "7972"). This legal description was based on a field survey made in February 2007 by Muskingum County Engineer's Office. The bearings in this description are based on an assumed meridian and are used to denote angles only.

Subject to all easements, right of ways, restrictions, reservations, etc.. of record and those that may be implied.



-)-07 Date DOUGL

R. DAVIS

OR CLOSURE

EXEMPT FROM

