Topic Crush ection 7, st of The Situated in the State of Ohio, County of Muskingum. Togething Brusi Creek, being in the east half of the southeast quarter of section 7. Range 13 West, Township 10 North. of "The Congress Lander Scioto River", and being bounded and descrit

Commencing for Reference at an iron pin set at the southeast corner of Section 7 (Note: Reference bearing on the east line of Section 7 used as North 03°39'41" East.);

thence, with the east line of Section 7 and the west line of Section 8, North 03039'41" East a distance of 2,246.93 feet to a point in the centerline of Township Road No. 135 (Haver Hill Road), being THE TRUE POINT OF BEGINNING for this description:

thence, from said Point of Beginning with the centerline of Township Road No. 135, the following four courses:

- (1) South 75453'55" West a distance of 98.18 feet to a point;
- (2) thence South 67°17'35" West a distance of 44.03 feet to a point;
- (3) thence South 53°59'47" West a distance of 60.11 feet to a point;
- (4) thence South 42°08'14" West a distance of 33.39 feet to a point;

thence. leaving the road, North 03°39'41" East a distance of 514.95 feet to an iron pin set, passing through an iron pin set at a distance of plus 30.00 feet and passing through an existing garage at a distance of approximately plus 60.00 feet, respectively;

thence South 61043'59" West a distance of 350.00 feet to an iron pin

thence North 54439'33" West a distance of 450.00 feet to an iron pin set in the north line of the southeast quarter of Section 7;

thence, with the quarter section line and the south line of a 37.43 acre residue tract as conveyed to J. J. Detweiler Enterprises, Inc. by Deed Volume 1063, Page 28 of the Muskingum County Recorder's Office, South 86°14'08" East a distance 880.00 feet to a spike nail found at the northeast corner of the southeast quarter of Section 7, passing through two iron pins set at distances of plus 490.00 feet and plus 680.00 feet, respectively;

Page 1 of 2

1. E	0	Ľ	<u> </u>		1		2	1	1	1	۱۳	1	13	12.	107	276	126	3.5	7	į	129	22	3,	44	137	73	62				l	l	
Sec. 7 Sec. 7 Sec. 7 Sec. 7 Lare	BEARING	N 75 53.55 E	N67-17.35-E	N 53-54.47"E	N 45.06.14-E	7.85.46 S	M-42 85 64 5	36 m. C	S 33"03. 34"W	27.11	. 1	٠,	M-54.50-51 S	S 11-04'03"W	N-53-01-61 S	N-45.82-61 S	S 19° 28'57"W	5 11 \$ 42.19 W	٦,	-1	٦,	S 06- 47 23-W	1	37-33.40"W	M-30.60 ES S	35.	S 36 29. 43. W						
	LISE	*	•	v		4	V		14	25	V	-		•	ø	0	,	5	-	,	+	,		,	+	¥	80	35	00	€€ .	7	25	118

Page 2 of 2 Description of 4.269 acres tract

thence, with the east line of Section 7 and the west line of Section 8, South 03039'41" West a distance of 450.57 feet to the Point of Beginning, passing through an iron pin set at a distance of plus 420.57 feet:

containing 4.269 acres, more or less, of which: 2.010 acres is all of Parcel No. 08-08-65-07-14-000 and 2.259 acres is all of Parcel No. 08-08-65-07-15-000.

Subject to all legal right-of-ways, easements, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of Township Road No. 135.

Subject to any facts that may be disclosed in a full and accurate title search.

Subject to the 100 year flood plain restrictions, if applicable.

All iron pins set are 1/2" rebar with yellow caps labeled "Claus 6456".

The bearings in this description are for angle calculations only and are based on the east line of Section 7 used as an assumed bearing of North 03039'41" East.

The above description prepared by Roger W. CORUS, Registered Surveyor No. 6456, based on a new survey of April 1993 BLE CORUS Prior Deed: Deed Volume 1032, Page 424 RECORD NOT RECORDABI

DESCRIPTION APPROVED FOR AUDITORS TRANSFER

1-10-94

2.010 ac & 2.259 40 North

Situated in the State of Ohio, County of Muskingum, County of Muskingum,

as North 03039'41" East.);

thence, with the east line of Section 7 and the west line of Section B, North 03039'41" East a distance of 2.246.93 feet to a point in the centerline of Township Road No. 135 (Haver Hill Road), being THE TRUE FOINT OF BEGINNING for this description:

thence, from said Point of Beginning with the centerline of Township Road No. 135, the following four courses:

(1) South 75453'55" West a distance of 98.18 feet to a point;

(2) thence South 67417'35" West a distance of 44.03 feet to a point;

(3) thence South 53°59'47" West a distance of 60.11 feet to a point;

(4) thence South 4208'14" West a distance of 33.39 feet to a point;

thence, leaving the road, North 03°39'41" East a distance of 514.95 feet to an iron pin set, passing through an iron pîn set at a distance of plus 30.00 feet and passing through an existing garage at a distance of approximately plus 60.00 feet, respectively;

thence South 61043'59" West a distance of 350.00 feet to an iron pin

thence North 54439'33" West a distance of 450.00 feet to an iron pin set in the north line of the southeast quarter of Section 7;

thence, with the quarter section line and the south line of a 37.43 acre residue tract as conveyed to J. J. Detweiler Enterprises. Inc. by Deed Volume 1063, Page 28 of the Muskingum County Recorder's Office, South 86°14'08" East a distance 880.00 feet to a spike nail found at the northeast corner of the southeast quarter of Section 7, passing through two iron pins set at distances of plus 490.00 feet and plus 680.00 feet, respectively;

Page 2 of 2 Description of 4.269 acres tract

thence, with the east line of Section 7 and the west line of Section 8, South 03°39'41" West a distance of 450.57 feet to the Point of Beginning, passing through an iron pin set at a distance of plus 420.57 feet:

containing 4.269 acres, more or less, of which:
2.010 acres is all of Parcel No. 08-08-65-07-14-000 and
2.259 acres is all of Parcel No. 08-08-65-07-15-000.

Subject to all legal right-of-ways, easements, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of Township Road No. 135.

Subject to any facts that may be disclosed in a full and accurate title search.

Subject to the 100 year flood plain restrictions, if applicable.

All iron pins set are 1/2" rebar with yellow caps labeled "Claus 6456".

The bearings in this description are for angle calculations only and are based on the east line of Section 7 used as an assumed bearing of North 03°39'41" East.


The above description prepared by Roger W. Claus, Registered Surveyor No. 6456, based on a new survey of April 30, 1993.

Prior Deed: Deed Volume 1032, Page 424

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER

BY //X

1-78.7001



SURVEY PLAT

Kathryn Ross
REF: DV. 1065 PG. 223

SCALE 1": 400'
REDUCED PLAT

Situated in the State of Ohio, County of Muskingum, Township of Brush Creek, being in the Southeast Quarter of Section 7, Township 10 North, Range 13 West, of the "Congress Lands East of the Scioto River".

O : 1/2" IRON PIN SET CAPPED "CLAUS 6456".

- · = 40 IRON PIN FOUND.
- @ . SPIKE NAIL FOUND.
- V : SURVEY ANGLE POINT.
- ** : FENCE EVIDENCE FOUND.
- PROPERTY LINES.
- LINES OF THIS SURVEY.

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER BY 1-28-2002

COPY ABLE

Opoils Ma flore to Clean

And the Copy of t

Control of the contro