

Page 2 of 3


Description of Parcel 4

- (2) thence North $81^{\circ}49'43''$ East a distance of 33.89 feet to an iron pin set near the northwest corner of a barn;
- (3) thence South $74^{\circ}35'35''$ East a distance of 49.68 feet to an iron pin set near the northwest corner of a milkhouse;
- (4) thence North $79^{\circ}29'39''$ East a distance of 85.57 feet to an iron pin set;
- (5) thence South $60^{\circ}59'08''$ East a distance of 96.78 feet to a point in the centerline of the aforementioned Township Road No. 134, passing through an iron pin set at a distance of plus 55.07 feet, said point in the centerline of road being herefrom known as point "A";

thence, with the centerline of Township Road No. 134, the following sixteen courses:

- (1) South $05^{\circ}32'37''$ West a distance of 121.99 feet to a point;
- (2) thence South $14^{\circ}55'51''$ West a distance of 86.49 feet to a point;
- (3) thence South $35^{\circ}16'55''$ West a distance of 49.28 feet to a point;
- (4) thence South $42^{\circ}18'33''$ West a distance of 186.72 feet to a point;
- (5) thence South $51^{\circ}09'28''$ West a distance of 78.78 feet to a point;
- (6) thence South $59^{\circ}56'32''$ West a distance of 73.89 feet to a point;
- (7) thence South $68^{\circ}21'08''$ West a distance of 54.84 feet to a point;
- (8) thence South $71^{\circ}49'23''$ West a distance of 110.12 feet to a railroad spike set;
- (9) thence South $58^{\circ}32'49''$ West a distance of 246.44 feet to a point;
- (10) thence South $54^{\circ}40'18''$ West a distance of 107.76 feet to a point;
- (11) thence South $61^{\circ}25'07''$ West a distance of 111.05 feet to a point;
- (12) thence South $48^{\circ}37'45''$ West a distance of 57.29 feet to a point;
- (13) thence South $32^{\circ}59'12''$ West a distance of 48.28 feet to a point;
- (14) thence South $19^{\circ}02'34''$ West a distance of 64.56 feet to a point;
- (15) thence South $27^{\circ}07'57''$ West a distance of 59.52 feet to a point;
- (16) thence South $36^{\circ}42'48''$ West a distance of 42.26 feet to the Point of Beginning;

All iron pins set are 1/2" rebar with yellow caps labeled "Claus 6456".



I hereby certify that the above plat was prepared from information obtained from an actual field survey of the premises.

Feb. 2, 1988

OFFICE COPY
NOT RECORDABLE

Date
Rt. 2, Lewisville, OH 43754

Roger W. Claus
Registered Surveyor No. 6456

containing 10.457 acres, more or less.

Subject to all legal right-of-ways, easements, restrictions, reservations, and zoning regulations of record.

Subject to a Lease to the Clinton Oil Co. as recorded in Volume 141, Page 131 of the Muskingum County Recorder's Office.

Subject to a right-of-way to the Ohio Power Co. as recorded in Volume 223, Page 203 of the Muskingum County Recorder's Office.

Subject to a right-of-way to the Defense Plant Corp. as recorded in Volume 302, Page 306 of the Muskingum County Recorder's Office.

Excepting the coal rights to the Ohio Power Co. as recorded in Volume 288, Page 379 of the Muskingum County Recorder's Office.

TOGETHER WITH a 16 feet wide road right-of-way for ingress and egress. The south line of said right-of-way being the north line of the above described 10.457 acres tract, beginning at the above described point "A" in the centerline of Township Road No. 134 and ending at the above described point "B". Being 419.95 feet in length and containing 0.154 acres, more or less, of right-of-way.

All iron pins set are 1/2" rebar with yellow caps labeled "Claus 6456".

The bearings in this description are for angle calculations only and are based on the bearings given in the 2.049 acres Exception as described in Deed Volume_____, Page_____ of the Muskingum County Recorder's Office.

The above description prepared by Roger W. Claus, Registered Surveyor No. 6456, based on a new survey of January 13, 1988.

Prior Deed: Deed Volume_____, Page_____


DESCRIPTION APPROVED
FOR AUDITOR'S TRANSFER

BY J. T. Hamble
2-9-88

OFFICE COPY
NOT RECORDABLE

35-10 N861734 W~1322.07 1 091
0-All iron pins set are 1/2" rebar with yellow caps labeled "Claus 6456".

14-14 SEC. LINE



I hereby certify that the above plat was prepared from information obtained from an actual field survey of the premises.

Feb. 2, 1988 Roger W. Claus

Date Rt. 2, Lewisville, OH 43754 Roger W. Claus Registered Surveyor No. 6456

Roger W. Claus
Registered Surveyor No. 6156