
BOWMAN SURVEYING 38 N. 4th Street, Rm. 103 Zanesville, Ohio 43701 PH. (740) 454-0496

SURVEY DESCRIPTION FOR Dixle Pierce

ALL OF AUDITORS PARCELS 08-70-08-01-000 (60.38 Acres) 08-70-08-02-000 (40.07 Acres)



NOT RECORDABLE
Situated in the Northwest and Northeast Quarter of Section 8, T-10, R13, Brush Creek Township, Muskingum County, Ohio.

Beginning at an iron pin found marking the Northwest corner of section 8;

- Thence, S.88°44'49"E. a distance of 2553.53 feet along the North line of section 8 to a found concrete monument marking the Northeast corner of the Northwest quarter of section 8;
- Thence, S.00°57'58"W. a distance of 447.42 feet along said quarter section line to a point in the center of Haver hill road, Passing found iron pins at 317.38' and 417.40';
- Thence, N.67°31'49"E. a distance of 17.57 feet along the center of said road to a point located in the Northeast quarter of section 8;
- Thence, S.01°23'21"W. a distance of 727.94 feet along the west line of the lands, now or formerly, owned by G. & V. Burnett (1617/661) to a found iron pin, passing a found iron pin at 29.85', said line also being part of a boundary line agreement recorded in deed book 1069 page 358;
- Thence, 5.00°43'54"W. a distance of 876.00 feet along said Burnett to a found iron pin on the Southwest corner of said Burnett lands;
- Thence, S.89°20'48"W. a distance of 14.33 feet to a found iron on the Northeast corner of the lands, now or formerly, owned by S. Allen (825/289);
- Thence, N.89°20'29'W. a distance of 1277.56 feet along the North line of said Allen lands to a found iron pin on the East line of the lands, now or formerly, owned by S. Allen (1132/113);

- Thence, N.01°16'33"E. a distance of 694.35 feet along said Allen lands and the lands, now or formerly, owned by P. Taylor (1142/532) to a found iron pin, passing found iron pins at 154.41' and 209.42';
- Thence, N.80°14'15"W. a distance of 1283.79 feet along the North line of said Taylor lands and the lands, now or formerly, owned by R.& D. Travis (1128/958) to a found iron pin on the West line of Section 8, passing a found iron pin at 909.79';
- Thence, N.01°08'00"E. a distance of 1352.22 feet along said section line to the point of beginning, passing a found iron pin at 198.09'.

The above described parcel contains 100.45 acres, more or less and is subject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual field survey by Bowman Surveying, Stephen M. Bowman, P.S. #7135. May 22, 2008. (M-08053).

RIPTION

ALLO 5/29/2008

