Survey for Eagle Crest Limited

Being a part of land located in the State of Ohio, County of Muskingum, Township of Falls and being part of Lot 4 of Underwoods Subdivision, in Quarter Township 2, Township 1 North, Range 7, bounded and described as follows:

Commencing at the southeast corner of Lot 49 of Skyline Acres (Plat Book 9, Page 21);

thence South 85 degrees 04 minutes 12 seconds East 907.37 feet;

thence South 04 degrees 39 minutes 28 seconds West 1764.27 feet;

thence North 84 degrees 48 minutes 00 seconds West 482.93 feet to the northeast corner of Eagle Crest Limited (OR 1585-369);

thence along the east line of Eagle Crest Limited (OR 1585-369) South 06 degrees 09 minutes 15 seconds West 30.97 feet to an iron pin found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 06 degrees 10 minutes 09 seconds West 153.81 feet to an iron pin found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 06 degrees 08 minutes 59 seconds West 16.62 feet to an axle found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 47 minutes 44 seconds West 103.39 feet to an iron pin found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 47 minutes 26 seconds West 26.45 feet to an iron pipe found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 43 minutes 10 seconds West 93.55 feet to an iron pin found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 43 minutes 10 seconds West 120.12 feet to an iron pin set, the **principal place** of beginning for this parcel;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 43 minutes 10 seconds West 149.12 feet to an iron pin found;

thence continuing along the east line of Eagle Crest Limited (OR 1585-369) South 05 degrees 43 minutes 10 seconds West 37.77 feet to an iron pin set;

thence North 43 degrees 42 minutes 33 seconds West 152.73 feet to an iron pin set;

thence on a curve to the left having a radius of 45.00 feet, a delta angle of 103 degrees 00 minutes 39 seconds and a chord bearing and distance of North 10 degrees 08 minutes 09 seconds West 70.44 feet to a point;

thence on a curve to the right having a radius of 20.00 feet, a delta angle of 67 degrees 21 minutes 09 seconds and a chord bearing and distance of North 23 legrees 5 minutes 41 seconds West 22.18 feet to an iron pin found; thence South 84 degrees 48 minutes 00 seconds East 147.55 feet to the principal place of beginning, containing 0.37 acres, more or less.

Iron pins set are 5/8 inch rebar 30 inches long with identification caps (SWIERZ 8062). This legal description was prepared by Denis P. Swierz Reg. Surv. No. 8062, based on a field survey made in November 2004.

Subject to all easements, right of ways, restrictions, reservations, etc.. of record and those that may be implied.

References:	DR 516-867 OR 1585-369	DR 784-325	DR 1150-421
Part of Parcel No	OPN-17 BAOF 30-0	00 (±0.37 acres)	
TERCE		117/04	
Reg. Supplies 80	062 DENS	Date	
	BUG2 BUG2 CONAL SURVINI	FOOLSIDARAAT	PROVED RANSFER
	The Stown of the Survey of the Store of the	11-19-1004	

