## Adjoiner Split from Richard and Patricia Watson to Peter Enterprises LLC

Situated in the State of Ohio, County of Muskingum, Township of Falls, Quarter Township 3, Township 1, Range 7, United States Military Lands, and being part of the lands presently owned by Richard L. and Patricia J. Watson as per Deed Record 1028, Page 192, and Deed Record 999, Page 137, and being more particularly described as follows:

Beginning for reference at an axle found at the southwest corner of Lot 32, of Upper Highland Subdivision Number Two,(Plat Book 8, Page 1-A);

Thence along the west line of lands presently owned by Richard L. and Patricia J. Watson, (DR 1028-192, and DR 999-137), South 01 degrees 11 minutes 13 seconds West, 7.35 feet to an iron pin set on a northeast corner of lands presently owned by Peter Enterprises LLC, (OR 2272-789), and the principal place of beginning;

Thence through said Watson lands, South 79 degrees 50 minutes 18 seconds East, 273.01 feet to an iron pin set on a west line of said Peter Enterprises LLC lands;

Thence along said west line of Peter Enterprises LLC lands, South 13 degrees 36 minutes 48 seconds West, 34.33 feet to point;

Thence along a north line of said Peter Enterprises LLC lands, and the north line of lands presently owned by Randy and Cynthia Murgittroyd, (DR 1028-189, and DR 999-137), South 70 degrees 36 minutes 39 seconds West, 280.04 feet to an iron pin set on the northwest corner of said Murgittroyd lands, and on the east line of said Peter Enterprises LLC lands, passing an iron pin set at 3.22 feet, and an iron pin found at 80.04 feet;

Thence along the east line of said Peter Enterprises LLC lands, North 01 degrees 09 minutes 09 seconds East 174.54 feet to the principal place of beginning, containing 0.63 acres more or less, and being part of Auditor's Parcel Number 17-63-02-04-002.

Note that the above described parcel is not to be used as a separate building site or transferred as an independent parcel in the future without planning commission approval in accordance with applicable subdivision regulations.

Subject to all legal recorded easements and right of ways.

Iron pins set are 5\8 inch rebars, 30 inches long, with plastic identification caps.

Bearings are based on the Ohio State Plane Coordinate System, NAD 83, South Zone, Grid North, as per GPS observations.

PLANTING COMMISSION DIRECTOR

This description is written based on a field survey completed September 18, 2015, by Jack D. Newcome, Reg. No. 7321.

OFFICE COPY
NOT RECORDABLE

Jack D. Newcome Reg. No. 7321

Jack D. Newcome Reg. No. 7321

Date

S-7321

Date

Page 15 1011

