DESCRIPTION OF PARCEL NO. 9 (5.005 ACRES)

Situated in the State of Ohio, County of Muskingum, Township of Highland, being in the northeast quarter of Section 15, Range 5 West, Township 2 North, of "The United States Military District", and being bounded and described as follows:

Commencing for reference at an iron pin set at the center of Section 15 (Note: Reference bearing on the south line of the northwest quarter of Section 15 used as South 83°34'53" East.);

Thence, with the south line of the northeast quarter of Section 15, South 83°34'53" East a distance of 191.47 feet to an iron pin set, being the **TRUE POINT OF BEGINNING** for this description;

Thence, from said Point of Beginning and leaving the quarter section line, North 06°10'37" East a distance of 486.94 feet to a point in the centerline of County Road No. 180 (New Hope Road), passing through two iron pins set at distances of plus 356.94 feet and plus 456.94 feet, respectively;

Thence, with the centerline of County Road No. 180, the following three courses:

- 1. South 81°02'20" East a distance of 20.24 feet to a point;
- 2. Thence South 79°44'51" East a distance of 248.42 feet to a point;
- 3. Thence South 81°19'57" East a distance of 191.96 feet to a point in the west line of a 119.480 acres residue parcel of an original 120 acres tract as conveyed to J. Weldon and Janice E. Funk by the Sixth Tract of Deed Volume 629, Page 14 of the Muskingum County Recorder's Office;

Thence, leaving the road and running with the west line of said Funk property, South 05°54'13" West a distance of 461.92 feet to an iron pin set in the south line of the northeast quarter of Section 15, passing through an iron pin set at a distance of plus 30.00 feet;

Thence, with the quarter section line and the north line of a 160 acres tract as conveyed to Joseph VanReeth, Luann Hill, and Lita J. VanReeth by Deed Volume 1114, Page 550 of the Muskingum County Recorder's Office, North 83°34'53" West a distance of 462.00 feet to The Point of Beginning,

Containing 5.005 acres, more or less, out of Parcel No. 23-23-40-15-02-001.

Subject to all legal right-of-ways, easement, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of County Road No. 180 (New Hope Road).

Subject to the 100-Year Flood Plain restrictions, if applicable.

Subject to a 50.00 feet wide easement being reserved unto the grantors (Bruner Land Company, Inc.), their heirs, and or assigns, forever. Said easement being for the purpose of running utilities to other parcels of land on or near County Road No. 180. Said easement runs in an east-west direction across the north end of the above-described property with the north line of said easement being the centerline of County Road No. 180. Containing 0.505 acre, more or less, of easement.

The bearings in this description are for angle calculations only and are based on the south line of the northwest quarter of Section 15 used as South 83°34'53" East.

A plat of the above-described survey has been submitted for file at the County Engineer's Office.

Page 2 of 2 Description of Parcel No. 9 (5.005 acres)

The above description prepared by Roger W. Claus, Registered Surveyor No. 6456, based on an actual field survey of October 9, 2006; said survey being subject to any facts that may be disclosed in a full and accurate title search.

Prior deed: Official Records Volume 2052, Page 254


Surveyor:

Date:

Line	Bearing	Distance
1	N 83°37'46"W	30.00'
2	N 83°37'46"W	30.00'
3	N 6°10'37"E	344.69'
4	N 6°10'37"E	30.00'
5	S 75°24'00"E	I 87.461
6	8 75°30'00"E	208.71
7	S 79°39'43"E	305.08'
8	S 86°34'18"E	35.41'
9	S 9°44'59"E	50.5 <i>T</i> '
10	S 10°22'10"E	126.41'
11	S 56°11'01"E	201.61
12	N 61°17'19"E	264.50'
13	N 4°03'01"W	109.15'
14 15	N 4°03'01"W	47.74'
	S 83°45'44"E	13.25'
18	S 83°37'46"E	80.49'
19	S 83°34'53"E	79.03'
20 21	S 75°24'00"E S 28°27'41"E	59.79'
22	S 41°14'13"E	37.75'
23	S 8°35'58"E	59.09
23 24	S 8"35"58"E S 24°10'49"W	37.54'
25	S 59°21'28"W	40.99'
25 26	S 73°47'21"W	40.70¹ 34.50¹
27	S 32°47'38"W	34.50 34.92'
28	S 12932155"W	83.49'
29	S 18°15'14"W S 26°16'03"W	83.08'
30	S 26°16'03"W	154.96'
31	S 26°16'03"W S 1°12'19"E S 4°58'34"W S 21°45'01"E	31.92'
32	S 4°58'34"W	69.74'
33	S 21°45'01"E	60.51'
34	S 33°16'05"E	81.54'
35	S 9°55'12"W	46.37'
36	S 40°52'38"W	45.48'
37	S 19°04'28"W	42.84'
38	S 3°00'00"W	25.00'
39 40	S 3°00'00"W S 6°02'19"W	25.00'
41	S 1°05'10"W	20.00' 35.00'
	S 81°02'20"E	
42 43	S 79°44'51"E	214.31'
43 44	S 81°19'57"E	248.42' 191.96'
45	S 5°54'13"W	30.00'
46	N 83°37'46"W	270.00'
47	S 77°43'30"E	85.04'
48	S 6°10'37"W	30.00'
49	S 6°10'37"W	100.00'
50	S 6°10'37"W S 6°10'37"W	344.46'
51	N 83°37'46"W	238.60'
52	S 77°43'30"E	239.96'
53	S 6°10'37"W	30.00'
54	S 77°43'30"E S 6°10'37"W S 6°10'37"W S 6°10'37"W	100.00'
. 55	S 6°10'37"W S 6°10'37"W N 83°37'46"W	344.26'
56	N 83°37'46"W	238.00'

57	S 77°43'30'E	239.35'
58	S 6°10'37"W	30.00'
59	S 6°10'37"W	100.00'
60	S 6°10'37"W	344.06'
61	N 83°37'46"W	297.00'
62	S 77°43'30'E	298.69'
63	S 6°10'37"W	30.00'
64	S 6°10'37"W	100.00
65	S 6°10'37"W	343.811
66	N 83°37'46"W	311.00'
67	S 77°43'30'E	11.20'
68	S 75°30'00"E	208.71
69	S 79°39'43"E	93.59'
70	S 6°10'37"W	30.00
71	S 6°10'37"W	100.00'
72	S 6°10'37"W	343.551
73	N 83°37'46"W	76.20'
74	S 79°39'43"E	211,49'
75	S 6°10'37"W	218,72'
76	S 6°10'37"W	343.15'
77	N 83°37'46"W	177.00'
78	N 83°37'46"W	121.44'
79	S 80°24'04"E	361.95'
80	S 6°10'37"W	30.00'
81	S 6°10'37"W	100.00'
82	S 6°10'37"W	342.68'
83	S 80°24'04"E	173.31'
84	S 81°02'20"E	194.06'
85	S 6°10'37"W	30.00'
86	S 6°10'37"W	100.00'
87	N 83°34'53"W	191,47'
88	S 81°02'20'E	20.24'





SUBJECT TO ALL LEGAL RIGHT-0F-WAYS, EASEMENTS, RESTRICTIONS, RESERVATIONS, AND ZONING REGULATIONS OF RECORD. SUBJECT TO 100 YEAR FLOOD PLAIN RESTRICTIONS, IF APPLICABLE. SUBJECT TO ANY FACTS THAT MAY BE DISCLOSED IN A FULL AND ACCURATE TITLE SEARCH.

≈ = 8" CORNER FENCE POST FOUND
 ⊚ = 1/2" X 30" IRON PIN FOUND CAPPED "CLAUS 6456".
 ○ = 5/8" X 30" IRON PIN SET CAPPED "CLAUS 6456"
 • = 5/8" IRON PIN FOUND UNCAPPED.
 ⊡ = 3/4" IRON PIN FOUND UNCAPPED.
 ⊙ = 5/8" IRON PIN FOUND CAPPED "BIEDENBACH 5718 - 6923"
 ▲ = "IRON PIN FOUND CAPPED"
 ⊕ = CONCRETE MONUMENT FOUND
 ⊞ = MARKED STONE FOUND.

> TOTAL FARM = 56.996 ACRES BRUNER LAND CO., INC. O.R. VOL. 2052, PG. 254-258

29.552 ACRES IN N.W. 1/4 OF SECTION 15 PART OF PARCEL NO. 23-23-40-15-03-002

PART OF PARCEL NO. 23-23-40-15-08-000 20.266 ACRES IN S.W. 1/4 OF SECTION 15

ALL OF PARCEL NO. 23-23-40-15-02-001 7.178 ACRES IN N.E. 1/4 OF SECTION 15

PRIOR OWNERS: LYNN G. AND WINONA ELLIOTT D.V. 1068, PG. 219

NOT IN 100 YEAR FLOOD PLAIN FEMA FIRM MAP NO. 3904250075 C ZONE "X" JUNE 3, 1988 PAGE 1 OF 2

SURVEY PLAT FOR BRUNER LAND CO., INC.

SITUATED IN THE STATE OF OHIO, COUNTY OF MUSKINGUM, TOWNSHIP OF HIGHLAND, BEING IN SECTION 15, RANGE 5 WEST, TOWNSHIP 2 NORTH, OF "THE UNITED STATES MILITARY DISTRICT".

PERTINENT DOCUMENTS

- (1) ALL DEEDS AS SHOWN.
- (2) COUNTY TAX MAPS.
- (3) U.S.G.S. QUAD, MAP "OTSEGO"
- (4) SURVEY PLAT BY W. J. BIEDENBACH

THE BEARINGS ON THIS PLAT ARE FOR ANGLE CALCULATIONS ONLY AND ARE BASED ON AN ASSUMED BEARING ON THE SOUTH LINE OF THE NORTHWEST QUARTER OF SECTION 15 USED AS SOUTH 83°34'53" EAST.

SURVEYORS CERTIFICATION:

I HIREBY CONTYFY THAT THIS PLAT IS TRUE AND CORRECT TO THE PEST OF MY KNOWLEDGE AND THAT IT WAS PREPARED FROM AN ACTUAL FIELD SURVEY OF THE PREPARED.

ROGER W. CLAUS, REGISTRY VEYOR 6456 DATE:
33310 CHRISTMAN RIDGE DAD

LEWISVILLE, OHIO 43754 1-740-567-3168

1-740-567-3106 fax

REVISIONS

DATE

INITIALS

REVISED PARCEL NO.

10-23-06 R.W.C.

SURVEY PLAT FILE: 060718-3

