## DESCRIPTION OF PARCEL NO. 5 (5.094 ACRES)

Situated in the State of Ohio, County of Muskingum, Township of Highland, being in the west half of Section 15, Range 5 West, Township 2 North, of "The United States Military District", and being bounded and described as follows:

Commencing for reference at an iron pin set at the center of Section 15 (Note: Reference bearing on the south line of the northwest quarter of Section 15 used as South 83°34'53" East.);

Thence, with the east line of the southwest quarter of Section 15, South 05°54'13" West a distance of 342.54 feet to a point in the center of an 8" diameter corner fence post found at the northeast corner of a 60 acres tract as conveyed to Joseph VanReeth, Luann Hill, and Lita J. VanReeth by Deed Volume 1114, Page 550 of the Muskingum County Recorder's Office;

Thence, with the north line of said VanReeth property and the north line of an 80.60 acres residue tract of the original 160 acres tract as conveyed to William N. and Katherine Balderson by the Fifth Parcel of Deed Volume 1135, Page 111 of the Muskingum County Recorder's Office, North 83°37'46" West a distance of 1,215.44 feet to an iron pin set, being the **TRUE POINT OF BEGINNING** for this description;

Thence, from said Point of Beginning and continuing with the north line of said Balderson tract, North 83°37'46" West a distance of 311.00 feet to an iron pin set;

Thence, leaving the north line of said Balderson tract, North 06°10'37" East a distance of 874.38 feet to a point in the centerline of County Road No. 180 (New Hope Road), passing over the north line of the southwest quarter of Section 15 at a distance of plus 343.81 feet and passing through two iron pins set at a distances of plus 744.38 feet and plus 844.38 feet, respectively;

Thence, with the centerline of County Road No. 180, the following three courses:

- 1. South 77°43'30" East a distance of 11.20 feet to a point at the southwest corner of a 1.03 acres tract as conveyed to Lynn G. and Winona Elliott by Deed Volume 636, Page 263, Deed Volume 723, Page 111, and Official Records Volume 1725, Page 860 of the Muskingum County Recorder's Office, being located for reference South 03°00'00" West a distance of 25.00 feet from a ¾" iron pin found;
- 2. Thence South 75°30'00" East a distance of 208.71 feet to a point at the southeast corner of said 1.03 acres tract, being located for reference South 03°00'00" West a distance of 25.00 feet from a ¾" iron pin found;
- 3. Thence South 79°39'43" East a distance of 93.59 feet to a point;

Thence, leaving the road, South 06°10'37" West a distance of 837.24 feet to the Point of Beginning, passing through two iron pins set at distances of plus 30.00 feet and plus 130.00 feet, respectively and passing over the south line of the northwest quarter of Section 15 at a distance of plus 493.69 feet;

Containing 6.095 acres, more or less, of which:

- 3.641 acres in the northwest quarter of Section 15 (Parcel No. 23-23-40-15-03-002) and
- 2.454 acres in the southwest quarter of Section 15 (Parcel No. 23-23-40-15-08-000).

Subject to all legal right-of-ways, easement, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of County Road No. 180 (New Hope Road).

Subject to the 100-Year Flood Plain restrictions, if applicable.

APPROVED FOR CLOSURE

Page 1 of 2

Page 2 of 2 Description of Parcel No. 5 (5.094 acres)

Subject to a 50.00 feet wide easement being reserved unto the grantors (Bruner Land Company, Inc.), their heirs, and or assigns, forever. Said easement being for the purpose of running utilities to other parcels of land on or near County Road No. 180. Said easement runs in an east-west direction across the north end of the above-described property with the north line of said easement being the centerline of County Road No. 180. Containing 0.347 acre, more or less, of easement.

The bearings in this description are for angle calculations only and are based on the south line of the northwest quarter of Section 15 used as South 83°34'53" East.

A plat of the above-described survey has been submitted for file at the County Engineer's Office.

The above description prepared by Roger W. Claus, Registered Surveyor No. 6456, based on an actual field survey of October 9, 2006; said survey being subject to any facts that may be disclosed in a full and accurate title search.

Prior deed: Official Records Volume 2052, Page 254

Surveyor:

Date:

\* ROGERW. \*

ROGERW. \*

CLAUS
S-6456
ONALS

Line	Bearing	Distance
1	N 83°37'46"W	30.00'
2	N 83°37'46"W	30.00'
3	N 6°10'37"E	344.69'
4	N 6°10'37"E	30.00'
5 6	S 75°24'00"E	187.46'
6	S 75°30'00"E	208.71'
7	S 79°39'43"E	305.08'
8	S 86°34'18"E	35.41'
9	S 9°44'59"E	50.57'
10	S 10°22'10"E	126.41'
11	S 56°11'01"E	201.61'
12	S 10°22'10"E S 56°11'01"E N 61°17'19"E N 4°03'01"W	264.50' 109.15'
13	11 1 05 01 11	47.74'
14	N 4°03'01"W	
15	S 83°45'44"E	13.25'
18	S 83°37'46"E	80.49'
19	S 83°34'53"E	79.03'
20	S 75°24'00"E	59.79'
21	S 28°27'41"E	37.75'
22	S 41°14'13"E	59.09'
23	S 8°35'58"E	37.54'
24	S 24°10'49"W	40.99'
25	S 59°21'28"W	40.70'
26	S 73°47'21"W S 32°47'38"W	34.50'
27	S 32°47'38"W	34.92'
28	S 12°32'55"W	83.49'
29	S 12 32 33 W S 18°15'14"W S 26°16'03"W	83.08' 154.96'
30 31	S 20°10'03"W	31.92'
31	S 1°12'19"E S 4°58'34"W	69.74'
32	5 4°38'34"W	60.51'
	S 21°45'01"E	81.54'
34 35	S 21°45'01"E S 33°16'05"E S 9°55'12"W	46.37'
36	S 40°52'38"W	45.48'
37	S 19°04'28"W	42.84'
38	S 3°00'00"W	25.00'
39	S 3°00'00"W	25.00'
40	S 6°02'19"W	20.00'
41	S 1°05'10"W	35.00'
42	S 81°02'20"E	214.31'
43	S 79°44'51"E	248.42'
44	S 81°19'57"E	191.96'
45	S 81°19'57"E S 5°54'13"W	30.00'
46	N 83°37'46"W	270.00'
47	S 77°43'30"E S 6°10'37"W S 6°10'37"W S 6°10'37"W	85.04'
48	S 6°10'37"W	30.00'
49	S 6°10'37"W	100.00'
50	S 6°10'37"W	344.46'
51	N 83°37'46"W	238.60'
52	S 77°43'30"E	239.96'
53	S 6°10'37"W	30.00'
54	S 6°10'37"W	100.00'
55	S 6°10'37"W	344.26'

N 83°37'46"W

238.00'

Line Dessine

Distance	57	S 77°43'30"E	239.35
30.00'	58	S 6°10'37"W	30.00
30.00'	59	S 6°10'37"W	100.00
30.00 344.69'	60	S 6°10'37"W	344.06
•	61	N 83°37'46"W	297.00
30.00'	62	S 77°43'30"E	298.69
187.46'	63	S 6°10'37"W	30.00'
208.71'	64	S 6°10'37"W	100.00
305.08'	65	S 6°10'37"W	343.81
35.41'	66	N 83°37'46"W	311.00
50.57'	67	S 77°43'30"E	11.20'
126.41'	68	S 75°30'00"E	208.71
201.61'	69	S 79°39'43"E	93.59'
264.50'	70	S 6°10'37"W	30.00'
109.15'	71	S 6°10'37"W	100.00
47.74'	72	S 6°10'37"W	343.55
13.25'	73	N 83°37'46"W	76.20'
80.49'	74	S 79°39'43"E	211.49
79.03'	75	S 6°10'37"W	218.72
59.79'	76	S 6°10'37"W	343.15
37.75'	77	N 83°37'46"W	177.00
59.09'	78	N 83°37'46"W	121.44
37.54'	79	S 80°24'04"E	361.95
40.99'	80	S 6°10'37"W	30.00'
40.70'	81	S 6°10'37"W	100.00
34.50'	82	S 6°10'37"W	342.68
34.92'	83	S 80°24'04"E	173.31
83.49'	84	S 81°02'20"E	194.06
83.08'	85	S 6°10'37"W	30.00'
	86	S 6°10'37"W	100.00
154.96'	87	N 83°34'53"W	191.47
31.92'	88	S 81°02'20"E	20.24'
69.74'			
60.51'			





CLAUS SURVEYING ROGER W. CLAUS, P.S. (740) 567-3168 Fax (740) 567-3106 33310 TH 2065 Lewisville, Ohio 43754

SUBJECT TO ALL LEGAL RIGHT-0F-WAYS. EASEMENTS, RESTRICTIONS, RESERVATIONS, AND ZONING REGULATIONS OF RECORD. SUBJECT TO 100 YEAR FLOOD PLAIN RESTRICTIONS, IF APPLICABLE. SUBJECT TO ANY FACTS THAT MAY BE DISCLOSED IN A FULL AND ACCURATE TITLE SEARCH.

≈ = 8" CORNER FENCE POST FOUND

1/2" X 30" IRON PIN FOUND CAPPED "CLAUS 6456".

O = 5/8" X 30" IRON PIN SET CAPPED "CLAUS 6456"

5/8" IRON PIN FOUND UNCAPPED.

= 3/4" IRON PIN FOUND UNCAPPED.

• 5/8" IRON PIN FOUND CAPPED "BIEDENBACH 5718 - 6923"

" IRON PIN FOUND CAPPED "

CONCRETE MONUMENT FOUND

MARKED STONE FOUND.

UN-MARKED STONE FOUND

SURVEY ANGLE POINT

RAILROAD SPIKE SET

RAILROAD SPIKE FOUND.

TREE WITH WIRE FOUND EXISTING PROPERTY LINES

FENCE EVIDENCE FOUND

LINES OF THIS SURVEY

TOTAL FARM = 56.996 ACRES BRUNER LAND CO., INC. O.R. VOL. 2052, PG. 254 -258

29.552 ACRES IN N.W. 1/4 OF SECTION 15 PART OF PARCEL NO. 23-23-40-15-03-002

PART OF PARCEL NO. 23-23-40-15-08-000 20.266 ACRES IN S.W. 1/4 OF SECTION 15

ALL OF PARCEL NO. 23-23-40-15-02-001 7.178 ACRES IN N.E. 1/4 OF SECTION 15

PRIOR OWNERS: LYNN G. AND WINONA ELLIOTT D.V. 1068, PG. 219

NOT IN 100 YEAR FLOOD PLAIN FEMA FIRM MAP NO. 3904250075 C ZONE "X" JUNE 3, 1988

PAGE 1 OF 2

## **SURVEY PLAT** FOR BRUNER LAND CO., INC.

SITUATED IN THE STATE OF OHIO, COUNTY OF MUSKINGUM TOWNSHIP OF HIGHLAND, BEING IN SECTION 15, RANGE 5 WEST, TOWNSHIP 2 NORTH, OF "THE UNITED STATES MILITARY DISTRICT".

#### PERTINENT DOCUMENTS

- (1) ALL DEEDS AS SHOWN.
- (2) COUNTY TAX MAPS.
- (3) U.S.G.S. QUAD. MAP "OTSEGO"
- (4) SURVEY PLAT BY W. J. BIEDENBACH

THE BEARINGS ON THIS PLAT ARE FOR ANGLE CALCULATIONS ONLY AND ARE BASED ON AN ASSUMED BEARING ON THE SOUTH LINE OF THE NORTHWEST QUARTER OF SECTION 15 USED AS SOUTH 83°34'53" EAST.

### SURVEYORS CERTIFICATION:

I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND TO THE BEST OF MY KNOWLEDGE AND RED FROM AN ACTUAL FIELD

10-30-06 OR 6456 DATE: 33310 CHRISTMAN RIDGE RO

LEWISVILLE, OHIO 43754 1-740-567-3168

1-740-567-3106 fax

REVISIONS

DATE


INITIALS

R.W.C.

REVISED PARCEL NO.

10-23-06

SURVEY PLAT FILE: 060718-3



# DESCRIPTION OF PARCEL NO. 7 (10.052 ACRES)

Situated in the State of Ohio, County of Muskingum, Township of Highland, being in the west half of Section 15, Range 5 West, Township 2 North, of "The United States Military District", and being bounded and described as follows:

Commencing for reference at an iron pin set at the center of Section 15 (Note: Reference bearing on the south line of the northwest quarter of Section 15 used as South 83°34'53" East.);

Thence, with the east line of the southwest quarter of Section 15, South 05°54'13" West a distance of 342.54 feet to a point in the center of an 8" diameter corner fence post found at the northeast corner of a 60 acres tract as conveyed to Joseph VanReeth, Luann Hill, and Lita J. VanReeth by Deed Volume 1114, Page 550 of the Muskingum County Recorder's Office;

Thence, with the north line of said VanReeth property and the north line of an 80.60 acres residue tract of the original 160 acres tract as conveyed to William N. and Katherine Balderson by the Fifth Parcel of Deed Volume 1135, Page 111 of the Muskingum County Recorder's Office, North 83°37'46" West a distance of 177.00 feet to an iron pin set, being the **TRUE POINT OF BEGINNING** for this description;

Thence, from said Point of Beginning and continuing with the north line of said Balderson tract, North 83°37'46" West a distance of 563.66 feet to an iron pin set, passing through two iron pins set at distances of plus 382.22 feet and plus 442.22 feet, respectively, and passing over the centerline of a tenfeet-wide right-way at a distance of plus 412.22 feet;

Thence, leaving the north line of said Balderson tract, North 06°10'37" East a distance of 561.87 feet to an iron pin set in an existing fence line, passing through an iron pin set in the north line of the southwest quarter of Section 15 at a distance of plus 343.15 feet;

Thence, with the fence line, the following two courses:

- 1. North 61°17'19" East a distance of 264.50 feet to an iron pin set;
- 2. Thence North 04°03'01" West a distance of 156.89 feet to a point in the centerline of County Road No. 180 (New Hope Road), passing through an iron pin set at a distance of plus 109.15 feet;

Thence, with the centerline of County Road No. 180, the following two courses:

- 1. South 83°45'44" East a distance of 13.25 feet to a point in the centerline intersection with an existing field driveway and the centerline of said 10 feet wide right-of-way;
- 2. Thence South 80°24'04" East a distance of 361.95 feet to a point;

Thence, leaving the road, South 06°10'37" West a distance of 847.84 feet to the Point of Beginning, passing through two iron pins set at distances of plus 30.00 feet and plus 130.00 feet, respectively, and passing over the south line of the northwest quarter of Section 15 at a distance of plus 505.16 feet;

Containing 10.052 acres, more or less, of which:

5.615 acres in the northwest quarter of Section 15 (Parcel No. 23-23-40-15-03-002) and 4.437 acres in the southwest quarter of Section 15 (Parcel No. 23-23-40-15-08-000).

Subject to all legal right-of-ways, easement, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of County Road No. 180 (New Hope Road).

Subject to the 100-Year Flood Plain restrictions, if applicable.

Subject to a 50.00 feet wide easement being reserved unto the grantors (Bruner Land Company, Inc.), their heirs, and or assigns, forever. Said easement being for the purpose of running utilities to other parcels of land on or near County Road No. 180. Said easement runs in an east-west direction across the north end of the above-described property with the north line of said easement being the centerline of County Road No. 180. Containing 0.431 acre, more or less, of easement.

<u>SUBJECT TO</u> a 10.00 feet wide right-of-way for travel (ingress and egress) as conveyed to Joseph VanReeth, Luann Hill, and Lita J. VanReeth by Deed Volume 1114, Page 550 of the Muskingum County Recorder's Office. The centerline of said right-of-way being herein newly surveyed and described as follows:

Commencing for reference at an iron pin set at the center of Section 15 (Note: Reference bearing on the south line of the northwest quarter of Section 15 used as South 83°34'53" East.);

Thence, with the east line of the northwest quarter of Section 15, North 05°54'13" East a distance of 495.57 feet to a point in the centerline of County Road No. 180 (New Hope Road);

Thence, with the centerline of County Road No. 180, North 80°24'04" West a distance of 535.26 feet to a point in the centerline intersection with an existing field driveway, being **THE TRUE POINT OF BEGINNING** for this centerline 10 feet wide right-of-way description;

Thence, from said Point of Beginning and running with the centerline of said existing field driveway and the centerline of said 10 feet wide right-of-way, the following seventeen courses:

- (1) South 28°27'41" East a distance of 37.75 feet to a point;
- (2) Thence South 41°14'13" East a distance of 59.09 feet to a point;
- (3) Thence South 08°35'58" East a distance of 37.54 feet to a point;
- (4) Thence South 24°10'49" West a distance of 40.99 feet to a point;
- (5) Thence South 59°21'28" West a distance of 40.70 feet to a point;
- (6) Thence South 73°47'21" West a distance of 34.50 feet to a point;
- (7) Thence South 32°47'38" West a distance of 34.92 feet to a point;
- (8) Thence South 12°32'55" West a distance of 83.49 feet to a point;
- (9) Thence South 18°15'14" West a distance of 83.08 feet to a point;
- (10) Thence South 26°16'03" East a distance of 154.96 feet to a point;
- (11) Thence South 01°12'19" East a distance of 31.92 feet to a point;
- (12) Thence South 04°58'34" West a distance of 69.74 feet to a point;
- (13) Thence South 21°45'01" East a distance of 60.51 feet to a point;
- (14) Thence South 33°16'05" East a distance of 81.54 feet to a point;
- (15) Thence South 09°55'12" West a distance of 46.37 feet to a point;

- (16) Thence South 40°52'38" West a distance of 45.48 feet to a point;
- (17) Thence South 19°04'28" West a distance of 42.84 feet to a point in the north line of a 60 acres tract as conveyed to Joseph and Luann VanReeth by Deed Volume 1114, Page 550 of the Muskingum County Recorder's Office, said point being The Point of Ending for this centerline 10 feet wide right-of-way description;

Being 985.42 feet in length and containing 0.226 acres, more or less, of right-of-way.

The bearings in this description are for angle calculations only and are based on the south line of the northwest quarter of Section 15 used as South 83°34'53" East.

A plat of the above-described survey has been submitted for file at the County Engineer's Office.

The above description prepared by Roger W. Claus, Registered Surveyor No. 6456, based on an actual field survey of October 9, 2006; said survey being subject to any facts that may be disclosed in a full and accurate title search.

Prior deed: Official Re Volume 2052, Page 254

Surveyor:

Date

HOGER W. A CLAUS S-6456 ONAL SUMMER

	D .	D
Line	Bearing N 83°37'46"W	Distance
1	N 83°37'46"W	30.00'
2	N 83°37'46"W	30.00
3	N 6°10'37"E	344.691
4	N 6°10'37"E	30.00'
5	S 75°24'00"E S 75°30'00"E	187.46'
6	S 75°30'00"E	208.71'
7	0. 400000140160	305.08'
8	S 79°39'43"E S 86°34'18"E	35.41'
9	S 9°44'59"E	50.57
-	3 9 44 39 E	
10	S 10°22'10"E	126.41'
11	S 56°11'01"E	201.61'
12	N 61°17'19"E	264.50'
13	N 4°03'01"W	109.15
14	N 4°03'01"W	47.74'
15	S 83°45'44"E	13.25'
18	S 83°37'46"E	80.49'
19	S 83°34'53"E	79.03'
20	S 75°24'00"E	59.79'
21	S 28°27'41"E	37.75'
22	S 41°14'13"E	59.09'
23	S 8°35'58"E	37.54'
24	S 24°10'49"W	40.99
25	S 59°21'28"W	40.70
26	S 73°47'21"W	34.50'
27	S 32°47'38"W	34.92'
28	S 12°32'55"W	83.49'
29	S 18°15'14"W S 26°16'03"W	83.08'
30	S 26°16'03"W	154.96'
31	S 1°12'19"E	31.92'
32	S 105813111W	69.74
33	S 4°58'34"W S 21°45'01"E	60.51'
34	S 33°16'05"E	81.54'
35	S 9°55'12"W	46.37 <sup>1</sup>
36	S 40°52'38"W	45.48 <sup>1</sup>
30 37	S 19°04'28"W	43.46 42.84'
38	S 3°00'00"W S 3°00'00"W	25.00'
39	S 6°02'19"W	25.00'
40		20.00'
41	S 1°05′10"W	35.00'
42	S 81°02'20"E	214.31
43	S 79°44'51"E S 81°19'57"E	248.42'
44	S 81°19'57"E	191.96'
45	S 5°54'13"W	30.00'
46	N 83°37'46"W	270.00'
47	S 77°43'30"E	85.04'
48	S 6°10'37"W	30.00'
49	C KOING THUI	100.00'
50	S 6°10'37"W	344.46'
51	N 83°37'46"W	238.60'
52	S 77°43'30"E	239.96'
53	S 6°10'37"W	30.00'
54	S 6°10'37"W	100.00'
55	S 6°10'37"W S 6°10'37"W S 6°10'37"W N 83°37'46"W	344.26'
56	N 83°37'46"W	238.00'
	.100 07 10 17	200.00

239.35 30.00 100.00 344.06 297.00 298.69 30.00 100.004 343.81 311.00 11.20 208.71 93.59 30.00' 100.00 343.551 76.20 211,49 218.72 343.15 177.00' 121.44' 361.95' 30.00' 100.00' 342.68 173.31 194.06 30.00' 100.00

CLAUS S-6456

S 77°43'30"E

S 6°10'37"W

S 6°10'37"W

S 6°10'37"W

N 83°37'46"W

S 77°43'30"E

S 6°10'37"W

S 6°10'37"W

S 6°10'37"W

N 83°37'46"W

S 77°43'30"E

S 75°30'00"E

S 79°39'43"E

S 6°10'37"W

S 6°10'37"W

S 6°10'37"W

N 83°37'46"W

S 79°39'43"E

S 6°10'37"W

S 6°10'37"W

N 83°37'46"W

N 83°37'46"W

S 80°24'04"E

S 6°10'37"W

S 6°10'37"W

S 6°10'37"W

S 80°24'04"E

S 81°02'20"E

S 6°10'37"W


S 6°10'37"W

N 83°34'53"W

S 81°02'20"E

191.47

20.24



SUBJECT TO ALL LEGAL RIGHT-0F-WAYS, EASEMENT'S, RESTRICTIONS, RESERVATIONS, AND ZONING REGULATIONS OF RECORD. SUBJECT TO 100 YEAR FLOOD PLAIN RESTRICTIONS, IF APPLICABLE. SUBJECT TO ANY FACTS THAT MAY BE DISCLOSED IN A FULL AND ACCURATE TITLE SEARCH.

8" CORNER FENCE POST FOUND

1/2" X 30" IRON PIN FOUND CAPPED "CLAUS 6456".

5/8" X 30" IRON PIN SET CAPPED "CLAUS 6456"

5/8" IRON PIN FOUND UNCAPPED. 3/4" IRON PIN FOUND UNCAPPED.

5/8" IRON PIN FOUND CAPPED "BIEDENBACH 5718 - 6923"

" IRON PIN FOUND CAPPED "

CONCRETE MONUMENT FOUND

MARKED STONE FOUND.

UN-MARKED STONE FOUND

SURVEY ANGLE POINT RAILROAD SPIKE SET

RAILROAD SPIKE FOUND.

TREE WITH WIRE FOUND EXISTING PROPERTY LINES

-x-x-= FENCE EVIDENCE FOUND

LINES OF THIS SURVEY

TOTAL FARM = 56.996 ACRES BRUNER LAND CO., INC. O.R. VOL, 2052, PG. 254 -258

29.552 ACRES IN N.W. 1/4 OF SECTION 15 PART OF PARCEL NO. 23-23-40-15-03-002

PART OF PARCEL NO. 23-23-40-15-08-000 20.266 ACRES IN S.W. 1/4 OF SECTION 15

ALL OF PARCEL NO. 23-23-40-15-02-001 7.178 ACRES IN N.E. 1/4 OF SECTION 15

PRIOR OWNERS: LYNN G. AND WINONA ELLIOTT D.V. 1068, PG. 219

NOT IN 100 YEAR FLOOD PLAIN FEMA FIRM MAP NO. 3904250075 C ZONE "X" JUNE 3, 1988

PAGE 1 OF 2

## **SURVEY PLAT FOR** BRUNER LAND CO., INC.

SITUATED IN THE STATE OF OHIO, COUNTY OF MUSKINGUM, TOWNSHIP OF HIGHLAND, BEING IN SECTION 15, RANGE 5 WEST, TOWNSHIP 2 NORTH, OF "THE UNITED STATES MILITARY DISTRICT".

#### PERTINENT DOCUMENTS

- (1) ALL DEEDS AS SHOWN.
- (2) COUNTY TAX MAPS.
- (3) U.S.G.S. QUAD. MAP "OTSEGO"
- (4) SURVEY PLAT BY W. J. BIEDENBACH

THE BEARINGS ON THIS PLAT ARE FOR ANGLE CALCULATIONS ONLY AND ARE BASED ON AN ASSUMED BEARING ON THE SOUTH LINE OF THE NORTHWEST QUARTER OF SECTION 15 USED AS SOUTH 83°34'53" EAST.

### SURVEYORS CERTIFICATION:

I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND THAT WAS PREPARED FROM AN ACTUAL FIELD SURVEY OF THE PREMISES.

ROGER W. CLAYS REG. ORVEYOR 6456 DATE: 33310 CHRISTMAN 200E ROAD

LEWISVILLE, OHIO

1-740-567-3168

1-740-567-3106 fax

REVISIONS

**INITIALS** DATE

10-30-06

REVISED PARCEL NO.

10-23-06

R.W.C.

SURVEY PLAT FILE: 060718-3

