East Side Split of Patricia Moore Property

Situated in State of Ohio, County of Muskingum, Township of Licking and being a part of Lot No.6, of Craig's Subdivision of the South Half of Quarter Township 3, Township 2, Range 9, and also being a part of the Township of Hopewell, a part of the Northeast Quarter of Section 5, Township 1, Range 9, United States Military Lands, and being a part of the lands described in the First and Second Parcel of DR 1011-405 and presently owned by Priscilla A. Moore, and being more particularly described as follows:

Beginning for reference at an iron pin found at the Northwest corner of the Northeast Quarter of Section 5, Township 1, Range 9, United States Military Lands;

Thence along the township line South 88 degrees 36 minutes 44 seconds East, 896.85 feet to the centerline of Cottage Hill Road(Co. Rd. 293)and the principal place of beginning, passing a stone found at the southeast corner of lands presently owned by H. W. Irvin(DR 841-87) at 170.74 feet;

Thence through the lands of Priscilla A. Moore(DR 1011-405), and said centerline the following six courses: 1.) Along a non-tangent curve to the right with a radius of 980.75 feet, an arc length of 102.89 feet, and a chord which bears North 04 degrees 32 minutes 11 seconds West, 102.89 feet to a point; 2.) North 01 degrees 00 minutes 05 seconds West, 176.77 feet to a point; 3.) Along a non-tangent curve to the right with a radius of 401.61 feet, an arc length of 160.38 feet, and a chord which bears North 13 degrees 57 minutes 22 seconds East, 159.73 feet to a point; 4.) North 26 degrees 44 minutes 41 seconds East, 173.33 feet to a point; 5.) North 15 degrees 05 minutes 15 seconds East, 224.28 feet to a point; 6.) North 9 degrees 36 minutes 48 seconds East, 77.39 feet to a point on the south east corner of lands presently owned by L. Miller(OR 1963-323); Thence along the east line of said Miller lands and continuing along the centerline of said road the following five courses: 1.) North 03 degrees 26 minutes 42 seconds East, 67.89 feet to a point; 2.) North 02 degrees 27 minutes 26 seconds West, 76.20 feet to a point; 3.) North 08 degrees 59 minutes 38 seconds West, 132.56 feet to a point; 4.) North 05 degrees 30 minutes 18 seconds West, 116.80 feet to a point;

Bearings are based on the west line of Clay City Beverage Inc.(DR 976-317), as per survey plat dated June 14, 1986, by W. J. Biedenbach, and being North 01 degrees 18 minutes 42 seconds East.

Lron pins set are 5/8 inch rebars, 30 inches long with plastic identification caps.

This description is written based on a field survey completed on November 29, 2006, by Jack D. Newcome, Reg. No. 7321

7321 Jack

<u>12-08-06</u> Date

Part of Parcel No.: 35-35-30-61-22-000 +-6.54 Acres

OSURE

T FROM COMMISSION

